

1 LOCATION OF WATER WELL:  
County: HODGEMAN  
Distance and direction from nearest town or city street address of well if located within city?  
2 MILES WEST OF JETMORE

Fraction  
NW 1/4 NW 1/4 NE 1/4


Section Number  
11

Township Number  
T 23

Range Number  
R 24 E/W

2 WATER WELL OWNER: LECKNER BEFLER  
RR#, St. Address, Box #: ROUTE 2 BOX 51  
City, State, ZIP Code: Jetmore Kansas 67854

Board of Agriculture, Division of Water Resources  
Application Number: 022933

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  


4 DEPTH OF COMPLETED WELL: 61 ft. ELEVATION:  
Depth(s) Groundwater Encountered 1. 48 ft. 2. ft. 3. ft.  
WELL'S STATIC WATER LEVEL 2.7 ft. below land surface measured on mo/day/yr December 12/95  
Pump test data: Well water was 50 ft. after 10 hours pumping gpm  
Est. Yield 150 gpm: Well water was ft. after hours pumping gpm  
Bore Hole Diameter: 2.8 in. to 6.1 ft., and in. to ft.  
WELL WATER TO BE USED AS:  
5 Public water supply 8 Air conditioning 11 Injection well  
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well  
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted  
Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:  
1 Steel 3 RMP (SR)  
2 PVC 4 ABS  
Blank casing diameter 1.6 in. to 6.1 ft., Dia. in. to ft., Dia. in. to ft.  
Casing height above land surface 1.8 in., weight lbs./ft. Wall thickness or gauge No. 7  
TYPE OF SCREEN OR PERFORATION MATERIAL:  
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement  
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)  
12 None used (open hole)  
SCREEN OR PERFORATION OPENINGS ARE:  
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
7 Torch cut 10 Other (specify)  
SCREEN-PERFORATED INTERVALS: From 4.1 ft. to 6.1 ft., From ft. to ft.  
GRAVEL PACK INTERVALS: From 1.2 ft. to 6.1 ft., From ft. to ft.  
From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
Grout Intervals: From 0 ft. to 1.2 ft., From ft. to ft., From ft. to ft.  
What is the nearest source of possible contamination:  
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
13 Insecticide storage 0  
Direction from well?  
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG  
0 5' Top soil  
5 48 Clay  
48 61 Sand

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-14-96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 130 This Water Well Record was completed on (mo/day/yr) 2-11-96 under the business name of Leo Knapp Driller by (signature) Leo Knapp  
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY  
T  
R  
EW  
SEC.  
1/4  
1/4  
1/4