	ll if lo		¦ T 23	\$; Range ; R 24	V
RR#, St. Address, Box # : 120 B. PARK City, State, ZIP code : JETMORB, KS 67854-		cated wit	hin city?			
	Boar Appl	d of Agri ication N	culture, Di umber:	ivision of	Water Re	sources
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 30' AN "X" IN SECTION BOX: Depth(s) Groundwater Encount	7 E ered	1.	0 ft.			
WELL'S STATIC WATER LEVEL 17- Pump testdata: Well	ft. be water w	low land as 0	surface mea ft. after	asured on 0 hou	mo/day/yr rs pumpin	10/02/ ng 0
Estimated Yield 30 gpm: Wel	l water	was 0	ft. after	0 hou	rs pumpin	ng O
₩ B Bore Hole Diameter 9	in. to	307 ft	., and	in. to	0 ft.	
WELL WATER TO BE USED AS: DOMB						
Was a chemical/bacteriological If yes, mo/day/yr sample was s	sample ubmitted	submitted	to departs	ment? No ; Water w	ell disir	nfected?
GREEN PERFORATED INTERVALS: From 220 ft. to 300 ft., Fr From 0 ft. to 0 ft., Fr GRAVEL PACK INTERVALS: From 25 ft. to 307 ft., Fr From 0 ft. to 0 ft., Fr	om O	ft. to	0 ft. 0 ft.			
From 0 ft. to 0 ft., Fr GRAVEL PACK INTERVALS: From 25 ft. to 307 ft., Fr	om C om C	ft. to	0 ft. 0 ft. 0 ft.		How many	feet?
ROUT MATERIAL BENTONITE ROUT MATERIAL BENTONITE rout Intervals: From 5 ft. to 25 ft., From 0 ft. to hat is the nearest source of possible contamination: ABANDONED WELL irection from well? SOUTH FROM TO LITHOLOGIC LOG 0 20 01 TOPSOIL 05 CLAY 35 CALACHIE 20 40 35 CALACHIE 32 TAN CLAY 16 GRAY CLAY 40 80 16 GRAY CLAY 07 BLUE SHALE 08 ROCK LAYERS	om C om C	ft. to ft. to ft. to ft. to	0 ft. 0 ft. 0 ft.		How many	
From 0 ft. to 0 ft., Fr GRAVEL PACK INTERVALS: From 25 ft. to 307 ft., Fr From 0 ft. to 0 ft., Fr From 0 ft. to 0 ft., Fr ROUT MATERIAL BENTONITE rout Intervals: From 5 ft. to 25 ft., From 0 ft. to hat is the nearest source of possible contamination: ABANDONED WELL irection from well? SOUTH FROM TO LITHOLOGIC LOG 0 20 01 TOPSOIL 05 CLAY 35 CALACHIE 20 40 35 CALACHIE 32 TAN CLAY 16 GRAY CLAY 40 80 16 GRAY CLAY 07 BLUE SHALE 08 ROCK LAYERS 80 160 07 BLUE SHALE 16 GRAY CLAY 24 THINROCLAYER 160 200 16 GRAY CLAY 36 BLUE CLAY 24 THINROCLAYER	om 0 om 0 om 0 om 0 oft.,	ft. to ft. to ft. to ft. to	0 ft. 0 ft. 0 ft.	PLUGGING		LS
From 0 ft. to 0 ft., Fr GRAVEL PACK INTERVALS: From 25 ft. to 307 ft., Fr From 0 ft. to 0 ft., Fr From 0 ft. to 0 ft., Fr ROUT MATERIAL BENTONITE rout Intervals: From 5 ft. to 25 ft., From 0 ft. to hat is the nearest source of possible contamination: ABANDONED WELL irection from well? SOUTH FROM TO LITHOLOGIC LOG 0 20 01 TOPSOIL 05 CLAY 35 CALACHIE 20 40 35 CALACHIE 32 TAN CLAY 16 GRAY CLAY 40 80 16 GRAY CLAY 07 BLUE SHALE 08 ROCK LAYERS 80 160 07 BLUE SHALE 16 GRAY CLAY 24 THINROCLAYER	om 0 om 0 om 0 om 0 oft.,	ft. to ft. to ft. to ft. to	0 ft. 0 ft. 0 ft.	PLUGGING	INTERVAI	LS D