597 13622 Well No. 2 (Primary) WATER WELL RECORD Form WWC-5								45,259	
	WELL REC			WC-5			Resources App. No.		
			Fraction 1/4 SW 1/4 NW	SW		on Number 16	Township No. T 23 S	Range Number R 25 □E ▼ W	
County: Hodgeman					Globa	l Positioning	System (GPS) info	rmation:	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Latitu	Latitude: 38.048901 (in decimal degrees)			
Approximately 2.5 miles south and 10 miles west of Jetmore.					Longi	Longitude: -100.08104 (in decimal degrees) Flevation: Unknown			
Approximately 2.0 miles south and 10 miles west of countries.						Elevation: Unknown			
Description of the pict 404					Datum	Datum: ☐ WGS 84, ☒ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Pawnee Watershed Joint Dist. #81 RR#, Street Address, Box #: P.O. Box 367					Collec	Collection Method: GPS unit (Make/Model: WAAS Output			
City, State, ZIP Code : Jetmore, KS 67854						Digital Map/Photo, Topographic Map, Land Survey			
City, State, ZIP Code : Jelinore, RS 07054						Est. Accuracy:			
2 LOCATE WELL									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 39 ft.									
SECTION BOX: Depth(s) Groundwater Encountered (1) WELL'S STATIC WATER LEVEL 20 ft. (2) ft. (3) ft. (3) ### MELL'S STATIC WATER LEVEL 20 ft. below land surface measured on mo/day/yr 06/02/16									
<u></u> -	N WELL'S STATIC WATER LEVEL 20 ft. below land surface measured on mo/day/yr 00/02/10 Pump test data: Well water was not checked ft. after hours pumping gpm								
1	Pump test data: Well water was								
NW	WNE EST. YIELD gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 18 in. to 39 ft., and in. to ft.								
W L	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
x cyy									
sw	*-SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well								
	Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? \(\bar{\text{V}} \) Yes \(\Boxed{\text{No}} \) No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: \(\Pi\) Glued \(\Pi\) Clamped \(\Pi\) Welded \(\Pi\) Threaded \(\mathbf{M}\) Other (Specify) Certalok									
Casing diameter 6 in. to 30 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 12 in., Weight 5.05 lbs./ft., Wall thickness or gauge No390									
Casing height above land surface 12 in., Weight 5.05 lbs./ft., Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Ste	el 🔀 Sta	inless Steel	☐ PVC		Otner (specify)			
☐ Steel ☑ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 30 ft., to 38 ft., From ft. to ft.									
SCREEN-I	PERFORATE	D INTERVALS:	From30	ft. to	58 	ft., From	ft. to	o ft.	
			From 26	ft. to	ริดี	ft., From	ft. to	0 ft.	
From 1. to 1. ft., From 1. ft. ft. ft., From 1. ft. ft. ft., From 1. ft.,							ο π.		
COPOLIT MATERIAL. Next coment M Coment grout M Pentonite Other									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other Grout Intervals: From 4 ft. to 24 ft., From 24 ft. to 26 ft., From ft. to ft.									
What is the nearest source of possible contamination:									
	ptic tank	Lateral lir		Livestock	pens	Insecticide		er (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							None Known		
	ntertight sewer l	ines Seepage p	oit 🔲 Feedyard	Fertilizer s		Oil well/ga	s well		
	n from well	I ITIIOI OO	TO LOC	Distance		T T T T T T T T T T T T T T T T T T T	C (cont) or DI II	GGING INTERVALS	
FROM 7	TO Topso	LITHOLOG	IC LUG	FROM	ТО	LITTO, LO	or (cont.) or PLU	GOING INTERVALS	
2		tan, gray		 					
15		tan, gray tan, sandy	W. W.	 		<u> </u>			
21		& gravel, fine to	medium clav	 				A 24 + A 800 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 - 200 -	
	streak	<u> </u>		†					
38			ne streaks, hard						
		,,	,	†					
	-								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged and this record is true to the best of my knowledge and belief.									
Tandor my Januarenan and was compressed on (more safe) and									
		ractor's License N	o. 185 This V	Water Well R			on (mo/day/year)		
under the b	usiness name	ot Clark	e Well & Equipment	V and DDINT	by (S	ignature)	rs and check the correct	t answers. Send three copies	
I (white blue i	nink) to Kansas	Denartment of Health	i and Environment, Bureau	of Water. Geo	logy Sect	tion. 1000 SW Ja	ackson St., Suite 420,	1 opeka, Kansas 66612-136/.	
Telephone 7	85-296-5522. Sei	nd one copy to WAT	ER WELL OWNER and re	tain one for y	our recor	rds. Include <u>fee</u>	of \$5.00 for each co	nstructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212									