USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215



Kansas State Dept. Of Health (Water Well Contractors) Forbes-Bldg. 740 Topeka, Kansas 66620

| 1 Location of well: | County H <i>ARYEV</i> | BURRTON | Fraction | KIZI | Section 1/4 | n number | | Town number | Range number | | |
|--|----------------------------|-----------------------------|----------|------|---------------------------------|----------|--|--|------------------------|-------|--|
| Distance and direction from nearest town or city: 1 mile E, 2 north 3 Owner of well: Black stone Drilling | | | | | | | | | | | |
| Street address of well location if in city: Of Burrton, Kansas | | | | | Address: McPherson, Kansas67460 | | | | | | |
| Locate with "X" in section below: Sketch map: | | | | | | | | 4 Well depth: 120 ft. Date of completion 1-30 Well diameter in. | | | |
| w = | | | | | | | | 5 Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary | | | |
| | | | | | | | | 6 Use: Domestic Public supply Industry Irrigation Air conditioning Commercial Test well Oil field water | | | |
| BURRION | | | | | | | Thr Dio | 7 Casing: MaterialPlastiteCpht: above/below Threaded Welded Surface in. Diam. PVC Weight bls./Plasting. | | | |
| 2 | Type and color of material | | | | | То | | in. to ft. depth Drive shoe? Yes | | | |
| Red sand | | | | | 0 | 30 | 8 Scr Ma Tyr | 8 Screen: Manufacturer Certain terc Type Dia. 3 Slot/gauze Length 20 | | | |
| Sand clay mixed | | | | | 30 | 55 | S lo Set | | | | |
| Clay | | | | | 55 | 85 | Gre | tings: avel pack 🔀 Yes 🗌 No S | Size range of materia | 14 | |
| Med. Gravel | | | | | 85 | 115 | 9 Static water level: 15 ft. below land surface Date 1-30-78 | | | | |
| Clay | | | | | 115 | 120 | 10 Pur | 10 Pumping level below land surfaces: ft. after hrs. pumping 30 g.p.m | | | |
| | | | | | | | _ | ft. after hrs mated maximum yield | pumping g.p.m. | | |
| | | | | | | | 11 Wa | ter sample submitted: | | | |
| | | | | | | | 12 We | 12 Well head completion: | | | |
| | | | | | | | - | Pitless adapter Pill Inches above grade 13 Well grouted? Types No Neat cement Bentonite Depth: From ft. to | | | |
| | | | | | | | De _l | | | | |
| | | | | | - | _ | ft. | earest source of possible cor Direction | XVC Tuna | W | |
| | | | | | | | 15 Pur | ell disinfected upon comple | tion? Yes | 3 | |
| | | | | | | | Mo | inufacturer's name | IP Volts | | |
| | | · . | | | | | Lei | ngth of drop pipe f | | 0 | |
| | | | | | <u> </u> | <u> </u> | | Submersible [| Turbine Reciprocating | 5 | |
| | (US | e a second sheet if needed) | | | | | | | Other | ξ. | |
| 16 Remarks: elevation | | | | | | | 17 Water well contractor's certification: This well was drilled under my jurisdiction and this | | | | |
| Topography: | | | | | | 1 . | port is true to the best of my Darling Amilli | | nw nw sw | | |
| ☐ Hill ☐ Slage | | | | | Business name License | | | | License No. Hydchinson | Kans. | |
| Upland Valley | | | | | | | Si | Signed Authorized representative | | | |
| C | | Kansas State Dent Of Her | .lah | | | | | \/ | Form WWC- | -5 | |