

1 LOCATION OF WATER WELL		Fraction	Section Number	Township Number	Range Number
County: Harvey		SW 1/4 SW 1/4 SE 1/4	10	T 23 S	R 3 E
Distance and direction from nearest town or city? 2 mile North Burton Northside			Street address of well if located within city?		
2 WATER WELL OWNER: Blackstone Drilling Co.					
RR#, St. Address, Box # : P.O. BOX 1184			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : McPherson, KS 67460			Application Number:		
3 DEPTH OF COMPLETED WELL. 225 ft. Bore Hole Diameter 6 in. to 225 ft., and in. to ft.					
Well Water to be used as:					
1 Domestic		3 Feedlot	5 Public water supply	8 Air conditioning	11 Injection well
2 Irrigation		4 Industrial	7 Lawn and garden only	9 Dewatering	12 Other (Specify below)
Well's static water level 50 ft. below land surface measured on 10 month 29 day 1980 year					
Pump Test Data		Well water was 6.2 ft. after 1 hours pumping 120 gpm			
Est. Yield		Well water was ft. after hours pumping gpm			
4 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	Casing Joints: Glued <input checked="" type="checkbox"/> Clamped
<input checked="" type="checkbox"/> PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
Blank casing dia 4 in. to 0 ft., Dia 4 in. to 225 ft., Dia in. to ft.		7 Fiberglass	Threaded		
Casing height above land surface 18 in., weight 160 lbs./ft. Wall thickness or gauge No. .216					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
Screen or Perforation Openings Are:		5 Gauzed wrapped		<input checked="" type="checkbox"/> Saw cut	11 None (open hole)
1 Continuous slot		3 Mill slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter		4 Key punched	7 Torch cut	10 Other (specify)	
Screen-Perforation Dia 4 in. to 205 ft., Dia 4 in. to 225 ft., Dia in. to ft.					
Screen-Perforated Intervals: From 205 ft. to 225 ft., From ft. to ft., From ft. to ft.					
Gravel Pack Intervals: From 10 ft. to 225 ft., From ft. to ft., From ft. to ft.					
5 GROUT MATERIAL: 1 Neat cement 2 Cement grout <input checked="" type="checkbox"/> Bentonite 4 Other					
Grouted Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Cess pool	7 Sewage lagoon	10 Fuel storage	14 Abandoned water well
2 Sewer lines		5 Seepage pit	8 Feed yard	11 Fertilizer storage	15 Oil well/Gas well
3 Lateral lines		6 Pit privy	9 Livestock pens	12 Insecticide storage	16 Other (specify below) None
Direction from well How many feet ? Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/>					
Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> If yes, date sample was submitted month day year: Pump Installed? Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/>					
If Yes: Pump Manufacturer's name Model No. HP Volts					
Depth of Pump Intake ft. Pumps Capacity rated at gal./min.					
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other					
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 10 month 29 day 1980 year					
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134					
This Water Well Record was completed on 10 month 30 day 1980 year under the business name of Rosencrantz-Bemis Ent. by (signature) Mike Davis					
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM TO LITHOLOGIC LOG		FROM TO LITHOLOGIC LOG	
		0 3 Top Soil		156 165 Equis sand tight	
		3 9 Sugar Sugar Sand		165 175 Equis sand	
		9 76 Brown Clay		175 190 Black Clay	
		76 90 Equis sand w/some clay		190 193 Brown Clay	
		90 115 Equis Sand		193 210 Equis Sand	
		115 120 Equis sandw/ green clay		210 225 Equis sand	
		120 131 " " "			
		131 137 Clay			
		137 150 Clay w/ Equis sand			
		150 156 Black sticky clay			
ELEVATION:		156 165 Equis sand tight			
Depth(s) Groundwater Encountered ft. 2 ft. 3 ft. 4 ft. (Use a second sheet if needed)					

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

93

R

3

EW

SEC.

10

SW 1/4 SW 1/4 SE 1/4