CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	Location changed to:
Section-Township-Range: 16-235-3 W	16-235-3W
Fraction (1/4 1/4 1/4): NE NE NW	NE NE SE
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Written & legal de scripti	ons, position on platmap
and sketch map, location of rela	ted oil well from same time
and sketch map, location of relatione, and mapping tool on KGS	website initials: DRL date: 9/25/2006

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

WATER WELL RECORD KSA 82a-1201-1215 T R EW sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health (Water Well Contractors) Forbes-Bldg. 740 Topeka, Kansas 66620

Form WWC-5

									opeka, Nansas 60020	
	County	Township name	Fraction		Sectio	n number		Town number	Range number	
1 Location of well:	Harvey	BURRION	NE A	F NE	Ź	ر) ا		233	3 W/	
Distance and directi	ion from nearest town or cit					Blac	kst	one Drilling		
Street address of well location if in city: Imi. E., 1½ N. of Burton, Kans. Address: McPherson, Kansas 67460										
Locate with "X" in s	section below:	Sketch map:						Well depth: 160 ft. [Date of completion 1-13	18
	1 1 1		Image: contract to the contract	-				= = :	Driven Dug Bored Reverse rotary	
w	E		-				_	Use: Domestic Publi		}
BURTTON						Casing: Materia Plast Threaded Welded L	Boght: above/below	(
	→1 Mile→							3 in. to 140 tt. depth	Drive shoe? Yes No	* * .
2	Тур	e and color of material			From	То	8	in. to fit. depth		
	Top	Soil			0	5		Manufacturer Certa	Dia. 3	
	Med	Sand			5	13			ength <u>20</u>	
		dy clay			13	3522		Fittings: Gravel pack 🗶 Yes 🗌 No	Size range of material	c XI
	Cla	у	7.00		35	5 0 16		Static water level: 15 ft. below land surface		
	Fin	e sand			50	55	10	Pumping level below land sur	rfaces:	
	Clay				55	8 5 %			pumping g.p.m.	
	Fin	e sand, Littl	e clay		85	150	11	Water sample submitted:		23
	Har	d clay			150	160	12	Well head completion:	Inches above grade	
							13	Well grouted? ✓ Yes ✓ Neat cement ✓ Benton	■ No	w
							╙	Depth: From C ft. to	(C) ft.	3
			·				14	Nearest source of possible of	one Type	
						-	15	Well disinfected upon compl Pump:	Not installed	
					ļ			Manufacturer's name Model number	HP Volts	6
]	Length of drop pipe		
								Type: Submersible	Turbine	7
	(use	e a second sheet if needed)					☐ Jet ☐ Certrifugal	Reciprocating Other	9(
16 Remarks: elevation					Water well contractor's certification of the sell was drilled under a report is true to the best of a	ny jurisdiction and this	De			
Topography: Hill Slope	S							Darling Drilli Business name Address 1211 W		Kans
D Upland ☐ Valley							,	Signe Authorized representation	Andrive 2 -	-78