

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Harvey	Fraction SE 1/4 SE 1/4 NE 1/4	Section number 18	Township number T 23	Range number S R 3	E W
2. Distance and direction from nearest town or city: Street address of well location if in city:	1/2 west of Burton 1 1/2 north west by rd		3. Owner of well: Steve Howell R.R. or street: 612 First Nat'l Center City, state, zip code: Hutchinson, Kansas 67501			
4. Locate with "X" in section below: N W E S 1 Mile 1 Mile	Sketch map: 		6. Bore hole dia. 10 in. Completion date 5/31/79 Well depth 120 ft.			
5. Type and color of material			From	To	7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
Top soil			0	3	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input checked="" type="checkbox"/> Other Deposital Air cond.	
Gray clay			3	4	9. Casing: Material S Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 18 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 160 lbs./ft.	
Med. red sand w/clay, drill fairly loose			4	13	Dia. 5 in. to 90 ft. depth Wall Thickness: inches or Dia. 5 in. to 90 ft. depth gage No. 378	
Med. red sand w/loose formation			13	24	10. Screen: Manufacturer's name Certain Tool Type Saved Dia. 5 Slot/gauze 1/4 Length 30 Set between 90 ft. and 120 ft. Gravel pack yes Size range of material 1/8-1/2	
Brown sticky clay			24	60	11. Static water level: 32 ft. below land surface Date 5/31/79	
Green clay			60	62	12. Pumping level below land surfaces: 70 ft. after 1 hrs. pumping 50 g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 60 g.p.m.	
Equis clay			62	73	13. Water sample submitted: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Date	
Green clay			73	84	14. Well head completion: 18 inches above grade <input type="checkbox"/> Pitless adapter	
Sandy streak			84	86	15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
Brown clay			86	94	16. Nearest source of possible contamination: ft. Direction none Type X Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Equis sand			94	120	17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
(Use a second sheet if needed)						
18. Elevation: Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks: Deposital of Air condensation water			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Rosencrantz-Bemis Ent. Inc. 134 Business name License No. Address 1211 W. 4th Hutchinson, Ks. Signed Mike Flowers Date 7-27 Authorized representative		