USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well: Harvey SW1/4 SE/4 SE/4 2. Distance and direction from nearest town or city: 2 mi E / mi S Street address of well location if in city: OF Burnton, KS. Sketch map: Sketch map: Sketch map: OBJECT OF SEA SE/4 Section number Township
Sketch map: Of Burnton, Ks. City, state, zip code: Burnton, Ks. Completion date Well depth 5 Oft. 7 Cable tool Rotary _ Driven _ Dug
Sketch map: Of Burnton, Ks. City, state, zip code: Burnton, Ks. Completion date Well depth 5 Oft. 7 Cable tool Rotary _ Driven _ Dug
Sketch map: Of Burnton, Ks. City, state, zip code: Burnton, Ks. Completion date Well depth 5 Oft. 7 Cable tool Rotary _ Driven _ Dug
4. Locate with "X" in section below: Sketch map: Sketch map: Sketch map: Sketch map: City, state, zip code: Burrton /S. 67020 6. Bore hole dia. 2 in. Completion date Well depth 50 ft. 7 Cable tool & Rotary _ Driven _ Dug _ Hollow rod _ Jetted _ Bored _ Reverse rotary 8. Use: _ Domestic _ Public supply & Industry _ Irrigation _ Air conditioning _ Stock _ Lawn _ Oil field water _ Other 9. Casing: Material PIST Height: Aboy or below _ Threaded _ Welded _ Surface _ 3 in.
4. Locate with "X" in section below: Sketch map: Sket
7Cable toolRotary Driven DugHollow rodJetted BoredReverse rotary 8. Use:Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other 9. Casing: Material Surface in.
Hollow rodletted BoredReverse rotary 8. Use:Domestic Public supply Industry
8. Use:Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other 9. Casing: Material Velded Surface in.
Irrigation Air conditioning Stock Lawn Oil field water Other SW SE Height: Aboy or below Isurface Surface In.
9. Casing: Material PIST Height: Abov or below Threaded Welded Surface in.
9. Casing: Material PIST Height: Abov or below Threaded Welded Surface in.
Threaded Welded Surface 13 in.
RMP2 PVCWeight lbs./ft.
Dia. 4 in. to 50 ft. depth!Wall Thickness: inches or
5. Type and color of material From To Dia in. to ft. depth gage No/OO
10. Screen: Manufacturer's name
Topso, Sandy 0 8 Type RMb Dia. 4" Sand + Grave 8 50 Set between 35 ft. and 50 ft.
Sand + Grave 8 50 Storyauze 3/32 Length 15'
Gravel pack? 1/25 Size range of material F- 1/2"
11. Static water level: , mo./day/yr.
12. Pumping level below land surfaces:
19 ft. after 12 hrs. pumping 2.3 g.p.m.
ft. after hrs. pumping g.p.m.
Estimated maximum yield J Qg.p.m.
13. Water sample submitted: mo./day/yr. Yes X No Date
14. Well head completion:
Pitless adapter
15. Well grouted? YES
With: Neat cement BentoniteX Concrete
Depth: From ft. to ft.
16. Negrest source of possible contamination: grave/ ft
Well disinfected upon completion? Yes No
17. Pump: Not installed
Manufacturer's name
Model number HP Volts
Length of drop pipe ft. capacityg.p.m. Type:
Submersible Turbine
Jet Reciprocating
(Use a second sheet if needed)CentrifugalOther
18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report
is true to the best of my knowledge and belief.
Topography: Miller Water Well Serv 137
Hill Business name, , , , , , , , , , , , , , , , , , ,
Address Harland
Valley Signed Authorized representative 6-17-76