	WATER	WELL RECORD For	m WWC-5 K	(SA 82a-1212		
1 LOCATION OF WATER WELL	Fraction		Section	Number	Township Number	
County: Harvey	NW ½	NW 1/4 NE	½ 2	9 T	<b>23</b> s	R 3 EW
Distance and direction from nearest town or city street address of well if located within city?  Hensley Oil, 203 W. Dean, Burrton, Ks						
2 WATER WELL OWNER: Phil Hoskinson						
RR#, St. Address, Box # : Bo				Bo	and of Agriculture Div	vision of Water Resources
City, State, ZIP Code : Bu		MW	1-22		oplication Number:	rision of water resources
3 LOCATE WELL'S LOCATON V	VITH 4					
AN "X" IN SECTION BOX:	DEPTH OF CO	MPLETED WELL	20	ft. ELEVATIO	N:1	1451.62
	Depth(s) Groundwa	ater Encountered 1		ft. 2	ft.	3ft.
↑     ×						ı/yr
NWNE						pumping gpm
9 W	Est. Yield	gpm: Well water	was	ft. after	hours	pumpinggpm
≛	Bore Hole Diamete	r <b>8</b> in. to	20	ft. and	di	n. toft.
swse	1 Domestic	3 Feed lot 6 Oil	blic water suppi field water subi	y 8 olv 9	Air conditioning 1 Dewatering 1	n. to ft. 1 Injection well 2 Other (Specify below)
	2 Irrigation	4 Industrial 7 I as	wn and garden	(domestic) 10	Monitoring well	cancil (opcomy below)
						s, mo/day/yr sample was
s	submitted	otonological sample St	ionilied to Debi			
Submitted   Subm						
l		6 Asbestos-Cement				ded
2 PVC 4 A						aded X
المرجيسا المرجيسا		# Dia	in to	A I		in to
Blank casing diameter 2 in. to 10 ft., Dia in. to ft., Dia in. to ft.						
Casing height above land surface 0 in., weight .716 lbs./ft. Wall thickness or gauge No154  TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement						
		5 Fiberalass			11 Other (specify)	eur
	alvanized steel	6 Concrete tile	9 AB	s	12 None used (op	en hole)
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)						
1 Continuous slot	3 Mill slot	6 Wire w			Orilled holes	(
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)						
SCREEN-PERFORATED INTERV						to ft.
	From	ft. to		ft. From	ft. '	toft.
GRAVEL PACK INTERVA	LS: From	ft. to	20	ft. From	ft.	to ft.
		ft. to				to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals From 2 ft. to 8 ft. From ft. to ft. From ft. to						
Avuat is the fleatest source of boss	ible contamination:		11	U Livestock pe	ens 14 Ab	andoned water well
1 Septic tank	4 Lateral lines					
2 Sewer lines	5 Cess pool	8 Sewage la	_	2 Fertilizer sto		her (specify below)
3 Watertight sewer lines Direction from well?	6 Seepage pit	9 Feedyard		3 Insecticide s ow many feet?	storage CON	ITAMINATED SITE
FROM TO CODE	LITHOLOG	GIC LOG	FROM	TO TO	PLUGGING II	NTERVALS
0 .5	Gravel, driveway	rock				
.5 9	Sandy clay, bloc					
9 12	Sand & gravel, cl		ļ			
12 20	Mixed sand & gra	ivel, loose	ļ			
			<del>  </del>		,	
<del>  </del>		-				
					· · · · · · · · · · · · · · · · · · ·	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was						
completed on (mo/day/yr) 11-18-03 and this record is true to the best of my knowledge and belief. Kansas						
Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) 2-13-04						
under the husiness name of	WAATTAF	Jumn and Wall i	nc	h., (-1	- Will	( IIIAOLI
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.						
South Total Printers of the Control						