T			ATER WELL REC	ORD Form WW		2a-1212 ID N Section Number				
1 LOCATION OF WATER WELL: Fraction						Township No				
County:	Har		1 NW 1/4	NW 14 5E	= 1/4	29	T 23	S	R	3 E.€
Distance a	nd direction	n from nearest to		address of well if loc						
T				5 Harvey	in B	urrtun				
2 WATER	R WELL O			Unruh						
RR#, St. A City, State,	ZIP Code	: /	Purrtun	Harvey KS 67	020		Application	Number:		ter Resources
3 LOCATE	WELL'S L	OCATION WITH	4 DEPTH OF C	OMPLETED WELL	42	ft. ELEVA	TION:			
	N SECTIO		Depth(s) Groun	ndwater Encountered	d 1	ft	. 2	ft. 3		ft.
	<u>N</u>	1	WELL'S STATI	C WATER LEVEL	ft. b	elow land surfac	e measured, on mo	ك /day/yr	5-5-0	5
	- ; I	;	Pu	mp test data: Well	water was	2. <i>9</i> ft. :	after	hours p	ې ځ umping	⊋ gpm
_	- nw	NE		gpm: Well			after 8 Air conditioning		umping njection well	gpm
	1	1	1 Domestic	TO BE USED AS: 3 Feedlot	5 Public wate6 Oil field wate		9 Dewatering		ther (Specify	below)
w-	. 1	E	2 Irrigation		_		10 Monitoring well		` ' '	,
	' l	×								
_	-sw	SE	Was a chemica	al/bacteriological san	nole submitted	o Denartment?	Yes No t	: If ves. m	no/dav/vrs sar	nole was sub-
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yes witted								ioraayryro oai	No	
5 TVD5	S DI ANIX			E 144	0.0	anata tila	CASING JOI	NTO: Olive	ما الح	
5] 1 YPE (CASING USED: 3 RMP (S		5 Wrought iron6 Asbestos-Ceme		crete tile er (specify below				mpea
∑ PVC		4 ABS	Π)	7 Fiberglass		` '				
			in to	ft., D					in. to	ft.
Casing hei	aht above	land surface	12	in., weight	2,29		lbs./ft. Wall thickne	ss or quad	e No	٥
	_	OR PERFORATION		,g		PVC		estos-Cem		
1 Stee		3 Stainles		5 Fiberglass		RMP (SR)				
2 Bras		4 Galvani	zed Steel	6 Concrete tile	9	ABS	12 Non	e used (op	en hole)	
SCREEN (OR PERFO	PRATION OPENII	NGS ARE:	5	Guazed wrappe	d	Saw cut		11 None (or	pen hole)
1 Con	tinuous slo	ot 3 N	Mill slot	6	Wire wrapped		9 Drilled holes			,
2 Lou	vered shut	ter 4 K	(ey punched	7	Torch cut		10 Other (specify)	•••••	ft.
SCREEN-	PERFORA	TED INTERVALS								
			From	ft. to	·······	ft., From		ft. to		ft.
(GRAVEL P	ACK INTERVALS		.22						
			FIOIN		<i>,</i>	11., FIOIII		11. 10		
6 GROU	JT MATERI	IAL: 1 Nea	it cement	2 Cement grout	(3)B	entonite	4 Other			
Grout Inter	vals: Fro	om a	ft. toغر	2 ft., From	1	t. to	ft., From		ft. to	ft.
		ource of possible		,			tock pens		bandoned wa	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuels	11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)		
(3)Wa	tertight sev	ver lines 6 See	page pit	9 Feedyard		13 Insec	13 Insecticide storage			
Direction for	om well?	E				How mar	ny feet? 70			
FROM	то		LITHOLOGIC	CLOG	FROM	ТО	PLU	GGING IN	TERVALS	
0	7	Cres	Clar							
7	14	0.00	* Con							
14	18	Rusty	Sand	C+ave/						
18	38	Gress S	and + C	CPRUS/						
38	40	Cr Cl	scha + C	ru. U E/						
40	43	Salad	+ Grav	2/						
10	7.5	Juna	T Grav	E/						
						 		-		
					-					
		+				-				
		-								
7	I									
△ CONTR	ACTOR'S	OR LANDOWNE	R'S CERTIFICA	TION: This water w	ell was 🗘 con	structed, (2) reco	onstructed, or (3) p	ugged und	der my jurisdi	ction and was
completed of	on (mo/day	ج/year)	11110)		and this re	cord is true to the be	st of my kn	nowledge and	belief. Kansas
		's Licence No	4.7.	This W	vater Well Reco	ra was complete	d on (mo/day/yr)		100	
under the b			iller Di				(signature)			
				FIRMLY and PRINT clearly. on St., Suite 420, Topeka,						
		each constructed well		o., oono azo, ropona,						