Layne Christensen Company

Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment. Bureau of Water. 1000 S W

Water Well Contractor's License No.

under the business name of

This Water Well Record was completed op (plo/day/gr) / 08/124/2006

by (signature)

TEST HOLE REPORT

LAYNE Western, a Div. of LAYNE Christensen Wichita, Kansas

| Contract Name: Wichita ASR | Test Hole No. RRW4MW (d) | |
|----------------------------|--------------------------|-----------------|
| | Date: | August 18, 2006 |
| | Driller: | K. Holub |

| | Measured Hours After Completion | |
|------------------------|---------------------------------|--|
| Page 1 of 2 | | |
| | Static Water Level: | |
| Location of Test Hole: | Elevation of Test Hole: | |
| Leastian of Toot Holes | Elevation of Toot Holes | |

| From | То | Description of Strata |
|------|----|--|
| 0 | 5 | red silty sand, fine |
| 5 | 10 | red-orange silty sand, fine to coarse with gravel |
| 10 | 15 | orange sand, very fine to coarse with gravel |
| 15 | 20 | orange sand, very fine to coarse with gravel, slight clay |
| 20 | 25 | yellow-orange sand, very fine to coarse with gravel, slight clay |
| 25 | 30 | yellow-orange clay and silty sand, fine to coarse with gravel |
| 30 | 35 | yellow-orange clayey silty sand, fine to coarse with gravel, clay lens |
| 35 | 40 | yellow-orange silty sand, fine to coarse with gravel, slight clay |
| 40 | 45 | orange sand, fine to coarse with gravel |
| 45 | 50 | yellow, olive sandy silty clay, low to medium plastic |
| 50 | 55 | yellow, olive sandy silty clay, low to medium plastic, sand lens |
| 55 | 60 | orange sand, very fine to coarse with gravel |
| 60 | 65 | orange sand, very fine to coarse with gravel |
| 65 | 70 | orange sand, very fine to coarse with gravel |
| 70 | 75 | orange sand, very fine to coarse with gravel |
| 75 | 80 | orange sand, very fine to coarse with gravel |
| 80 | 85 | orange silty sand, fine to medium with gravel |
| 85 | 90 | orange silty sand, very fine to medium with gravel |
| 90 | 95 | olive-orange silty sand, very fine to fine, slight coarse |

TEST HOLE REPORT

LAYNE Western, a Div. of LAYNE Christensen Wichita, Kansas

| Contract Name: Wichita ASR | Test Hole No. | RRW4MW (d) |
|----------------------------|---------------|-----------------|
| | Date: | August 18, 2006 |
| | Driller: | K. Holub |

| Location of Test Hole: | Elevation of Test Hole: | |
|------------------------|---------------------------------|--|
| | | |
| | Static Water Level: | |
| | | |
| Page 2 of 2 | Measured Hours After Completion | |

| From | То | Description of Strata |
|------|-----|--|
| 95 | 100 | olive, silty sand, very fine to fine, slight coarse |
| 100 | 105 | olive, silty sand, very fine to fine, slight coarse, slight clay |
| 105 | 110 | olive, silty sand, very fine to fine, slight coarse |
| 110 | 115 | olive, sand, very fine to medium, slight coarse |
| 115 | 120 | olive, sand, fine to coarse |
| 120 | 125 | olive-gray silty clay |
| | | |
| | | bottom of hole at 125 feet |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |