Layne Christensen Company by (signature) Kou Mulat

INSTRUCTIONS Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W

Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

under the business name of

## **TEST HOLE REPORT**

## LAYNE Western, a Div. of LAYNE Christensen Wichita, Kansas

Contract Name: Wichita ASR	Test Hole No.	RRW4MS (d)
	Date:	March 23, 2006
	Driller:	Mark Leslie

Location of Test Hole:	Elevation of Test Hole:	
	Static Water Level:	
Page 1 of 2	Measured Hours After Completion	

From	То	Description of Strata
0	5	brown, sandy silty clay, low plastic, fine to coarse
5	10	olive silty sand, fine to very coarse, slight clay lens
10	15	olive silty sand, fine to very coarse with gravel
15	20	olive sand, fine to very coarse
20	25	olive, orange silty sandy clay, low to medium plastic, gravel
25	30	olive, orange sandy silty clay, low plastic, fine to coarse
30	35	olive, orange clayey silty sand, fine to very coarse
35	40	olive silty sand, fine to coarse
40	45	olive sand, fine to very coarse
45	50	olive sand, fine to very coarse
50	55	rusty orange sand, fine to very coarse with gavel
55	60	rusty orange sand, fine to very coarse with gavel
60	65	rusty orange sand, fine to very coarse with gavel
65	70	olive, orange sand, fine to very coarse with gravel
70	75	olive sand, fine to very coarse with gravel
75	80	olive sand, fine to very coarse with gavel
80	85	olive silty sand, very fine to coarse
85	90	olive silty sand, very fine to coarse
90	95	olive silty sand, very fine to medium with coarse

## **TEST HOLE REPORT**

## LAYNE Western, a Div. of LAYNE Christensen Wichita, Kansas

Contract Name: Wichita ASR	Test Hole No.	RRW4MS (d)
	Date:	March 23, 2006
	Driller:	Mark Leslie

Location of Test Hole:	Elevation of Test Hole:	
	Static Water Level:	
Page 2 of 2	Measured Hours After Completion	

	То	Description of Strata
95	100	olive silty sand, very fine to very coarse
100	105	olive clayey silty sand, fine to very coarse with gravel, low plastic
105	110	olive clayey silty sand, fine to coarse with gravel, low plastic
110	115	olive sand, fine to coarse with gravel
115	120	olive sand, fine to coarse with gravel
120	125	olive sand, fine to coarse with gravel
125	130	olive sand, very fine to coarse with gravel
130	135	olive silty clayey sand, very fine to coarse with gravel, low plastic
135	140	olive silty sandy clay, medium plastic, fine to gravel
140	145	olive silty sandy clay, low plastic, fine to coarse
145	150	olive silty sand, fine to coarse, slight clay
150	155	olive sand, very fine to medium
155	160	olive sand, very fine to medium
160	165	olive sand, very fine to coarse
165	170	olive sand, fine to coarse with gravel