WATER WELL RECORD	Form WV	VC-5	Division of Wate	r Resources App. No	_{).}	
1 LOCATION OF WATER WELI			Section Number	Township No.	Range Number	
County: Harvey	1/4 SE 1/4 NE	1/4 NE1/4	29	T 23 S	R 3 □E 🛛 W	
Street/Rural Address of Well Locat	tion; if unknown, distance &	direction	Global Positioning	System (GPS) in	formation:	
from nearest town or intersection: If at owner's address, check here \(\subset \) .			Latitude: (in decimal degrees)			
			Longitude: (in decimal degrees)			
			Elevation:			
2 WATER WELL OWNER: Jeff Sheron			Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: 209 Park Ulew Rd			Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : 0			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Burrton, KS 67020			Est. Accuracy:			
3 LOCATE WELL						
	OF COMPLETED WELL					
SECTION BOX: Depth(s) G	roundwater Encountered	(1)	ft. (2)	ft. (.	3) ft.	
WELLSS	WELL 5 STATIC WATER LEVEL					
	Pump test data: Well water was 22ft. after					
EST. YIELDgpm. Well water wasft. afterhours pumpinggpm Bore Hole Diameter						
W E Bore Hole Diameter						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
SWSE						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
Water well disinfected? ✓ Yes □ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter						
Casing height above land surface. /2 in., Weight 2:35lbs./ft., Wall thickness or gauge No/6.9						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
GRAVEL PACK INTERVALS: From 22 ft. to 4.3 ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other						
Grout Intervals: From ft. to						
What is the nearest source of possible contamination:						
Septic tank						
Sewer lines						
Direction from well						
	LOGIC LOG	FROM			GGING INTERVALS	
0 11 Br C/ax				<u> </u>		
11 43 Sand & G.	ra vel					
				-		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)						
under the business name of Miller Drilling by (signature) Whiles						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212						