

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Finney	Fraction SW 1/4 NE 1/4 SE 1/4	Section number 32	Township number T 23 S R 32 E W	Range number
2. Distance and direction from nearest town or city: 1 mile north of Garden City, Kansas Street address of well location if in city:			3. Owner of well: Cyril L. Jarmer R.R. or street: Rt.. 2 City, state, zip code: Garden City, KS 67846			
4. Locate with "X" in section below: N W E S 1 Mile 1 Mile			Sketch map: 50' North of old well in the SE 1/4 of Sec. 32, T23S, R32W, Finney County, Kansas.		6. Bore hole dia. 28 in. Completion date 12-30-78 Well depth 271 ft.	
5. Type and color of material			From	To	7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
Top soil			0	2	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Fine sand with clay streaks			2	21	9. Casing: Material Steel Height: <u> </u> Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u>12</u> in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <u>37</u> lbs./ft. Dia. <u>16</u> in. to <u> </u> ft. depth Wall Thickness: inches or Dia. <u> </u> in. to <u> </u> ft. depth gage No. <u>219</u>	
Fine to medium sand, clean			21	36	10. Screen: Manufacturer's name Foster, Johnson, Doerr Type M/S, W/W, Louver Dia. <u>16"</u> Slot/gauze <u>1/8"</u> Length <u>172'</u> Set between <u>99</u> ft. and <u>271'</u> ft. <u> </u> ft. and <u> </u> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material <u>3.83 mm</u>	
Brown clay			36	62	11. Static water level: <u> </u> mo./day/yr. <u>86</u> ft. below land surface Date <u>11-17-78</u>	
Fine to medium sand with clay streaks			62	78	12. Pumping level below land surfaces: <u>114</u> ft. after <u>1</u> hrs. pumping <u>2552</u> g.p.m. <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. Estimated maximum yield <u>2600</u> g.p.m.	
Brown clay, hard			78	88	13. Water sample submitted: <u> </u> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <u> </u>	
Fine to medium sand, clean			88	108	14. Well head completion: <input type="checkbox"/> Pitless adapter <u>12</u> Inches above grade	
Medium to coarse sand and fine gravel			108	158	15. Well grouted? Yes With: <input type="checkbox"/> Neat cement <input checked="" type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.	
Brown clay and sand streaks			158	193	16. Nearest source of possible contamination Unknown ft. <u> </u> Direction <u> </u> Type <u> </u> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Fine to medium sand, clean			193	223	17. Pump: <u> </u> Not installed Manufacturer's name Worthington Model number 12H-135 HP 80 Volts <u> </u> Length of drop pipe 150' ft. capacity 1400 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
Brown clay			223	234	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne-Western Co., Inc. 102 Business name License No. Address Garden City, Ks 67846 Signed <i>Steve Buzen</i> Date Oct 1, 1974 Authorized representative	
Fine to medium sand, clean			234	271		
Yellow shale			271	294		
Black shale			294	300		
(Use a second sheet if needed)						
18. Elevation:	19. Remarks:					
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley	Replacement well. The new well was drilled 50' north of the old well which had collapsed.					

22
 320
 32
 SW NE SE
 1/4
 1/4
 1/4

Layne-Western Company, Inc. A Marley Company

P.O. Box 686 · W. Highway 50 · Garden City, Kansas 67846

October 1, 1979

RECEIVED

OCT 2 1979

DIVISION OF ENVIRONMENT
OF KANSAS

Kansas Department of Health & Environment
Division of Environment
(Water Well Contractors)
Topeka, Kansas 66620


Subject: C. L. Jarmer

Dear Sir:

We are enclosing a corrected copy of our water well record report that was dated January 17, 1979. The old report showed the new well drilled in the SE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 32, T23S, R32W, Finney County, Kansas. The corrected report shows this well drilled in the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 32, T23S, R32W, Finney County, Kansas. The new well was drilled 50' north of the old well.

If you have any other further questions, please feel free to contact me.

Very truly yours,



Steve Burgess, District Manager
LAYNE-WESTERN COMPANY, INC.

SB/jh

cc: C. L. Jarmer
Kansas State Board of Agriculture, Division of Water Resources

Enclosure



WATER SUPPLY SERVICES