KOLAR Document ID: 1413882

WATER V		ECORD Correction	Form V					sion of Wate			 Well II	, [
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction				Resources App. No. Section Number Township Number					e Number				
County: 14 14 14				1/4	Been	T S R \square E \square W							
C 5 55-1-5 7						Street or	reet or Rural Address where well is located (if unknown, distance and						
Business:						direction f	lirection from nearest town or intersection): If at owner's address, check here:						
Address: Address:													
City:			State:	ZIP:									
3 LOCATE	WELL												
WITH "X"					D WELL:		ft.						
SECTION	BOX:				ed: 1) ft., or 4) [.11			e:			
N					it., or 4) [EL:		:11			WGS 84 NAI] NA	AD 27
					l on (mo-day					<u>Latitude/Longitude</u> unit make/model:			,
NW	- NE				on (mo-day					WAAS enabled?			
	ī	Pump test da						Survey Topogr			,		
w	E	after		s pumpinggpm				☐ Online Mapper:					
SW	- SE	aftar											
				rs pumping gpm				6 Elevation:ft.			. 🔲 Grov	ınd I	Level 🔲 TOC
S			imated Yield:gpm re Hole Diameter:in. toin.				G			Land Survey	☐ GPS ☐ Topographic Map		
1 mil	e				. to					Other			
7 WELL W	ATER TO	BE USED A	AS:										
1. Domestic:					e: well ID					eld Water Supply: 16			
Househo					any wells?								•••
☐ Lawn & ☐ Livestocl				_	vell ID)				☐ Uncased ☐ Geotechnical d: how many bores?				
2. ☐ Irrigation													
3. ☐ Feedlot			Air Sparge	al Remediation: well ID				a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Wa					
4. Industria	1		Recovery		Injection					(specify):			
Was a chemi	ical/bacteri	ological san	nple subm	itted to 1	KDHE?	Yes \square	No	If yes, date	e sar	nple was submitte	d:		
Water well di					_	_		3		ı			
8 TYPE OF	CASING	USED: □ S	teel PV	C 🔲 Othe	er	Ca	ASIN	G JOINTS	S: 🗆	Glued Clamped	l □ Wel	ded	☐ Threaded
										in. to			
Casing height					ht	lbs	./ft.	Wall thick	kness	or gauge No		••	
TYPE OF SC													
☐ Steel ☐ Brass		less Steel anized Steel	☐ Fiber ☐ Conc	C	☐ PVC ☐ None ι	uand (aman	hala)		ner (S	Specify)		••••	•••••
SCREEN OR					☐ None (iseu (open	noie)						
☐ Continue		☐ Mill Slot		auze Wrap	ped To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
Louvere		☐ Key Punch						one (Open H					
SCREEN-PE	RFORATE	D INTERVA	ALS: From	1	. ft. to	ft., Fr	om	ft. to	o	ft., From	ft.	to	ft.
GRA	GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.									ft.			
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft., From ft., From ft. to ft.													
Nearest source				. It., From	١	It. to		It., From	••••	It. to	It.		
☐ Septic Ta			Lateral Line	s F	☐ Pit Privy		Пι	ivestock Pe	ens	☐ Insection	cide Stora	ισe	
☐ Sewer Lin			Cess Pool		☐ Sewage La	igoon		Fuel Storage		☐ Abando			'ell
☐ Watertight			Seepage Pit		☐ Feedyard			Fertilizer Sto		☐ Oil We	ll/Gas We	ell	
			ITHOLOG							ft. HO. LOG (cont.) or		INIC	INTERNALC
10 FROM	TO		ATHOLOG	JIC LUG		FRO	VI	TO	LH	no. Log (cont.) of	PLUGGI	ING	INTERVALS
						1							
						Notes	:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my juri	isdiction an	d was compl	eted on (m	no-day-ye	ar)		and th	his record	is trı	ie to the best of m	y knowle	edge	e and belief.
Kansas Water	r Well Cont	tractor's Lice	ense No		This Wa	ater Well	Reco	ord was coi	mple	eted on (mo-day-y	ear)		
under the bus	iness name	of	****		ED :			1 5 21		or each <u>constructed</u> we	11	<u></u>	
KS Departmen	S nt of Health ar	end one copy to d Environment	OWATER W . Bureau of V	ELL OWN Vater, Geol	EK and retain	one for you 000 SW Jac	r recor	as. Fee of \$5 st., Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	л. 57. Teleph	one î	785-296-3565
_	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Lydia Schweer	
Doc ID	1413882	

Litholgy

From	То	LithologicLog
0	2	top soil
2	5	brown clay
5	25	soft brown sandy clay
25	42	med to coarse sand, small gravel and med rock
42	48	brown clay
48	52	blue clay
52	124	light brown sticky clay
124	138	med to coarse sand small gravel
138	146	light brown clay w/ med rock streaks
146	162	fine to med sand some small gravel
162	182	fine to coarse sand small gravel w/ cemented sand
182	197	brown clay w/ white broken rock few small fine sand streaks
197	202	fine sand
202	203	brown clay
203	222	med to coarse sand small gravel
222	236	very fine sand w/ brown clay streaks
236	242	very fine to med sand some small gravel

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Lydia Schweer	
Doc ID	1413882	

Litholgy

From	То	LithologicLog
242	250	med to coarse sand small gravel w/ cemented streaks
250	258	fine to med sand small gravel w/ brown clay streaks
258	274	med to coarse sand small gravel w/ white broken rock
274	282	brown clay w/ white broken rock few small fine sand streaks
282	286	fine to med sand w/ white broken rock chips
286	310	med to coarse sand small gravel white broken rock
310	322	brown clay
322	332	yellow soapstone