

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

Blank box for application number

1 LOCATION OF WATER WELL: Fraction NW 1/4 NW 1/4 NW 1/4, Section Number 14, Township Number T 23 S, Range Number R 33 W. Distance and direction from nearest town or city street address of well if located within city? Roger Funk, 3100 W. 6 Mile Road Garden City, KS 67846

2 WATER WELL OWNER: Roger Funk Farm, RR#, St. Address, Box #: 3100 6 Mile Road (west), City, State, ZIP Code: Garden City, KS 67846. Global Positioning System (decimal degrees, min. of 4 digits) Latitude: Longitude: Elevation: Datum: Data Collection Method:

3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: Grid diagram showing NW, NE, SW, SE sections with an 'X' in the NW section.

4 DEPTH OF COMPLETED WELL 75' ft. Depth(s) Groundwater Encountered 1 ~ 67 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 2814.63 ft. below land surface measured on mo/day/yr 8/9/07. Pump test data: Well water was ft. after hours pumping gpm. Est. Yield gpm: Well water was ft. after hours pumping gpm. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well. Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr Sample was submitted Water Well Disinfected? Yes No X

5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS 5 Wrought Iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued Clamped Welded Threaded X. Blank casing diameter 2 in. to 55 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface in., Weight lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole). SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify). SCREEN-PERFORATED INTERVALS: From 55 ft. to 75 ft. From ft. to ft. GRAVEL PACK INTERVALS: From 53 ft. to 75 ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other. Grout Intervals From 1 ft. to 51 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well. Direction from well? Southwest How many feet? 88'

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows include: 0' to 1' Top soil; 1' to 39' Clay, silty, brown, high plasticity; 39' to 41' Sand, clayey, brown, very fine to fine; 41' to 55' Clay, sandy, brown, high plasticity; 55' to 75' Clay, silty, brown, high plasticity.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6/28/07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 594. This Water Well Record was completed on (mo/day/year) 9/12/07 under the business name of Coranco Great Plains by (signature) [Signature]

INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.