


1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number
 County: Kearyn SE 1/4 SE 1/4 SE 1/4 10 T 23 S R 35 E(W)
 Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: Clair Farms, Inc. Board of Agriculture, Division of Water Resource
 RR#, St. Address, Box # : Box 215 Application Number:
 City, State, ZIP Code : Deerfield, Ks. 67838

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL... 363 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL... 150 ft. below land surface measured on mo/day/yr 9-19-95
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield 100 gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter... 10 in. to 363 ft., and in. to ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes.....No...; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 PVC 4 ABS 7 Fiberglass Threaded
 Blank casing diameter... 5 in. to 363 ft., Dia... in. to ... ft., Dia... in. to ... ft.
 Casing height above land surface... 12 in., weight... lbs./ft. Wall thickness or gauge No. 200 psi
 TYPE OF SCREEN OR PERFORATION MATERIAL: PVC 10 Asbestos-cement
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From... 333 ft. to ... 363 ft., From ... ft. to ... ft.
 From ... ft. to ... ft., From ... ft. to ... ft.
 GRAVEL PACK INTERVALS: From... 25 ft. to ... 195 ft., From ... ft. to ... ft.
 From 205 ft. to 363 ft., From ... ft. to ... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other
 Grout Intervals: From... 5 ft. to ... 25 ft., From... 195 ft. to ... 205 ft., From ... ft. to ... ft.
 What is the nearest source of possible contamination:
 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? How many feet? 100

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	top soil	294	314	medium to coarse sand & small gra
1	51	brown clay	314	332	fine sand & clay streaks
51	56	fine sand	332	363	medium to coarse sand & gravel
56	72	brown clay			with white rock chips
72	79	medium to coarse sand			
79	97	brown clay			
97	122	fine & medium sand, clay streaks			
122	160	medium to coarse sand, small gravel			
160	196	brown clay			
196	213	brown clay with sand streaks			
213	223	medium to coarse sand			
223	235	brwon clay			
235	278	medium to coarse sand & small gravel			
278	283	brown clay			
283	294	fine sand with clay streaks			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) ... 9-19-95 ... and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. ... 532 ... This Water Well Record was completed on (mo/day/yr) ... 10-2-95 ... under the business name of Midwest Well & Pump by (signature) Ken Seaberg