WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number
County: Kearny	1/4 SE 1/4 SW 1/4 NE 1/4	11 T 23 S R 35 □E 🗹 W
Street/Rural Address of Well Location; if unknown, distance & direction		Global Positioning System (GPS) information:
from nearest town or intersection: If at owner's address, check here .		Latitude: 38.0686389 (in decimal degrees)
5 miles north of Deerfield, Ks.		Longitude: 101.1270666 (in decimal degrees)
		Elevation:
2 WATER WELL OWNER: Roger G. Unruh		Collection Method:
RR#, Street Address, Box #: 625 COWGIL drive		☐ GPS unit (Make/Model: I-Phone
City, State, ZIP Code : Gardencity, Ks. 67846		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
		Est. Accuracy:
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL ft.		
SECTION BOX: Depth(s) Ground WELL'S STATE	dwater Encountered (1)	ft. (2) ft. (3) ft. below land surface measured on mo/day/yr ft.
Pump test data: Well water wasft. after hours pumping gpm		
EST VIELD gram Well water was fit after hours numping gram		
Bore Hole Diameter in to ft and in to ft.		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well		
ow Sp Domestic Feedlot Oil field water supply Dewatering Other (Specify below)		
Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well		
Was a chemical/bacteriological sample submitted to Department?  Yes  No		
S If yes, mo/day/yr sample was submitted		
Water well disir	nfected? 📝 Yes 🗌 No	
5 TYPE OF CASING USED: Steel PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter .16 in. to .345 ft., Diameter in. to ft., Diameter ft.		
Casing height above land surface in., Weightlbs./ft., Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
✓ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)		
Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:    Continuous slot		
✓ Continuous slot		
SCREEN-PERFORATED INTERVALS: From 200 ft to 205 ft From 255 ft to 260 ft.		
SCREEN-PERFORATED INTERVALS:         From 100 ft.         ft. to 100 ft.         ft. to 100 ft.         ft. from 100		
GRAVEL PACK INTERVALS: From		
From ft. to ft., From ft. to ft.		
6 GROUT MATERIAL: ☐ Neat cement		
		ft. to ft., From ft. toft.
What is the nearest source of possible cont		
1	nes Pit privy Livestock p	
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well		
Direction from well		
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
	3.0 20 0	weld 2" acces at 4' below land
		surface, grouted with cement
		grout from 0-4' bentonite grout
		observed below 4', disinfected
		and then capped 2" acces
	4 (1 + 1944 + 197 (1) 11 11 197 (1) 11 11 11 11 11 11 11 11 11 11 11 11 1	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☑ reconstructed, or ☐ plugged		
under my jurisdiction and was completed on (mo/day/year) .4-26-14 and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No. 874 This Water Well Record was completed on (mo/day/year) 574-14		
under the business name of Kansas Well-cam by (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to		
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		
http://www.kdheks.gov/waterwell/index.html		
introduces for which we have a first with the second control of th		

28868