KOLAR Document ID: 1523747

WATER V		ECORD Correction		WWC-5	ie.			ion of Wate			Well I	<sup>D</sup> [	
Original Record Correction Change in Well Use  1 LOCATION OF WATER WELL: Fraction					ources App. No. Well ID Ction Number Township Number Range Num			e Number					
County: 1/4 1/4 1/4					1/4	Been	T S R DE W						
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and													
					direction f	irection from nearest town or intersection): If at owner's address, check here:							
Address: Address:													
City:			State:	ZIP:									
3 LOCATE	WELL												
WITH "X		4 DEPTH					ft.						
SECTION	BOX:	Depth(s) Gr		Encountered 3)			11			e:			
N				TER LEVEI			11			WGS 84 □ NAI		_ NA	AD 27
TX				, measured o						<u>Latitude/Longitude</u> unit make/model:			,
NW	- NE			measured o						WAAS enabled?			
	1	Pump test da						☐ Land Survey ☐ Topographic Map					
w	Е	after		pumpinggpm				☐ Online Mapper:					
SW	- SE	aftar		ater was pumping									
	1	Estimated Y				6 Elevation				ı:ft	. Gro	und	Level 🔲 TOC
S		Bore Hole I			o	ft. and		Source:    Land Survey    C			GPS 🗆	Top	ographic Map
1 mil	le			in. t						Other			
7 WELL W	ATER TO	BE USED A	AS:										
1. Domestic:				ter Supply:						eld Water Supply: 16			
Househo				g: how man						: well ID			•••
☐ Lawn &							Cased Uncased 12. Geothermal: how many						
☐ Livestoc				g: well ID									
3. ☐ Feedlot			Air Sparge	al Remediation: well ID			••••	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Wa					
4. Industria	1		Recovery		njection					(specify):			
Was a chem	ical/bacteri	ological san	nple subm	itted to Kl	DHE? □	Yes 🗆 1	No ]	If yes, date	e sar	nple was submitte	d:		
Water well d					_	_		•		ı			
8 TYPE OF	CASING	USED: □ S	teel PV	C 🔲 Other		CA	ASINO	G JOINTS	S: 🗆	Glued Clamped	l 🔲 Wel	ided	☐ Threaded
										in. to			
Casing height						lbs.	/ft.	Wall thick	kness	or gauge No			
TYPE OF SO			TION MAT	ΓERIAL:						7 (0)			
☐ Steel ☐ Brass		less Steel anized Steel			□ PVC	used (open	holo)		her (S	Specify)		• • • • •	
SCREEN OF	_		NINGS AI	RF.	☐ Nolle (	iseu (open	noie)						
☐ Continu		☐ Mill Slot		auze Wrappe	ed □ To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
☐ Louvere		☐ Key Punch						ne (Open H					
SCREEN-PE	ERFORATE	D INTERVA	ALS: From	ı fı	t. to	ft., Fro	m	ft. to	o	ft., From	ft.	. to .	ft.
GR	AVEL PAC	K INTERV	ALS: From	ı f	t. to	ft., Fro	om	ft. t	o	ft., From	ft	. to .	ft.
				. ft., From potential so	uraa of aar	tt. to		ft., From	••••	ft. to	ft.		
Nearest sourc			Lateral Line		uice of cor Pit Privy	itammatioi		in 200 it. ivestock Pe	ne	☐ Insection	ride Stor	age	
Sewer Li			Cess Pool		Sewage La	agoon		uel Storage		☐ Abando			Vell
☐ Watertigl	ht Sewer Line	es 🗆 S	Seepage Pit		Feedyard			ertilizer Sto					
Other (Sp	pecify)												
					nce from w					ft.		177.16	. Differential C
10 FROM	TO		ITHOLOG	ilC LOG		FROM	/1	TO	LII	HO. LOG (cont.) or	PLUGG	INC	INTERVALS
						Notes	:						
11 CONTR	ACTOR'S	OR LANDO	)WNER'S	CERTIF	CATIO	V: This w	/ater v	well was F	700	onstructed, $\square$ reco	nstructe	ed c	r nlugged
under my jur	isdiction an	d was compl	eted on (m	no-day-year	·)		and th	nis record	is tru	ie to the best of m	y knowl	edg	e and belief.
under my jurisdiction and was completed on (mo-day-year)													
under the business name of													
KS Departme	S nt of Health ar	end one copy to d Environment	OWATER W Bureau of W	ELL OWNER Vater, Geology	c and retain v Section 10	one for your	record	as. Fee of \$5 t Suite 420	5.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	eil. 57. Telenh	ione	785-296-3565
_	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> KSA 82a-1212							, 120,	- ~PC	,			

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1523747

## Lithology

From	То	LithologicLog		
0	2	TOPSOIL		
2	24	SANDY BR. CLAY		
24	32	CLAY		
32	34	FINE SAND		
34	42	BR. CLAY W/ F/M SAND STREAKS		
42	54	SANDY CLAY W/ F/M SAND,		
54	74	BR. CLAY		
74	92	BR. CLAY W/ F/M SAND		
92	104	M/C SAND, GRAVEL, CLAY		
104	112	SANDY CLAY, F/M SAND		
112	126	C SAND, S/M GRAVEL		
126	150	BR. CLAY W/ C. SAND & S/M GRAVEL		
150	198	STICKY CLAY		
198	206	CLAY		
206	212	FINE SAND		
212	220	BR. CLAY W/ FINE SAND		
220	222	FINE SAND		
222	235	CLAY W/ F/M SAND MIX		
235	242	F/M SAND, SM. GRAVEL		
242	254	CLAY F/M SAND		
254	260	CLAY, FEW SAND STREAKS		
260 266		F/M SAND, BR CLAY STREAKS		

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1523747

## Lithology

From	То	LithologicLog
266	274	F/M SAND
274	280	CLAY, F/M SAND
280	286	F/M SAND
286	287	BR. CLAY
287	311	F/M SAND, CLAY STREAKS
311	318	MED SAND, SM. GRAVEL
318	324	BR. CLAY W/ MED SAND, SM GRAVEL STREAKS
324	336	MED SAND, SM. GRAVEL
336	342	M/C SAND, SM. GRAVEL, CLAY
342	351	M/C SAND, SM GRAVEL
351	356	F/M SAND, SM. GRAVEL, CLAY STREAKS
356	404	M/C SAND, SM GRAVEL, ROCK
404	405	SOAPSTONE
405	416	BK SHALE