


1 LOCATION OF WATER WELL: Fraction SE 1/4 SE 1/4 SE 1/4 Section Number 4 Township Number T 23 S Range Number R 37 E/W
 County: KEARNY

Distance and direction from nearest town or city street address of well if located within city?

6 mi. west and 9 mi. north of Lakin, Kansas

2 WATER WELL OWNER: Donald E. Summers
 RR#, St. Address, Box #: Route 1, Box 24A Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Lakin, Kansas 67860 Application Number: NA

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 219 ft. ELEVATION: NA ft.
 Depth(s) Groundwater Encountered 1. NA ft. 2. NA ft. 3. NA ft.
 WELL'S STATIC WATER LEVEL: 20.7 ft. below land surface measured on mo/day/yr 11/5/92
 Pump test data: Well water was NA ft. after NA hours pumping NA gpm
 Est. Yield NA gpm; Well water was NA ft. after NA hours pumping NA gpm
 Bore Hole Diameter NA in. to NA ft., and NA in. to NA ft.
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded NA
 7 Fiberglass Galvanized Tin Threaded NA
 Blank casing diameter: 6 in. to NA ft., Dia NA in. to NA ft., Dia NA in. to NA ft.
 Casing height above land surface: 3 feet weight NA lbs./ft. Wall thickness or gauge No. NA
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 11 Other (specify) NA
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) NA
 SCREEN-PERFORATED INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft., From NA ft. to NA ft.
 GRAVEL PACK INTERVALS: From NA ft. to NA ft., From NA ft. to NA ft., From NA ft. to NA ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other NA
 Grout Intervals: From 6 ft. to 0 ft., From NA ft. to NA ft., From NA ft. to NA ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 12 Insecticide storage Livestock corral
 Direction from well? Corral: 50 feet N., 1/4 mile west & south How many feet? and pesticide runoff.

| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
|---|------|-----------------------|------|----|--------------------|
| 219' | 196' | Sand | | | |
| 196' | 6' | Dirt/Clay | | | |
| 6' | 0' | Concrete/cement grout | | | |
| This abandoned well is located beneath a concrete floor which the landowner wishes to keep. The well casing itself is surrounded by concrete from the floor to a depth 2-3 feet beneath the surface. Thus, the casing was filled or plugged with concrete from 6 feet below the surface to the top of the floor. A thick, mushroom shaped seal lies above the floor to assure no leakage. | | | | | |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) Nov. 27, 1992 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) Dec 29, 1992 under the business name of Donald E. Summers by (signature) Donald E. Summers P.O.A.