

LEOTI 3 SW

USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment—Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

DBI

1. Location of well:		County Kearny	Fraction SE 1/4 NW 1/4 SE 1/4	Section number 29	Township number T 23 S R 37	Range number 37
2. Distance and direction from nearest town or city: 7 west, 5 north, 1/2 west, 1/2 north of Lakin			3. Owner of well: Brad Tate R.R. or street: City, state, zip code: Lakin, Ks. 67860			
4. Locate with "X" in section below:		Sketch map:			6. Bore hole dia. 26 in. Completion date 10-12-76 Well depth 305 ft.	
					7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
5. Type and color of material		From			To	
BROCK 297'						
					8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
					9. Casing: Material Steel Height: Above ground _____ Threaded _____ Welded <input checked="" type="checkbox"/> Surface 12 in. RMP _____ PVC _____ Weight 36.87 lbs./ft. Dia. 16 in. to 306 ft. depth Wall Thickness: inches or Dia. _____ in. to _____ ft. depth gage No. 250	
					10. Screen: Manufacturer's name Johnson Type Galv. Dia. 16" Slot/gauge _____ Length 20 ft. Set between 277 ft. and 297 ft. Perf: 250-277 ft. and 297-305 ft. Gravel pack? yes Size range of material 1/2" down	
					11. Static water level: _____ mo./day/yr. 196 ft. below land surface Date 8-24-76	
					12. Pumping level below land surfaces: 270 ft. after 2 hrs. pumping 350 g.p.m. 291 ft. after 4 hrs. pumping 450 g.p.m. Estimated maximum yield 450 g.p.m.	
					13. Water sample submitted: _____ mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date _____	
					14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade	
					15. Well grouted? Yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
					16. Nearest source of possible contamination: N/A ft. _____ Direction _____ Type _____ Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
					17. Pump: _____ Not installed Manufacturer's name Goulds-US Pump Model number 10JMC HP 100 Volts _____ Length of drop pipe 295 ft. capacity 400 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
18. Elevation:		19. Remarks:			20. Water well contractor's certification:	
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		3304 (TUPO)			This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter-Wilson Drlg. Co. 208 Business name License No. _____ Address Box A Garden City, Ks. Signed [Signature] Date 5-13 Authorized representative	

(Use a second sheet if needed)

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

23
37
29
SE NW SE
1/4
1/4
1/4

Professional **MINTER-WILSON DRILLING CO.** INCORPORATED
Irrigation and Domestic Water Systems Complete Installation and Repairing

Phone 276-8269 • P.O. Box 493 • GARDEN CITY, KANSAS 67846

BRAD TATE
KEARNY COUNTY
7-22-76

Location: SE $\frac{1}{4}$ 29-23-37 from south east corner fo $\frac{1}{2}$ west
 $\frac{1}{4}$ north 30Ft. east
Static Water Level-240'

Test #2

0	2	Topsoil
2	29	Brown sandy clay
29	35	Med. sand and gravel
35	73	Fine to med. sand and gravel
73	80	Brown clay
80	94	Brown sandy clay
94	103	Fine to med. sand and gravel
103	117	Brown clay
117	135	Gray clay
135	139	Fine to med. sand and gravel
139	156	Brown sandy clay
156	170	Brown sandy clay sand stks.
170	196	Fine to med. sand and gravel
196	210	Fine to med. sand and gravel hard
210	225	Fine to med. sand and gravel Loose
225	243	Brown sandy clay
243	251	Fine to med. sand and gravel
251	255	Brown sandy clay
255	278	Fine to med. sand and gravel
278	297	Med. sand and gravel
297	300	Shale

T.D. 305'
Screen 20'