1 LOCAT	ION OF V	VATER WELL:	ATER WELL RE	CORD Form WWC		a-1212 ID No ection Number		Township Number			Range Number		
County:	Rei	0	NE 1/2	Sw 1/4 Nu	, 1/4	/	⊤ 23	s	R	4	EW		
				address of well if local									
		,		2 Nof		,							
2 WATER	WELL O		ed Neu		, , , , ,								
RR#, St. A		x # : * عر	25 157	Ave			Board of Agric		ision of \	Vater Re	esources		
City, State,				COMPLETED WELL	71	# ELEVA	Application N						
	N SECTIO	LOCATION WITH N BOX: N	Depth(s) Grou	ndwater Encountered	1	ft.	2	ft. 3 <u>.</u>	<u></u>		ft.		
	1		WELL'S STAT	IC WATER LEVEL Imp test data: Well w	ytt. be	elow land surface	e measured on mo/d	ay/yr	nnina	-25	nnm		
	1		Est. Yield	gpm: Well w	ater was	ft. a	after	. hours pur	nping		gpm		
-	X IV	NE	1	TO BE USED AS:	5 Public water		8 Air conditioning						
ĺ	1	E	1 Domestic 2 Irrigation		6 Oil field water		 Dewatering Monitoring well 						
w	1		2 iiiigalioii	4 iliuusillai	/ Domestic (is	wii & garden)	To Monitoring well		2.00.		,		
	। -SW	SE	Mas a shamia	al/bacteriological samp	ala aubmittad ta	Danartmant? \	/00 No A .	If you mo	/dov/vrc	comple	wae eub-		
		1	mitted	ai/bacteriologicai samp	oie submilled (C		ater Well Disinfected		ruay/yis	No			
5 TVPE		S K CASING USED:		5 Wrought iron	8 Cond	rete tile	CASING JOIN	TS: Glued	k (lamned			
1_Stee		3 RMP (S		6 Asbestos-Cemen		r (specify below)							
₽ vo		4 ABS `	,	7 Fiberglass									
				. 3 ft., Dia									
-	-			in., weight			lbs./ft. Wall thickness	s or guage	No	60			
		OR PERFORATION			${\mathfrak L}_{\!$			stos-Cemer					
1 Stee		3 Stainles 4 Galvania		5 Fiberglass6 Concrete tile	8 H 9 A	MP (SR) BS		(Specify) used (oper			•••••		
2 Bras							_		,	(anan h	ala\		
		ORATION OPENII			uazed wrapped /ire wrapped	1	Saw cut 9 Drilled holes		I1 None	(open n	ole)		
	tinuous sl /ered shut		Mill slot (ey punched		orch cut		10 Other (specify)				ft.		
		ATED INTERVALS		38 ft. to	48	ft From		ft to			ft		
OOHLLIVI	LI II OI I	TED IIVI ENVALO	From	ft. to		ft., From		ft. to			ft.		
(GRAVEL F	PACK INTERVALS		5.2ft. to									
			From	ft. to		π., From	••••••	π. το	•••••	.,	п.		
6 GROU	T MATER	RIAL: 1 Nea	at cement	2 Cement grout	€ Be	ntonite 4	1 Other						
 Grout Inter	vals: Fr	rom	ft. to 2 .	Q ft., From	ft.	to	ft., From		ft. to		ft.		
		source of possible				10 Livest			andoned				
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel storage		15 Oil well/Gas well					
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)					
3 Wat	ertight se	wer lines 6 See	page pit	9 Feedy	yard	13 Insect	icide storage	 p.	ond	, 			
Direction fr	om well?	NE				How man	y feet? 7.5						
FROM	TO		LITHOLOGI	C LOG	FROM	то	PLUG	GING INTE	ERVALS				
0	14	F Sil	Ty Sano	Q									
14	32	Brx C	r Clay										
32	45	F Sar	nd	·									
45	52	Gr C	/ay										
<u>52</u>	62	F San	ď										
62	73	Br Cla	y - Son Lo	yers # Fine	sand	<u> </u>			-				
									* **				
		_				-							
						 							
7						.1							
△ CONTR.	ACTOR'S	OR LANDOWNE	R'S CERTIFICA	TION: This water wel	l was o const	tructed, (2) reco	enstructed, or (3) plu	gged unde	r my juri:	sdiction	and was		
				<i>5</i>									
			,	This Wa	iter Well Recor			الكيت د.	-05				
under the b			iller Di				signature)	rell	7				
				F <u>IRMLY</u> and <u>PRINT</u> clearly. Pl son St., Suite 420, Topeka, Ka									
		or each constructed well											