48	8 76	572 WA	ATER WELL RECO	ORD Form WWC	-5 KSA	82a-1212 II	0 No. We	ell #4				
1 LOCAT	ION OF W	ATER WELL:	Fraction			ction Number	er To	wnship Nu	mber	Ra	nge Numbe	er
County:	Reno		NW 1/4	NW 1/4 SE	1/4	9	т	23	s	R	4	E (W)
Distance and direction from nearest town or city street address of well if located within city?												
Approxir	mately 4 1/2	2 miles east of H	utchinson									
2 WATER	R WELL OV	VNER: Integra Com	mercial Realty LLC									
RR#, St. A	Address, Bo	.v # .c/o Lane Ne	ville liamond Rim Drive				Во	ard of Agri	culture, Di	vision o	of Water Re	esources
	, ZIP Code	<ul> <li>Scottsdale, /</li> </ul>	Arizona 85255					plication N	umber: 4	5,399		
			4 DEPTH OF C	OMPLETED WELL	128	ft. ELE	VATION: ر	ınknown				
AN "X"	IN SECTION	ON BOX:	Depth(s) Ground	dwater Encountered	1		ft. 2		ft. 3			. ft.
<b> </b>			WELL'S STATIC \	WATER LEVEL	4 ft. bel	ow land surfa	ace measui	red on mo/d	day/yr 5-1	0-05		
	_NW	1		test data: Well wat								
-	-1444	NE		own gpm: Well water								
¥ w	i	E	Bore Hole Diame	ter38in. t	10	2/ ft	., and		i	n. to		ft.
× W	1	x	WELL WATER TO	BE USED AS: 5	Public water	supply	8 Air co	nditioning	11	Inject	tion well	
_	- sw	SE	1 Domestic	3 Feedlot 6	Oil field wate	r supply	9 Dewa	tering	12	Other	r (specify bel	ow)
	- SVV	35	2 Irrigation	4 Industrial 7	Domestic (lav	wn & garden)	10 Monit	oring well				
<u> </u>	1	1	Was a chemical/ba	acteriological sample s	ubmitted to D	epartment? Y	es	No 🗸	If yes, mo	/day/yr	s sample v	was sub-
	S		mitted	p			ter Well Di					
5 TYPE C	F BLANK	CASING USED:	5	Wrought iron	8 Concre	ete tile	CA	SING JOI	NTS: Glue	1	Clamped	
1 Steel		3 RMP (SR)	€	Asbestos-Cement	9 Other	(specify below	)	Bolted	Welde	ed	<b>Y</b>	
2 PVC		4 ABS	7	Fiberglass					Threa	ded		
Blank cas	sing diamete	er 12 3/4 (stee	el) in to 30	) ft., Dia 12	3/4 (PVC) i	n. to	36 f	t., Dia		in. to		ft
			24 in	., weight 49.56 (s	teel) 10.31	(PVC) Ib	s./ft. Wall t	hickness of	r gauge No	.375 (s	steel) .420	(PVC)
Casing height above land surface 24 in., weight 49.56 (steel) 10.31 (PVC) lbs./ft. Wall thickness or gauge No .375 (steel) .420 (PVC)  TYPE OF SCREEN OR PERFORATION MATERIAL: (7) PVC 10 Asbestos-cement												
1 Stee		(3) Stainless		5 Fiberglass	8 RMP (	SR)						
2 Bras		4 Galvanize		6 Concrete tile	9 ABS	,			used (open			
		ORATION OPE		5 Gauzed wr			8 Sa		* *	-	pen hole)	
	ntinuous slot	$\overline{}$	Mill slot	6 Wire wrapp	• •			lled holes			,	
_	vered shutte	$\overline{}$	Key punched	36 7 Torch cut	56 (PVC)			ner (specify)				ft.
l		RATED INTERVALS:	From	56 ft. to	74 (S.S.)			104			116 (S.S.)	ft.
			From	74 ft. to	104 (PVC	) ft., Fro	om	116	ft. to	1	26 (PVC)	ft.
	GRAVEL	_ PACK INTERVAL	_S: From	30 ft. to	127	ft., Fro	om		ft. to			ft.
			From			ft., Fro	om		ft. to			ft.
6 GRO	UT MATER	RIAL: 1 Neat	cement 2 Cemer		ite		Other E	Bentonite Ho	lenlua	-		
	Compacted	d Soil	•									
	tervals: Fro			ft., From	5 f			From	25	ft. to	30	ft.
		source of possil		10 Livestock pens 14 Abandoned water well								
1 Sept	tic tank	4	Lateral lines	7 Pit privy						15 Oil well/Gas well		
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (s							er (spec	ify below)				
3 Wate	ertight sewer	lines 6	Seepage pit	9 Feedyard		13 Insecticide	e storage	None I	known			
Direction 1	from well?					How ma	any feet?					
FROM	ТО		LITHOLOGIC LOG	}	FROM	ТО		PLUC	GING IN	TERVA	LS	
0	1	Topsoil			75	118	Sand, ve	ry fine				
1	6	Sand, fine			118	127	Clay, san	dy and sar	d, very fine	——— е		
6	15	Clay, sandy				- '						
15	18	Sand, fine wit	th sandstone									
18	21	Clay, sandy										
21	24	Sand and sar	ndstone						A 4.V			
24	28	Clay, sandy			···							
28	38	Sand, very fir	ne									
38	44	Clay									1,0	
44	46	Sand, very fir	ie	1.11.5			0.04.					
46	53	Clay										
53	64	Clay with san	d									
64	70	Sand, very fir		ACT ACT								
70	75	Clay and san		1					1.			
7		-						(0)				
				nis water well was (1) o	constructed		tructed , or				risdiction and	
	on (mo/day	//year) r's License No	185	-10-05 This Water W	ell Record w	and this red	d on (mo/d	av/vr) /	of thy kno	wieuge 6.1	and bellet. ∩a∕	Nalisas
		me of Clarka M	Vell & Equipment, Ir		on Roodia W		y (signature)	14-4	, 1 h	777	1	
				Y and PRINT clearly. Please	fill in blanks und			C.C.	ree conies to b	(ansas De	partment of He	alth and