95 <b>WATE</b>	7964 R WELI		Well #1 C <b>ORD</b>	Form WWC-	·5	Division	of Water	Resources; App. No.	45,400	
1 LOCATION OF WATER WELL: Fraction County: Reno NE 1/4 SW 1/4 SW							Section Number Township Number Range Number T 23 S R 4 E W			
Distance and direction from nearest town or city street address of well if located within city? Approximately 5 3/4 miles east and 1/4 mile north of Hutchinson							Global Positioning Systems (decimal degrees, min. of 4 digits)  Latitude: 38.059726  Longitude: -97.77282			
2 WATER WELL OWNER: Integra Commercial Realty, LLC RR# St Address Box # - c/o Lane Neville						Elevation: unknown				
RR#, St. Address, Box # City, State, ZIP Code  c/o Lane Neville 8846 East Diamond Rim Drive Scottsdale, Arizona 85255							Datum: NAD 83  Data Collection Method: WAAS GPS Unit			
1	ATE WE	LL'S	4 DEPTH OF COMPLETED WELL 141 ft.							
WIT	H AN ''X'		Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft, WELL'S STATIC WATER LEVEL 15 ft. below land surface measured on mo/day/yr.							
SEC	TION BO	X:	Pump test data: Well water was Not cnecked ft, after hours pumping gpm  Est. Yield unknown gpm: Well water was ft. after hours pumping gpm							
wN\	VNE-	-   <sub>E</sub>	WELL WATER TO BE USED AS: (5) Public water supply 8 Air conditioning 11 Injection well  1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
								itoring well	Other (Specify below)	
SW   SE   Was a chemical/bacteriological sample submitted to Department? Yes No ✓ If you									If yes, mo/day/yrs	
Sample was submitted Water well disinfected? Yes Vo										
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Bolted   Welded										
2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 12 in. to 30 (steel) ft., Diameter 12 in. to 40 (PVC) ft., Diameter in. to ft.										
Casing height above land surface 24 in., weight 49.56 steel/10.31 PVC lbs./ft. Wall thickness or gauge No375 steel/.420 PVC										
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel (3) Stainless Steel 5 Fiberglass (7) PVC 9 ABS 11 Other (Specify)										
2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (Specify)										
SCREEN-PERFORATED INTERVALS: From 40 ft. to 13							From	ft. to	ft.	
GRAVEL PACK INTERVALS: From 32 ft. to 14						1 ft.,	ft., From ft. to ft.			
SCREEN-PERFORATED INTERVALS: From         40         ft. to         139         ft., From         ft. to         ft.           From         ft. to         ft., From         ft. to         ft.           GRAVEL PACK INTERVALS: From         32         ft. to         141         ft., From         ft. to         ft.           From         ft. to         ft., From         ft. to         ft.										
6 GROUT MATERIAL: 1 Neat Cement 2 Cement grout 3 Bentonite 4 Other Bentonite Holeplug										
Grout Intervals: From 0 ft. to 5 ft., From 5 ft. to 25 ft., From 25 ft. to 32 ft. What is the nearest source of possible contamination:										
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (sp 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)									,	
-	rtight sewer	r lines	7			er Storage	15 Oil v	vell/gas well	None known	
Direction FROM	r from wel	1?	LITHOLOGIC LO		low man		<u> </u>	DI LICCDIC INT	YEDWAL C	
0	3	Tops		G	FROM 89		Clay, b	PLUGGING INT prown, sandy	ERVALS	
3	8	Clay	, gray, sandy		92	94	Sand,	very fine		
8	35		d, very fine		94			rown, sandy		
35 40	40 44		r, brown, sandy d, very fine		110 112			ith sand, very fine very fine		
44	51		, gray and tan		115			eddish brown, sar	ndv	
51	54		nd, very fine 1				Sand, very fine			
54	60		d and clay		120		Clay, b			
60 70	70 74		d, very fine		124 127			very fine	14.444	
74	89	_	, brown, sandy d, very fine		127	141	Clay, b	rown, sandy		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed (3) plugged										
under my jurisdiction and was completed on (mo/day/year)  9-26-06  and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 10-13-06 Under the business name of Clarke Well & Equipment, Inc. by (signature)										
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three										
copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.										