WATEI	R WEI	L RECORD	Form W	WC-5	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:			Fraction		Section Number		Range Number	
County: Reno			SE 1/4 SW 1/4 NW			<u> </u>		
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (G								
from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)		
7 miles East of Hutchinson				Longitude: (in decimal degrees) Elevation:				
2 WATER WELL OWNER: Jack McMillan				- <u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 <u>Collection Method</u> :				
RR#	, Street A	Address, Box #: 12	919 E. 4th		GPS unit (Make/Model:)			
City, State, ZIP Code : Bu			rrton, KS 67020		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
		,	·		Est. Accuracy:	<3 m, 🔲 3-5 m, 🔲	5-15 m, \square >15 m	
3 LOCATE WELL								
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)							
SECI		Depth(s) Groundwater Encountered (1)						
 	Pump test data: Well water wasft. afterhours pumping							
	EST VIELD10 15 cmm Well water was					ft. after hours pumping gpm		
W Bore Hole Diameter 9. in. to 49. ft., and in. to ft.								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Domestic								
SW	Irrigation Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ▼ Yes □ No								
5 TYPE OF CASING USED: Steel X PVC Other								
CASING JOINTS: X Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface12 in., Weight2.37lbs./ft., Wall thickness or gauge No214								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From39								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From 20								
From ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout R Bentonite Other								
Grout In		From 0 ft. to		1	ft. to ft.	, From	ft. toft.	
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
Sewer lines								
Direction from well								
FROM	TO	LITHOLOG	4 444	FROM			JGGING INTERVALS	
0	2	Topsoil						
2	10	Clay, brown						
10	25	Sand, fine w/smal	l clay layers					
25	30	Sand, fine to med	ium					
30	45	Sand, medium w/sm						
45	60	Shale gray		1				
		******		<u> </u>				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, \Box reconstructed, or \Box plugged								
under my jurisdiction and was completed on (mo/day/year) 8:24-12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No138 This Water Well Record was completed on (mo/dfy/year), 9/5/12								
under the business name of								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								