OUNTY: HAMILTON ; HBistance and direction from mearest ROW SYRACUSE - 1 NILE SOUTH ON HIGH				U	1 0 20 K	~ ~ ~ ~
ATBR WBLL OWNER: FALLWELL, R\$, St. Address, Box \$: 203 N. NA ity, State, ZIP code : COOLIDGE,	LARRY	Board of A	griculture, Di n Number:	vision of W	later Resources	
OCATE WELL'S LOCATION WITH N "1" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL Depth(s) Groundwater Encoun			2. 0 ft	t. 3. 0	ft.
	WELL'S STATIC WATER LEVEL Pump testdata: Wel					/04 gp:
	Estimated Yield 40 gpm: We					gpi
X	B Bore Hole Diameter 9	in. to 56	ift., and	in. to	Oft.	!
SN SE	Was a chemical/bacteriologics If yes, mo/day/yr sample was	l sample submit submitted	ited to departm	ment? No ; Water we	ll disinfected?	? Ye
lank casing diameter 5 in asing height above land surface YPE OF SCREEN OR PERFORATION MATER	to 56 ft., Dia in. to 12 in., weight 200 lbs/ff IAL: PVC	0 ft., D				
lank casing diameter 5 in asing height above land surface YPE OF SCREEN OR PERFORATION MATER CREEN OR PERFORATION OPENINGS ARE:	to 56 ft., Dia in. to 12 in., weight 200 lbs/ft IAL: PVC SAW CUT From 26 ft. to 46 ft., 1 From 0 ft. to 0 ft., 1 From 22 ft. to 56 ft., 1	Oft., D. Wall thickness Trom Oft. Trom Oft.	to Oft. to Oft. to Oft.			np air an d
YPE OF BLANK CASING USED: PVC lank casing diameter 5 in asing height above land surface YPE OF SCREEN OR PERFORATION MATER CREEN OR PERFORATION OPENINGS ARE: CREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: ROUT MATERIAL BENTONITE Front Intervals: Fron Oft. to Phat is the nearest source of possibirection from well? WEST	to 56 ft., Dia in. to 12 in., weight 200 lbs/ft IAL: PVC SAW CUT From 26 ft. to 46 ft., 1 From 0 ft. to 0 ft., 1 From 0 ft. to 56 ft., 1 From 0 ft. to 0 ft., 1 22 ft., From 0 ft. to	Oft., D. Wall thickness From Oft. From Oft. From Oft. From Oft.	to Oft. to Oft. to Oft.	o. 21	low many feet?	~ • • • •
Lank casing diameter 5 in asing height above land surface IPE OF SCREEN OR PERFORATION MATER CREEN OR PERFORATION OPENINGS ARE: CREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: ROUT MATERIAL BENTONITE rout Intervals: From 0 ft. to hat is the nearest source of possi irection from well? WEST FROM TO 0 20 01 TOPSOIL OS C	to 56 ft., Dia in. to 12 in., weight 200 lbs/ff IAL: PVC SAW CUT From 26 ft. to 46 ft., 1 From 0 ft. to 0 ft., 1 From 0 ft. to 56 ft., 1 From 0 ft. to 0 ft., 1 LITHOLOGIC LOG	Oft., D. Wall thickness From Oft. From Oft. From Oft. From Oft.	to Oft. to Oft. to Oft. to Oft. to Oft.	0 ft.		

completed on (mo/day/year) 05/04/04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 179

This Water Well Record was completed on (mo/day/yr) 06/03/04 under the business name of JOR'S WELL SERVICE, INC.

by (signature)