WATER WELL RECORD Form WWC-5 Division of Water						
	inge in Well Use		irces App. No.		Well ID	
1 LOCATION OF WATER WELL:	Fraction	•	ion Number 13	Township Numb	R ange Number	
County: Hamilton 2 WELL OWNER: Last Name: Hatcher	NE ¼ NW ¼ NE ¼ First: Trey				(if unknown, distance and	
Business: Address: 1220 NW CR J					r's address, check here:	
Address:			Highway 40	0. North 3 1/2 mile	es, west side 400 yards	
City: Syracuse State: K 3 LOCATE WELL A DEPTH OF CO		rom road.			••	
WITH AVERT 4 DEPTH OF CO	OMPLETED WELL:		5 Latitud	e: 38.05886	69 (decimal degrees)	
SECTION BOX: Depth(s) Groundwal	er Encountered: 1)	N ft. I Dry Well			(decimal degrees)	
N WELL'S STATIC V	VATER LEVEL: 32	7 ft.	Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:			
■ X Delow land surfa	ace, measured on (mo-day-	_{/r)} .04/12/2018	☐ GPS		·)	
above land surfa	ice, measured on (mo-day-y	/r)	İ	(WAAS enabled? □		
	Il water was ft			d Survey Topogra		
" 1 We	ll water was ft		☐ Uni	ine Mapper:	•••••	
SW SE after ho	ours pumping		(Fl4	3489	. Ground Level TOC	
Estimated Yield:	30gpm				GPS ☐ Topographic Map	
S Bore Hole Diameter	. 10 in. to 540	. It. and	Source.	Other KOLAR		
7 WELL WATER TO BE USED AS:	111. 10	11.				
	Water Supply: well 1D		10. 🔲 Oil I	ield Water Supply: le	ease	
	ering: how many wells?			le: well ID		
	Recharge: well ID			d Uncased (
	ring: well IDental Remediation: well ID			mal: how many bores ed Loop Horizont		
3. ☐ Feedlot ☐ Air Spa					ischarge Inj. of Water	
4. ☐ Industrial ☐ Recove						
Was a chemical/bacteriological sample su	bmitted to KDHE?	Yes 🛮 No	If yes, date s	ample was submitte	ed:	
Water well disinfected? ✓ Yes ☐ No			-			
8 TYPE OF CASING USED: ☐ Steel ☑	PVC Dother	CASIN	IG JOINTS:	☐ Glued ☐ Clamped	d ☐ Welded ☑ Threaded	
Casing diameter 5 in. to 540 Casing height above land surface 24	ft., Diameter	in. to	ft., Diamet	ter		
TYPE OF SCREEN OR PERFORATION N	. m. weight	108./11.	wan unckn	ess of gauge No9.9.	***************************************	
	berglass PVC		Other	(Specify)	Certalok	
☐ Brass ☐ Galvanized Steel ☐ C	oncrete tile \(\sum \) None us	sed (open hole				
SCREEN OR PERFORATION OPENINGS				704 (7 10)		
☐ Continuous Slot ☐ Mill Slot ☐ Louvered Shutter ☐ Key Punched ☐			one (Open Ho			
SCREEN-PERFORATED INTERVALS: F	rom 400 ft. to 460	ft From	500 ft. to	540 ft. From	ft. to ft.	
SCREEN-PERFORATED INTERVALS: F GRAVEL PACK INTERVALS: F	rom 0 ft. to 5	ft., From	25 ft. to		115 ft. to 540 ft.	
9 GROUT MATERIAL: Neat cement	☐ Cement grout	ntonite \square O	ther			
Grout Intervals: From						
Nearest source of possible contamination: Septic Tank Lateral I	ines	П	Livestock Pens	i □ Insecti	cide Storage	
Sewer Lines Cess Poo			Fuel Storage		oned Water Well	
	☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well					
☐ Other (Specify)						
	OGIC LOG	FROM			r PLUGGING INTERVALS	
Attached Attached				· /.		
		Notes:				
11003						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\subseteq \) constructed, \(\subseteq \) reconstructed, or \(\subseteq \) plugged under my jurisdiction and was completed on (mo-day-year) .04/.12/20.18 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 846 This Water Well Record was completed on (mo-day-year) .04/.24/20.18						
under my jurisdiction and was completed of	1 (mo-day-year) .94/.7 <i>2/2</i> 5 846 This Wa	Y.!.P and Iter Well Rec	ord was com	true to the best of m	ly knowledge and belief.	
under the business name of Nash Water V	Vell Service, LLC					
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.						
KS Department of Health and Environment, Bureau Visit us at http://www.kdheks.gov/waterwell/index.h	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212					
visit us at http://www.kuncks.gov/waterwell/fildex.fl	um				NOT 044-1414	

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Trey Hatcher
Doc ID	1406899

Litholgy

0	18	TOP SOIL, TAN CLAY
18	80	FINE COARSE SAND WITH
		SMALL/LARGE GRAVEL STREAKS
80	90	FINE COARSE SAND WITH
		SMALL/LARGE GRAVEL STREAKS
90	105	TIGHT CEMENTED SAND
		AND LIMESTONE
105	210	BLUE SHALE WITH ROCK LAYERS
210	215	SANDSTONE
215	235	BLUE SHALE WITH ROCK STREAKS
235	340	SOFT GRAY CLAY
340	347	BLUE SHALE WITH ROCK STREAKS
347	351	ROCK
351	386	BLUE SHALE WITH ROCK LAYERS
386	401	GRAY SANDSTONE
		HARD AND TIGHT
401	437	WHITE SANDSTONE GOOD
437	442	BLACK SHALE
442	446	GRAY/BLUE/BLACK SHALE

Hamilton NENW NENE 13-23-42W

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Trey Hatcher
Doc ID	1406899

Litholgy

		WITH GRAY SANDSTONE STREAKS
446	460	GRAY SANDSTONE WITH
		ROCK LAYERS
460	520	GRAY/BLUE SHALE WITH
		GRAY SANDSTONE STREAKS
520	540	GRAY/WHITE SANDSTONE