1 LOCATION OF				Form WWC-	5 KSA 82	~ /= -=			
		Fraction	_	Se	ction Number	Township N	umber	Range N	umber
County: KEN	00	NW 1/4	SE 14	SE 1/4	5	TU	5 s	R 5	E(W)
Distance and direc	tion from pearest town			ed within city?					
779° Kor	T NORTH	0545 4	eer WEST	al S	outher	ET GEN	se of	Secono	\sim
2 MATER MELL	OWNER: REPUBL	16 81000	Zathor Com			1. 1			
ZJ WATER WELL	OWNER: PEPUBU	x 1267	soned conf	75N7		NEU	No. 12		-18
	Box # : P. O. Box			- 4 4-4		Board of A	-	Division of Water	er Resources
City, State, ZIP Co	de Hutzthi	NSON, KI	9NS115 675	504-126	7	Applicatio	Number:		
3 LOCATE WELL	S LOCATION WITH 4	DEPTH OF CO	MPLETED WELL.		ft. ELEV	ATION:			
AN "X" IN SECT	TION BOX:	enth(e) Groundw	ater Encountered	1	f	2	ft 3		ft
-		VELLIC CTATIO	WATER LEVEL	15				1-17-9	76
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								
NW -	- - NE	Pump	test data: Well wa	ter was	ft	after	. hours pur	nping	gpm
		st. Yield	gpm: Well wa	ter was	ft.	after	. hours pui	nping	gpm
<u>•</u>	l l l B	ore Hole Diamet	erin. to	.	ft.,	and	in.	to	
M M 1	ti		D BE USED AS:						
- 1	-	1 Domestic	3 Feedlot			9 Dewatering		•	helow)
SW -	SE								
		2 Irrigation				Monitoring we			
│		Vas a chemical/ba	acteriological sample	submitted to D	epartment?	/esNo	; If yes,	mo/day/yr sam	ple was sub-
<u> </u>	S m	nitted			W	ater Well Disinfect	d? Yes	No	<u> </u>
5 TYPE OF BLAN	K CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JO	INTS: Glued	Clamp	oed
1 Steel	3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify belo			ed	
2 PVC	4 ABS				. , .	,		ded	
			7 Fiberglass						
-	eter in		•			,			
Casing height above	e land surface	i	in., weight		Ibs	./ft. Wall thickness	or gauge No) <i></i>	
TYPE OF SCREEN	OR PERFORATION	MATERIAL:		7 P\	/C	10 As	estos-ceme	nt	
1 Steel	3 Stainless s	steel	5 Fiberglass	8 RI	MP (SR)	11 Oth	er (specify)		
2 Brass	4 Galvanized		6 Concrete tile	9 AE	` ,		ne used (op		
				*	,,,		` '	•	
	FORATION OPENING			zed wrapped		8 Saw cut		11 None (ope	n noie)
1 Continuous	slot 3 Mill	slot	6 Wire	wrapped		9 Drilled holes			
2 Louvered s	hutter 4 Key	punched	7 Toro	ch cut		10 Other (specif	y)		
SCREEN-PERFOR	ATED INTERVALS:	From	ft. to .	.	ft Fro	om	ft. to) <i>.</i>	ft.
			ft. to .		•				
								,	
CDAVE	DACK INTEDVALE.	Erom	ft to						4
GRAVEL	PACK INTERVALS:		ft. to .		ft., Fro	om	ft. to		
		From	ft. to		ft., Fro	om om	ft. to)	ft.
6 GROUT MATER	NAL: 1 Neat cer	From ment 2	ft. to	3 Bento	ft., Fro	om	ft. to		ft.
6 GROUT MATER		From ment 2	ft. to	3 Bento	ft., Fro	om	ft. to		ft.
6 GROUT MATER	NAL: 1 Neat cer	From ment 2 . to	ft. to	3 Bento	ft., Fronte 4 to	om Otherft., From	ft. to		ft.
6 GROUT MATER Grout Intervals: What is the neares	RIAL: 1 Neat cer Fromtt t source of possible co	From ment 2 to	ft. to Cement grout ft., From	3 Bento	tt., Frontie 4 to	om Otherft., From stock pens	ft. to	tt. to	ft.
6 GROUT MATER Grout Intervals: What is the neares 1 Septic tank	tIAL: 1 Neat cer From	From ment 2 to	ft. to Cement grout ft., From Pit privy	3 Bento ft.	tt., Fronte 4 to	om Other Other Stock pens Storage	14 At	tt. to	ft. ft. r well
6 GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines	RIAL: 1 Neat cer Fromft t source of possible co 4 Lateral 5 5 Cess p	From ment 2 . to	ft. to Cement grout ft., From Pit privy Sewage la	3 Bento ft.	to	om Other Other stock pens storage	14 At	tt. to	ft. ft. r well
6 GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines	tIAL: 1 Neat cer From	From ment 2 . to	ft. to Cement grout ft., From Pit privy	3 Bento ft.	to	om Other Other Stock pens Storage	14 At	tt. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other Other Stock pens storage storage cticide storage any feet?	14 At 15 Oi 16 Or	ft. to pandoned wate I well/Gas well her (specify be	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 . to	ft. to P. Cement grout The first from from from from from from from from	3 Bento ft.	to	om Other Other Stock pens storage storage cticide storage any feet?	14 At 15 Oi 16 Oi	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other Other Stock pens storage storage cticide storage any feet?	14 At 15 Oi 16 Oi	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other tt., From stock pens storage dilizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to contamination: lines cool ge pit	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to contamination: lines cool ge pit	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to contamination: lines cool ge pit	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
6 GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to contamination: lines cool ge pit	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to contamination: lines cool ge pit	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to contamination: lines cool ge pit	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to contamination: lines cool ge pit	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to contamination: lines cool ge pit	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to contamination: lines cool ge pit	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to contamination: lines cool ge pit	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to contamination: lines cool ge pit	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to contamination: lines cool ge pit	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO	RIAL: 1 Neat cerefromft t source of possible conditions 4 Lateral 5 5 Cess p sewer lines 6 Seepag	From ment 2 to contamination: lines cool ge pit	ft. to P. Cement grout The first from from from from from from from from	3 Bento	to	om Other ft., From stock pens storage illizer storage cticide storage any feet?	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	ft. to	ft. ft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO	RIAL: 1 Neat cer From	From ment 2 to contamination: lines	ft. to P. Cement grout The first of the firs	3 Bento ft.	10 Live 11 Fuel 12 Fert 13 Inse How ma	om Other Other Stock pens Storage Storage Cticide storage Cany feet? CHICAPIN	14 At 15 Oi 16 Or 16 Or 17 Or	tt. to pandoned wate I well/Gas well ther (specify be	ftft. r well
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line: 3 Watertight Direction from well FROM TO	RIAL: 1 Neat cer From	From ment 2 to	ft. to P. Cement grout This water well was considered.	3 Bento ft.	to	onstructed, or (3)	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	tt. to	ft. ft. r well slow) on and was
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO	RIAL: 1 Neat cer From ft t source of possible co 4 Lateral 5 5 Cess p sewer lines 6 Seepag ? S OR LANDOWNER'S day/year) PMI	From ment 2 to contamination: lines cool ge pit LITHOLOGIC LI S CERTIFICATION	ft. to P. Cement grout This water well was considered.	3 Bento ft.	to	onstructed, or (3)	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	tt. to	ft. ft. r well slow) on and was
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer lines 3 Watertight Direction from well FROM TO	S OR LANDOWNER'S day/year)	From ment 2 to contamination: lines cool ge pit LITHOLOGIC L S CERTIFICATIO	ft. to P. Cement grout This water well was considered.	3 Bento ft.	to	onstructed, or (3) ord is true to the be on (mo/day/yr)	14 At 15 Or 16 Or 16 Or 15 Or 16 Or 16 Or 17 Or	tt. to	ft. ft. r well slow) on and was
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line: 3 Watertight Direction from well FROM TO TO TO TO TO TO TO TO TO TO	S OR LANDOWNER'S day/year)	From ment 2 to contamination: lines cool ge pit LITHOLOGIC LI S CERTIFICATION S CERTIFICATION S J.	ft. to Cement grout ft., From Pit privy Sewage la Feedyard OG ON: This water well was a sewage la This Water water well was a sewage la This Water water well water wa	3 Bentoft. goon FROM O /S was (1) constru	to	onstructed, or (3) or (mo/day/yr) ature)	H. to ft.	tt. to	ft