	D all	OJ / WATE	R WELL RECORD	Form WWC-5				<b>.</b>	
1 LOCATION OF County:	WATER WELL:	Fraction 1/2	NW 14 NN		tion Number	Township T		Range Number	
Distance and dire			address of well if located		3 8	) 44	*		
2 WATER WELL	OWNER:	Caraill		JO 1		<del>0                                    </del>			
RR#, St. Address	Box #	1400 N	agraine			Board o	f Agriculture	Division of Water Resource	
City, State, ZIP Code : Hutchinson			XS 67504,_			Application Number:			
AN "X" IN SEC	'S LOCATION WITH TION BOX: N			<i>0</i> .5	ft. ELEV/	ATION: 2			
TX	1	WELL'S STATIC	WATER LEVEL / C	1.56. ft. b	elow land su	rface measured	on mo/day/yr	4-15-96	
	)   NE = =							ımping gpm	
\\w		Est. Yield	gpm: Well water	r was	ft. a	after	. hours pu	ımping gpm	
	_   _ i _ l .	Bore Hole Diam	eter8in. to .			and	in	. to	
W		WELL WATER	TO BE USED AS:	5 Public wate	r supply	8 Air condition	ng 11	Injection well	
17 1 L		1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	. 12	Other (Specify below)	
sw	35	2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring v	/elD		
		Was a chemical	/bacteriological sample s	ubmitted to De	epartment? Y	'esNo	<b>X</b> ; If yes	, mo/day/yr sample was sub	
<u> </u>	\$	mitted			Wa	ater Well Disinfe	cted? Yes	No X	
5 TYPE OF BLA	NK CASING USED:	-	5 Wrought iron	8 Concre	ete tile	CASING .	JOINTS: Glue	d Clamped	
1 Steel	3 RMP (5	SR)	6 Asbestos-Cement	9 Other	(specify belo	w)	Weld	ed /) /	
2(PVC)	4 ABS		7 Fiberglass				Thre		
Blank casing dian	eter	. in to 12	ft., Dia	in. to		ft., Dia		in. to ft.	
1	ve land surface	11104	.in., weight	,703	Ibs.	/ft. Wall thicknes	s or gauge N	10. Joh. 40	
	N OR PERFORATION	• •	, <b>,</b>	7 <b>(</b> PV	<b>a</b>	10 /	Asbestos-ceme	ent	
1 Steel	3 Stainles		5 Fiberglass	_	IP (SR)			 	
2 Brass		ized steel	6 Concrete tile	9 AB			lone used (or		
	REPORATION OPENII			ed wrapped		8 Saw cut	(.,	11 None (open hole)	
1 Continuou		Mill slot	6 Wire v			9 Drilled hole	es	(4)	
2 Louvered	•	Key punched							
	RATED INTERVALS	• •	47 ft. to	63	ftFrc	om	ft. f	toft.	
		From	ft. to		ft Fro	om	ft.	toft.	
GRAVE	PACK INTERVALS							toft.	
		From	ft. to		ft., Fro				
6 GROUT MATE	RIAL: 1 Neat	cement	2 Cement grout	3 Bento					
Grout Intervals:		. ft. to	ft. From	3. B) . ft.				ft. to	
	st source of possible		,			stock pens		bandoned water well	
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel storage			il well/Gas well	
2 Sewer lines 5 Cess pool			8 Sewage lago	•			16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit			9 Feedvard						
Direction from we		page p	o . ooayara			any feet?			
FROM TO	· · · · · · · · · · · · · · · · · · ·	LITHOLOGIC	LOG	FROM	то	ing lock:	PLUGGING I	NTERVALS	
								MANAGE - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1	
							***************************************		
	1///	Talinia Da	atout of Day	10.1		-17 01	Panage		
	[][[30]]	LIWIII GO	mucrea you	Tay/or	01)	5-13-96	Conce	nıng	
	J'UDMITTO!	of thes	e late form	4				/	
					L				
7 CONTRACTO			ION: This water well wa	as (1) constru	cted (2) rec	onstructed, or (3	) plugged und	der my jurisdiction and was	
completed on (mo	/day/year)	4-15-96					best of my kn	owledge and belief. Kansas	
Water Well Contra	ctor's License No.	5.5.53/	This Water We	ell Record wa	s completed	on (mo/day/yr)	6-	10796	
under the busines	s name of	131			by (signa	ature) (III	isan (	Juin	
1			FIRM V and BRINE stants. Disc	ann fill in blanks	inderline or circl	e the correct answer	Send ton three	copies to Kansas Department	