	WATER	R WELL RECO	BD Form	WWC-5	KCV 8	2a-1212		PIII	2011n	i Kor	$\gamma \gamma r +$
1 LOCATION OF WATER WELL:	Fraction	VVELL FILOS	ייייטוי טויי		on Numb		ship Numb	per (	T)"Ra	nge Num	ber
County: Reno	SW 1/4	NW 1/4			3	Т 2	3	S	R	5	E/XV
Distance and direction from nearest town of 1400 North Lorraine	or city street ad	Idress of well if	located with	nin city?							
2 WATER WELL OWNER: Ramada	Inn		Premi	ler Pi	ırcha	sing, I	nc.				
2 WATER WELL OWNER: Ramada RR#, St. Address, Box # : 1400 N. City, State, ZIP Code : Hutchin	. Lorrai	ne	14180	) Dal:	Las P	kwy #1862a	Od of Agric	culture, l	Division o	f Water F	Resources
LOCATE WELL'S LOCATION WITH 4 AN "X" IN SECTION BOX:	DEPTH OF CO										
WI NW NE E BO WI SW SE	Pump st. Yield ore Hole Diamet ELL WATER To 1 Domestic 2 Irrigation	test data: We gpm: We ter. N./A  D BE USED AS 3 Feedlo 4 Industr	. 18 ell water was ell water was in. to 6: 5 Pu t. 6 Oil ial 7 Lav	blic water	low land s ft ft ft. supply er supply	surface measu . after after, and 8 Air condi 9 Dewateri 10 Monitorir	red on mo	o/day/yr ours pu ours pu in 1112	mping mping to	well pecify bel	gpm gpm gpm ft.
· · · · · · · · · · · · · · · · · · ·	as a chemical/b	acteriological sa	ample submi	tted to Dep		YesN Water Well Dis				/r sample No	was sub-
1		5 Wrought iro	n	8 Concret							
1 Steel 3 RMP (SR)		6 Asbestos-Ce		9 Other (s					ed		i
2 PVC 4 ABS		7 Fiberglass		•				Threa	aded		<i></i>
Blank casing diameter 8 in.	to N/.A	ft., Dia .		in. to .		ft., Dia			in. to		ft.
Casing height above land surface		in., weight			Ib	s./ft. Wall thick	eness or g	gauge N	o		
TYPE OF SCREEN OR PERFORATION N	MATERIAL:			7 PVC		1	0 Asbest	os-ceme	ent		1
1 Steel 3 Stainless steel		5 Fiberglass 8 R			MP (SR) 11 Other			(specify)			
2 Brass 4 Galvanized	steel	6 Concrete tile	9	9 ABS	3S 12 None			used (open hole)			
SCREEN OR PERFORATION OPENINGS	ARE:	5 Gauzed wrapped			8 Saw cut			11 None (open hole)			
1 Continuous slot 3 Mill s			Wire wrapp	ed		9 Drilled					
2 Louvered shutter 4 Key p			Torch cut			10 Other (					
SCREEN-PERFORATED INTERVALS:	,	f									. 1
GRAVEL PACK INTERVALS:		f									
	From	f	t. to		ft., F	rom		ft. t	О		ft.
6 GROUT MATERIAL: 1 Neat cem	nent 2	2 Cement grou	t	3 Benton	ite	4 OtherH	ole O	iug.		<i>.</i>	
Grout Intervals: Fromft.	to	ft., From		ft. to	o	ft., Fr	rom	•	ft. to		ft.
What is the nearest source of possible cor	ntamination:				10 Liv	estock pens		14 A	bandoned	d water w	rell
1 Septic tank 4 Lateral lines		7 Pit privy			11 Fuel storage			15 Oil well/Gas well			
2 Sewer lines 5 Cess pool		8 Sewage lagoon			12 Fertilizer storage			16 Other (specify below)			
3 Watertight sewer lines 6 Seepage	ə pit	9 Feed	yard		13 Ins	secticide storag	je				
Direction from well? N/A						many feet?	51.116				
FROM TO	LITHOLOGIC L	<u>.OG</u>		ROM	то	<del>  </del>			NTERVA	_S	
				88	18	Chlori		san	<u>d</u>		
				8	4	Hole p	Lug				
			- 4	+	0	Dirt					
						-					
						+					
						<del> </del>					
							Andrews and Arrest services				
7 CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION	DN: This water	well was /1)	construc	ted (2) re	econstructed	or (3) hluo	aed und	der my iu	risdiction	and was
7 CONTRACTOR'S OR LANDOWNER'S	CERTIFICATIO										
completed on (mo/day/year) . July . 17	1,1996				and this re	cord is true to	the best				
completed on (mo/day/year) . July	1,1946 34	This W	/ater Well Re		and this re complete	ecord is true to ed on (mo/day/	the best				
completed on (mo/day/year) . July . 17	1,1996 34 rantz-Bei	nis Ent.	/ater Well Re	ecord was	and this re complete by (sig	ecord is true to ed on (mo/day/ nature)	the best of	ly 18	owledge 1994 Adda	and belief	f. Kansas