		R WELL RECORD	Form WWC-5	KSA 82a			
LOCATION OF WATER WELL:	Fraction 1/4	NW 1/4 N	• /	tion Number	Township Numbe	1	Range Number
ounty: KEND istance and direction from nearest t	- /-		/4 1	<u>Ψ</u>	T 23	S R	_S <u>E/(v)</u>
stance and direction from nearest t			east sig	he			
WATER WELL OWNER: KD	HE - Forb	ou FIELD					
R#, St. Address, Box # :	1/ .	• —			Board of Agricul	lture, Division	of Water Resource
	eka Ks		71		Application Num		
LOCATE WELL'S LOCATION WIT AN "X" IN SECTION BOX:	H4 DEPTH OF C	OMPLETED WELL	74.7	. ft. ELEVA	TION:		
AN A IN SECTION BOX.	Depth(s) Ground	water Encountered , 1		ft. 2	2	. ft. 3	
[X ! [!]	WELL'S STATIC	WATER LEVEL . ! . ?	> ft. b∈	elow land sur	face measured on mo/o	lay/yr	
NW NE	Pump	test data: Well water	er was	ft. a	fter hou	irs pumping	gpr
					fter hou		
w 1 1	Bore Hole Diame	eter. 0 in. to	24.2	'	and	in. to	
	WELL WATER T	O BE USED AS:	5 Public water		8 Air conditioning	11 Injectio	n well
SW SE	1 Domestic	3 Feedlot	6 Oil field wat		1		Specify below)
	2 Irrigation	4 Industrial	-		Monitoring well		
1 1	Was a chemical/b	pacteriological sample	submitted to De	partment? Ye	esNo^.;	if yes, mo/da	y/yr sample was sı
<u> </u>	mitted				ter Well Disinfected? Y		No ^
TYPE OF BLANK CASING USED		5 Wrought iron	8 Concre		CASING JOINTS:		·
1 Steel 3 RMP ((SR)	6 Asbestos-Cement	9 Other (specify below			X
2 PVC 24 ABS	14.5	-7 Fiberglass					′. X
ink casing diameter	lin. to				ft., Dia		
sing height above land surface		.in., weight	D _{PV}	Ibs./	ft. Wall thickness or gai		
PE OF SCREEN OR PERFORATI		5 Fiberalese			10 Asbestos		
	ess steel	5 Fiberglass		P (SR)		•	
2 Brass 4 Galvar REEN OR PERFORATION OPEN	nized steel	6 Concrete tile	9 ABS	•	12 None use 8 Saw cut	* •	•
\sim	Mill slot		ed wrapped		9 Drilled holes	I I IN	one (open hole)
			wrapped				
	Key punched	' '	1 cut 2 /1. \	•	10 Other (specify)		
DEEN DEDEMOATED INTERVAL		* ***	74.5	# Ero	~	ft to	
REEN-PERFORATED INTERVALS		7 ft. to	<i>7</i> 7.2.		n		
	From	, , , ft. to .	34.5	ft., Fror	m	, ft. to	
GRAVEL PACK INTERVAL	From	12 ft. to	34.5	ft., Fron	m	. ft. to	
GRAVEL PACK INTERVAL	From S: From	1.2 ft. to . ft. to . ft. to	34.5	ft., Fron ft., Fron ft., Fron	n	. ft. to . ft. to ft. to	
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea	From S: From From	ft. to ft. to ft. to ft. to ft. to ft. to	34.5	ft., From ft., From tt., From	m	ft. to ft. to ft. to	
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From.	From	1.2 ft. to . ft. to . ft. to	34.5	ft., From ft., F	ກ	ft. to ft. to ft. to ft. to ft. t	
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From.	From	ft. to ft. to ft. to ft. to ft. to ft. to	34.5	ft., From ft., F	m	ft. to ft. to ft. to ft. to ft. t	
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From. at is the nearest source of possib 1 Septic tank 4 Lat	From	ft. to . ft. fo . 7 Pit privy	34.5 2 3 Bentor	ft., From tt., From tt., From tt., From tt., From tt. 10 Lives 11 Fuel	mn Other tock pens storage	ft. to	
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From iat is the nearest source of possible 1 Septic tank 2 Sewer lines 5 Ce	From	ft. to	34.5 2 3 Bentor	tt., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From iat is the nearest source of possib 1 Septic tank 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Septic Services	From	ft. to ft.	34.5 2 3 Bentor	tt., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Section from well?	From	ft. to ft.	34.5 2 3 Bentor	tt., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Section from well?	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: at is the nearest source of possib 1 Septic tank 2 Sewer lines 5 Ce 3 Watertight sewer lines ection from well? GOM TO Class GROUT MATERIAL: 1 Nea 1 Nea 2 Sever lines 6 Sevention from well?	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea ut Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 5 Ce 3 Watertight sewer lines ection from well? GOM TO D ID Clane	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea 1 septic tank	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From at is the nearest source of possib 1 Septic tank 2 Sewer lines 5 Ce 3 Watertight sewer lines ection from well? ROM TO Class To C	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seection from well? ROM TO Class GROUT MATERIAL: 1 Nea 1 Nea 2 Sewer lines 5 Ce 3 Watertight Sewer lines 6 Seection from well?	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 1 Section from well? 1 Nea 1 Nea 1 Nea 2 Sewer lines 5 Ce 3 Watertight Sewer lines 6 Section from well?	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: out Intervals: From nat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Serection from well? ROM TO Clare	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seection from well? ROM TO Class GROUT MATERIAL: 1 Nea 1 Nea 2 Sewer lines 5 Ce 3 Watertight Sewer lines 6 Seection from well?	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seection from well? ROM TO Class GROUT MATERIAL: 1 Nea 1 Nea 2 Sewer lines 5 Ce 3 Watertight Sewer lines 6 Seection from well?	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seection from well? ROM TO Class GROUT MATERIAL: 1 Nea 1 Nea 2 Sewer lines 5 Ce 3 Watertight Sewer lines 6 Seection from well?	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 3 Watertight Sewer lines 4 Latertight Sewer lines 4 Latertigh	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 1 Septic tank 2 Sewer lines 3 Watertight Sewer lines 3 Watertight Sewer lines 4 Latertight Sewer lines 4 Latertigh	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 1 Section from well? 1 Nea 1 Nea 1 Nea 2 Sewer lines 5 Ce 3 Watertight Sewer lines 6 Section from well?	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 1 Section from well? 1 Nea 1 Nea 1 Nea 2 Sewer lines 5 Ce 3 Watertight Sewer lines 6 Section from well?	From	ft. to ft.	34.5 7 3 Bentor ft. t	ft., From tt., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From nat is the nearest source of possib 1 Septic tank	From S: From From at cement ft. to cle contamination: teral lines ess pool epage pit LITHOLOGIC	ft. to ft. ft. ft. from ft., From ft., From ft., From Freedyard LOG	34.5 2 3 Bentor ft. t	ft., From ft., F	m	ft. to	o
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From. 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Section from well? ROM TO D (D) Cland 10 34-5 Same CONTRACTOR'S OR LANDOWN	From S: From From at cement ft. to cle contamination: teral lines ess pool epage pit LITHOLOGIC	ft. to ft. ft. ft. from ft., From ft., From ft., From Freedyard LOG	34.5 2 3Bentor ft. to the second sec	ft., From tt., F	n	ft. to ft. to ft. to ft. to ft. to ft. to ft. to ft. to ft. to It depends on the second of the seco	jurisdiction and wa
GRAVEL PACK INTERVAL: GROUT MATERIAL: 1 Nea out Intervals: From. 1 Septic tank 2 Sewer lines 3 Watertight sewer lines ection from well? ROM TO Clan 10 34.5 Sam CONTRACTOR'S OR LANDOWN inpleted on (mo/day/year)	From S: From From at cement ft. to cle contamination: teral lines ess pool epage pit LITHOLOGIC	ft. to ft. ft. to ft. ft. ft. ft. ft. from ft., From ft. to ft. t	34.5 2 3Bentor ft. to the second sec	tt., From tt., F	n	ft. to ft. to ft. to ft. to ft. to ft. to ft. to ft. to ft. to It depends on the second of the seco	jurisdiction and wa
GRAVEL PACK INTERVAL: GROUT MATERIAL: out Intervals: From nat is the nearest source of possib 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Serection from well? ROM TO Clare	From S: From From at cement ft. to cle contamination: teral lines ess pool epage pit LITHOLOGIC	ft. to ft	34.5 2 3Bentor ft. to the second sec	tt., From tt., F	n	ft. to ft. to ft. to ft. to ft. to ft. to ft. to ft. to ft. to It depends on the second of the seco	jurisdiction and wa