_			WELL RECORD	Form WWC-5			<del></del>
LOCATION OF WATE		Fraction			tion Number		Range Number
County: Reno			NW 1/4 5		7	т <i>23</i> s	R 5 E
Distance and direction f		100	7 E 93	•	lutch in	504	
WATER WELL OWN	NER: Kip	Hildebr	and				
RR#, St. Address, Box		E 93				Board of Agricultu	re, Division of Water Resources
City, State, ZIP Code		6, KS 6				Application Number	
LOCATE WELL'S LO	H()Y·						
TYPE OF BLANK CA 1 Steel PVC Blank casing diameter . Casing height above lar TYPE OF SCREEN OR 1 Steel 2 Brass SCREEN OR PERFORA 1 Continuous slot	ASING USED:  3 RMP (SR) 4 ABS 5 in. d surface 4 PERFORATION M 3 Stainless sta 4 Galvanized ATION OPENINGS	ELL'S STATIC N Pump  It. Yield	test data: Well w gpm: Well w er. 8in. D BE USED AS: 3 Feedlot 4 Industrial acteriological sampl 5 Wrought iron 6 Asbestos-Cemer 7 Fiberglassft., Dia in., weight 5 Fiberglass 6 Concrete tile 5 Ga	ater was to	elow land sur  ft. a  ft. a  ft., a  f	face measured on mo/day fiter	pumping 25 gpm pumping gpm in to ft.  11 Injection well 12 Other (Specify below)  yes, mo/day/yr sample was sub- No lued Clamped velded in to ft. e No 6 ement cify) (open hole)  11 None (open hole)
1 Continuous slot	3 Mill s	slot	6 Wii	re wrapped		9 Drilled holes	
2 Louvered shutte	er 4 Key p	punched		rch cut			
	, ,	From	3.0 ft. to	40		n	ft. toft.
SCREEN-PERFORATEI GRAVEL PAC	D INTERVALS:	From	30 ft. to ft. to ft. to ft. to ft. to	43	ft., Fron ft., Fron ft., Fron	n	
SCREEN-PERFORATEI  GRAVEL PAC  GROUT MATERIAL:	D INTERVALS:  CK INTERVALS:  1 Neat cem	From. From. From. From. From. From. From.	3.0 ft. to	40 43 Bento	ft., Fron ft., Fron ft., Fron nite 4	n	ft. to
GRAVEL PAC GROUT MATERIAL: Grout Intervals: From	D INTERVALS:  K INTERVALS:  1 Neat cem 12ft.	From	3.0 ft. to	40 43 Bento	ft., From tt., F	n	ft. to
GRAVEL PAC GROUT MATERIAL: Grout Intervals: From	D INTERVALS:  K INTERVALS:  1 Neat cem 12ft.	From	3.0 ft. to	40 43 Bento	ft., From tt., F	n	ft. to
GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank	D INTERVALS:  K INTERVALS:  1 Neat cem 12ft.	From	3 0 ft. to ft. to ft. to 2.2 ft. to ft. The ft. From	40 43 3Bento	ft., From tt., From t	n	ft. to
GRAVEL PAC  GROUT MATERIAL:  Grout Intervals: From  What is the nearest sou	D INTERVALS:  CK INTERVALS:  1 Neat cem  1	From From 2 to 2 2 ntamination:	3.0 ft. to ft. to 2.2 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	40 43 3Bento	ft., From tt., From t	n	ft. to
GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank	1 Neat cem 1 Neat cem 1 Lurce of possible cor 4 Lateral li 5 Cess po	From	3 0 ft. to ft. to ft. to 2.2 ft. to ft. The ft. From	43. Bento. ft.	ft., From ft., From ft., From ft., From ft. ft. from	n	ft. to
GRAVEL PAC GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines Watertight sewe	1 Neat cem 1 Neat cem 1 Lurce of possible cor 4 Lateral li 5 Cess po	From	7 Pit privy 8 Sewage I	43. Bento. ft.	ft., From ft., From ft., From ft., From ft. ft. from	n	ft. to
GRAVEL PAC GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines Watertight sewer	1 Neat cem 1 Neat cem 1 Lateral li 5 Cess poer lines 6 Seepage	From	7 Pit privy 8 Sewage I 9 Feedyard	43. Bento. ft.	ft., Froi ft., Froi nite 4 to	n	ft. to
GRAVEL PAC GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines Watertight sewe Direction from well? FROM TO	1 Neat cem 1 Neat cem 1 Lateral li 5 Cess poer lines 6 Seepage	From	7 Pit privy 8 Sewage I 9 Feedyard	43 Bento ft.	ft., Froi ft., Froi nite 4 to	n	ft. to
GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines Watertight sewe Direction from well? FROM TO	1 Neat cem 1 Neat cem 1 Lateral li 5 Cess poer lines 6 Seepage	From	7 Pit privy 8 Sewage I 9 Feedyard	43 Bento ft.	ft., Froi ft., Froi nite 4 to	n	ft. to
GRAVEL PAC GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines Watertight sewe Direction from well? FROM TO 7	1 Neat cem 1 Neat cem 1 Lateral li 5 Cess poer lines 6 Seepage	From	7 Pit privy 8 Sewage I 9 Feedyard	43 Bento ft.	ft., Froi ft., Froi nite 4 to	n	ft. to
GRAVEL PAC GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines Watertight sewe Direction from well? FROM TO 7	1 Neat cem 1 Neat cem 1 Lateral li 5 Cess poer lines 6 Seepage	From	7 Pit privy 8 Sewage I 9 Feedyard	43 Bento ft.	ft., Froi ft., Froi nite 4 to	n	ft. to
GRAVEL PAC GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines Watertight sewe Direction from well? FROM TO 7	1 Neat cem 1 Neat cem 1 Lateral li 5 Cess poer lines 6 Seepage	From	7 Pit privy 8 Sewage I 9 Feedyard	43 Bento ft.	ft., Froi ft., Froi nite 4 to	n	ft. to
GRAVEL PAC GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines Watertight sewe Direction from well? FROM TO 7	1 Neat cem 1 Neat cem 1 Lateral li 5 Cess poer lines 6 Seepage	From	7 Pit privy 8 Sewage I 9 Feedyard	43 Bento ft.	ft., Froi ft., Froi nite 4 to	n	ft. to
GRAVEL PAC GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines Watertight sewe Direction from well? FROM TO 7	1 Neat cem 1 Neat cem 1 Lateral li 5 Cess poer lines 6 Seepage	From	7 Pit privy 8 Sewage I 9 Feedyard	43 Bento ft.	ft., Froi ft., Froi nite 4 to	n	ft. to
GRAVEL PAC GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines Watertight sewe Direction from well? FROM TO 7	1 Neat cem 1 Neat cem 1 Lateral li 5 Cess poer lines 6 Seepage	From	7 Pit privy 8 Sewage I 9 Feedyard	43 Bento ft.	ft., Froi ft., Froi nite 4 to	n	ft. to
GRAVEL PAC  GRAVEL PAC  GROUT MATERIAL: Grout Intervals: From What is the nearest sou  1 Septic tank 2 Sewer lines Watertight sewe Direction from well? FROM TO  7 7 7 93	1 Neat cem 1 Neat cem 2ft. 1 Cess poer lines 6 Seepage  Br Clay Sand+ C	From	3 O ft. to ft.	#3  @Bento ft.  agoon  FROM	ft., From tt., From t	n	fft. to
GRAVEL PAC GRAVEL PAC GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines Watertight sewe Direction from well? FROM TO 7 7 7 43 CONTRACTOR'S O	I Neat cem  1 Neat cem  1 Neat cem  2	From	3 O ft. to ft.	#3  @Bento ft.  agoon  FROM	ft., From the first from the fi	n	fft. to
GRAVEL PAC  GRAVEL PAC  GRAVEL PAC  GRAVEL PAC  GRAVEL PAC  GROUT MATERIAL: Grout Intervals: From What is the nearest sou 1 Septic tank 2 Sewer lines Watertight sewe Direction from well? FROM TO 7 7 7 43	I Neat cem  1 Neat cem  2	From	7 Pit privy 8 Sewage I 9 Feedyard	#3  Bento ft.  agoon  FROM  was (D)constru	ft., From tt., From t	non model of the property of t	fft. to