| - | WATE | R WELL RECORD | Form WWC-5 | KSA 82 | a-1212 | | ····· |
|---|------------------------------|---|--|---------------------------------------|---------------------|-------------------------------|-----------------------------|
| LOCATION OF WATER WELL: | Fraction | SE 14 SV | | on Number | Township | Number 3 S | Range Number |
| Distance and direction from nearest | town or city street a | ddress of well if locate | | | | | |
| 700 S. Main, | TURCHIN | 3011 | | | | | |
| WATER WELL OWNER: M | Awest Iro | N P Wieldi | | | | | |
| RR#, St. Address, Box # : 700 S, Main City, State, ZIP Code : Hutchinron, KS | | | Board of Agriculture, Division of Water Resource: Application Number: | | | | |
| LOCATE WELL'S LOCATION WI | | | 20 | ft FLFV | | | |
| AN "X" IN SECTION BOX: | Depth(s) Ground | water Encountered | 1 <i>I I</i> | ft. | 2 | ft. 3 | ft. |
| | | | | | | | mping |
| NW NE | | | | | | | |
| | Bore Hole Diame | ter RIZS in to | 20 | ft | and | in | mping |
| | | O BE USED AS: | 5 Public water | | | | |
| | 1 Domestic | | | | | | |
| SW SE | 2 Irrigation | 4 Industrial | 7 Lawn and ga | arden only | Monitoring | well # 3 | Other (Specify below) |
| | | pacteriological sample | submitted to De | oartment? | Yes No. | K If ves | , mo/day/yr sample was sub- |
| | mitted | succession of the second se | | | ater Well Disinfe | | No |
| TYPE OF BLANK CASING USE | | 5 Wrought iron | 8 Concret | | | | d Clamped |
| 1 Steel 3 RMP | | 6 Asbestos-Cement | | specify belo | | | ed |
| 2 PVC 4 ABS | (0.1) | 7 Fiberglass | | | | | aded Flush Sti |
| Blank casing diameter | in to | O ft., Dia | | | | | |
| Casing height above land surface. | Flush Mount | in weight | | lbs | /ft. Wall thickne | ss or gauge N | of. 42 |
| TYPE OF SCREEN OR PERFORA | | init, noight i i i i i i i | O PVC | ; | | Asbestos-ceme | |
| | less steel | 5 Fiberglass | • | ° (SR) | | | |
| | anized steel | 6 Concrete tile | 9 ABS | | | None used (op | |
| SCREEN OR PERFORATION OPE | | | ted wrapped | | 8 Saw cut | | 11 None (open hole) |
| $\mathbf{\Delta}$ | 3 Mill slot | | wrapped | | 9 Drilled hol | es | |
| • | Key punched | 7 Torc | •• | | | | |
| SCREEN-PERFORATED INTERVAL | S From | | | ft Fr | | | oft. |
| | | | | | | | |
| GRAVEL PACK INTERVA | LS: From | g ft to | 20 | ft. Fr | om | | .o |
| | From | ft. to | | ft., Fr | | | o ft. |
| GROUT MATERIAL: 1 Ne | | Cement grout | 3 Bentor | nite 4 | Lother | | |
| Grout Intervals: From 2 | ft to 921 |) ft. From | O ft t | 2/2 | S. ft. From | 1 | ft. to |
| What is the nearest source of possi | | | | | stock pens | | bandoned water well |
| _ | ateral lines | 7 Pit privy | | | l storage | 15 C | il well/Gas well |
| • | ess pool | 8 Sewage lag | loon | | ilizer storage | 16 C | ther (specify below) |
| 3 Watertight sewer lines 6 S | | 9 Feedyard | ,001 | | ecticide storage | Scra Met | other (specify below) |
| Direction from well? | copago pri | o recuyara | | | any feet? | | |
| FROM TO | LITHOLOGIC | LOG | FROM | TO | | PLUGGING I | NTERVALS |
| Q 11 Brown | Sandy Clay | | | | | | |
| | Sandy clay | | - | | | | |
| 15 20 Fine | - Medium Gr | ain Sand | | | | | |
| /3 = 1 | | | | | | | |
| | | | | | | | |
| | | | _ | | | | |
| | | | | | | | |
| | | | | | | | |
| | | -, | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | I | | |
| 7 CONTRACTOR'S OR LANDOW | NER'S CERTIFICATI | ON: This water well w | vas (1) construc | ted, (2) red | constructed, or (| plugged und | |
| | 7 2 07 | | | | | | |
| | 7-2-17 | | | and this rec | cord is true to the | e best of my kn | owledge and belief. Kansas |
| Water Well Contractor's License No | 7-2-97 | This Water V | Vell Record was | and this rec completed | i on (mo/day/yr) | best of my kn | owledge and belief. Kansas |
| | 7-2-97 603 nitetail Si | This Water Nervices, I | Vell Record was | and this rec completed by (sign | d on (mo/day yr) | John- 30 | -97 |