Fraction

1 LOCATION OF WATER WELL:

Section Number

SEC

Range Number

NW 1/4 NE 1/4 NW 1/4 County: Reno 18 23 **5W** Distance and direction from nearest town or city street address of well if located within city? ~ 400: SW of SW corner of N Pershing and E 4th St., Hutchinson 2 WATER WELL OWNER: Ineeda Cleaners RR#, St. Address, Box # : 1224 North Main Board of Agriculture, Division of Water Resources City. State. ZIP Code : Hutchinson. Kansas Application Number: LOCATE WELL'S LOCATON WITH 49.5 ft. ELEVATION: DEPTH OF COMPLETED WELL AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 12.4 ft. below land surface measured on mo/day/yr 2/16/04 Pump test data: Well water was ______ ft. after _____ hours pumping _____ gpm Est. Yield gpm: Well water was ft. after hours pumping gpm w Bore Hole Diameter in. to ft. and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply
1 Domestic 3 Feed lot 6 Oil field water supply
9 Dewatering
11 Injection well
12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was Water Well Disinfected? Yes No submitted 5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued ____ Clamped 1 Steel 3 RMP (SR) Welded
Threaded 6 Asbestos-Cement 9 Other (specify below) 4 ABS 2 PVC Threaded 7 Fiberglass Blank casing diameter 2 in. to 39.5 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No. Sch 40

TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 5 Fiberglass 8 RMP (SR) 11 Other (specify)
6 Concrete tile 9 ABS 12 None used (open hole) 11 Other (specify) 3 Stainless steel 5 Fiberglass 4 Galvanized steel 2 Brass ete tile

5 Gauzed wrapped

6 Wire wrapped SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot 3 Mill slot 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 9 Drilled holes 10 Other (specify) 7 Torch cut From **49.5** ft. to **39.5** ft. From ft. to ft. SCREEN-PERFORATED INTERVALS: From ft. to ft. From ft. to ft. From 50.5 ft. to 36.5 ft. From ft. to ft. GRAVEL PACK INTERVALS:
 From
 ft. to
 ft. From
 ft. to
 ft. From
 ft. to
 ft. ft.

 6 GROUT MATERIAL:
 1 Neat cement
 2 Cement grout
 3 Bentonite
 4 Other

 Grout Intervals
 From
 36.5 ft. to
 3 ft. From
 3 ft. to
 surface
 ft. From
 ft. to
 ft. to
 What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 15 Oil well/ Gas well 11 Fuel storage 12 Fertilizer storage 16 Other (specify below) 2 Sewer lines 8 Sewage lagoon 5 Cess pool 3 Watertight sewer lines 6 Seepage pit 13 Insecticide storage 9 Feedyard Dry Cleaner Direction from well? How many feet? FROM LITHOLOGIC LOG FROM PLUGGING INTERVALS 0 Brown VF-F clayey sand 1.5 6.0 Orange-brown F sand 6.0 8.0 Grav-brown sandy clay 8.0 10.0 Brown VF sand 10.0 15.0 Brown VF-VC sand 15.0 50.0 Brown C-VC gravelly sand 50.5 Red and green-gray shale 50.0 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 2/11/04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 416 This Water Well Record was completed of (mo/day/yr) , 3/9/04 Terracon under the business name of by (signature) INSTRUCTIONS:. Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W

Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.