			•	4/1 L	LLL ILLOOI	101111	*****	NON DEG	1212 10	- · · · · · · · · · · · · · · · · · · ·				
1 LOCATIO	ON OF WATE	R WELL:	Fraction				Sec	tion Number	То	wnship Nun	nber	Range	Number	
County:	Re	eno	SW	½ S	SW 1/4	SE	/4	16	Т	23	S	R	05 \	N
		m nearest tow	n or city stre	et address	s of well if I	ocated within	n city?							
	300 E Aver		V a a a la F	N I'										\dashv
	WELL OWNE		Kaneb F										_	
	dress, Box#	:	7340 W 21 st St. N. Ste 200					Board of Agriculture, Division of Water Resources						
City, State, 2		:	Wichita, Kansas					Application Number:						
	N SECTION B	OX:	DEPTH			ELL								
						ered 1								
↑ I						L								쮸
	NW	- NE]	Pump test	data: W	ell water was	3		ft. after		hours p	umping	gpı	E USE
₩ W			Est. Yield		gpm: W	ell water was	3		ft. after		hours p	umping	gpi	m m
± W —		- E	Bore Hole D	Diameter	8.5	in. to S: 5 Public	13	.5	ft. and		in	. to	1	ft. S
	1	ļ_	WELL WAT	ER IOBE	= USED AS	6 Oil fie	water s	upply	8 A	ur conditioni				_ `
	5 VV	- SE				7 Lawn						2 Other (Sp Soil Vapor	Extraction	n l
† ∟	_ <u> </u>		i			sample subm					_			_
	S		submitted	ilicai/bacte	silological	sample subm	inted to t			Disinfected			o X	1
5 TYPE OF	BLANK CAS	ING LISED:	Submitted	5	Wrought I	Iron S	Concr	ete tile				d C		
ار <u>ی</u> 1 Ste			SR)							SING JOHN	Weld		iamped	
_		`	SK)				Other	(specify bea	OW)				Eluah	┪.
2 PV		4 ABS			Fiberglass								Flush	-
Blank casing	diameter	2	_ in. to	3.5	ft., Dia _		in. 1	to	ft., Di	a		in. to		ft.
Casing heigl	ht above land	surface	12	in., v	weight	0.7	03	lbs./ft.	. Wall thi	ckness or g	auge No.	Sc	h 40	
TYPE OF S	CREEN OR P	ERFORATIO						PVC		-4				
1 Ste			ess steel					RMP (SR)						
2 Bra			nized steel	6				ABS	0.0-	12 None				
		ION OPENIN				Gauzed w			8 Sa			11 None (open noie)	
	ntinuous slot		Mill slot			Wire wrap	•							
	vered shutter		Key punched			Torch cut			10 Ot	her (specify	⁽⁾			
SCREEN-PE	ERFORATED	INTERVALS:				to								
			From		ft. t	to	40.5.	ft.	From		ft. t	0	····	ft. 70
GRA	AVEL PACK II	NTERVALS:	From	2.5	ft. t	to	13.5				ft. t	0		ft.
			From		ft. 1		_	ft.						ft.
		1 Neat o						ntonite						
Grout Interva	als From	1	ft. to	2.5	ft. From		ft.	to	ft	. From		ft. to		ft.
		e of possible of		n:				10 Lives	stock pen	ns		andoned wa		İ
1 Sep	otic tank		4 Lateral I		7							well/ Gas w		
	wer lines		5 Cess po			Sewage lago	oon	12 Ferti			16 Oth	ner (specify I	below)	
	tertight sewer	lines	6 Seepage	e pit	9	Feedyard			cticide sto	orage				
Direction fro FROM		CODE	1 17	THOLOGI	0100		FROM	How many	y feet?	DLLI	CINC IN	NTERVALS		
0	6 TO		t/Clayey		CLOG		FROW	10		FLOX	3GING II	VIERVALO		\dashv
6	13.5	Sa		<u> </u>					<u> </u>					8
									<u> </u>		— PI	ECEIV	FD.	
									<u> </u>					_
											NO	V 2 9 2	nn/	\dashv
								- 	 		110	<u> </u>	,007	
									 		DIIDE	AU OF V	NATER	\neg
											our e	~~~	*** 1 1 1 1 1	
7 CONTRA	ACTOR'S OR	LANDOWNE	R'S CERTIFI	CATION:	This water	weil was (1) constru	icted , (2) red	constructe	ed, or (3) plu	gged und	ler my jurisdi	ction and w	vas
completed o	on (mo/day/yr)			10-7-04	l .		and th	nis record is	true to th	e best of m	knowled	dge and beli	ef. Kansas	s
	Contractor's L			5	31			Water Well F					11-19-0	
	usiness name	-	Geotechr		ervices,	Inc.		gnature)		110	TIM	-/-	<u>-</u>	
		ase fill in blank Topeka, Kansa	s and circle th	e correct a	nswers. Se	nd three copie	es to Kan	sas Departme					er, 1000 S V	٧
ISCREU	11.31 31P 42()	LIDEKA KANSA	15 DDD 17-1357	I PIPODO	ne 91.3-/98	1-01040 Send	One to VV	ALEK WELL	UVVINER	and retain or	e for vour	records.		