	WATER WELL RECORD F	orm WWC-5 KSA 8	2a-1212 ID No	
LOCATION OF WATER WELL:	•	Section Num	,	er Range Number
County: Reno		E 1/4 16	т 23	s R 05 w
Distance and direction from nearest 3300 E Avenue G	town or city street address of well if located	within city?		
2 WATER WELL OWNER:	Kaneb Pipeline Company			
RR#, St. Address, Box # :	7340 W 21 st St. N. Ste 200		Board of Agricultu	re, Division of Water Resource:
City, State, ZIP Code :	Wichita, Kansas		Application Number	
LOCATE WELL'S LOCATON WI	ITH .			
AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL	20 ft. E	LEVATION:	
N	Depth(s) Groundwater Encountered	1	ft. 2	_ft. 3ft
↑ 	WELL'S STATIC WATER LEVEL	ft. below la	nd surface measured on n	no/day/yr
NW NE				hours pumpinggpm
	Est. Yield gpm: Well water	er was	ft. after	hours pumping gpm
w W	Bore Hole Diameter 8.5 in. to WELL WATER TO BE USED AS: 5 If 1 Domestic 3 Feed lot 6 0	20	ft. and	in. to ft
ī	WELL WATER TO BE USED AS: 5	Public water supply	8 Air conditioning	11 Injection well
SWSE	1 Domestic 3 Feed lot 6	Oil field water supply	9 Dewatering	12 Other (Specify below)
♦	2 Irrigation 4 Industrial 7 I	Lawn and garden (dom	estic) 10 Monitoring we	Air Sparge Well
S	Was a chemical/bacteriological sample	submitted to Departme	nt? Yes No X	If yes, mo/day/yr sample was
	submitted		Water Well Disinfected?	Yes No X
5 TYPE OF BLANK CASING USE	•	8 Concrete tile	CASING JOINTS	: Glued Clamped
1 Steel 3 RM	MP (SR) 6 Asbestos-Cemer	nt 9 Other (specify I	pelow)	Welded
2 PVC 4 AB	S 7 Fiberglass			Threaded Flush
Blank casing diameter 2	in. to 18 ft., Dia			
Casing height above land surface	12 in., weight	0.703 ibs	/ft. Wall thickness or gau	ige No. Sch 40
TYPE OF SCREEN OR PERFORAT	TION MATERIAL:		10 Asbesto	
				pecify)
	alvanized steel 6 Concrete tile	9 ABS	12 None us	ed (open hole)
SCREEN OR PERFORATION OPE		zed wrapped	8 Saw cut	ed (open hole) 11 None (open hole)
1 Continuous slot	3 Mill slot 6 Wire	wrapped	9 Drilled holes	
2 Louvered shutter	4 Key punched 7 Torc	h cut	10 Other (specify)	
SCREEN-PERFORATED INTERVA	LS: From 18 ft. to	20	t. From	ft. to ft
	Fromft. to			
GRAVEL PACK INTERVAL	^ -	20	t. From	ft. to
	From ft. to			ft. to
6 GROUT MATERIAL: 1 Ne	eat cement 2 Cement grout	3 Bentonite	4 Other Bentoni	ite Grout
	ft. to 16 ft. From	16 ft to	17 ft From	ft to f
What is the nearest source of possib				14 Abandoned water well
	4 Lateral lines 7 Pit priv	y 11 F	uel storage	15 Oil well/ Gas well
2 Sewer lines	5 Cess pool 8 Sewage		_	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit 9 Feedya		secticide storage	
Direction from well?		How m	any feet?	
FROM TO CODE	LITHOLOGIC LOG	FROM TO	PLUGO	GING INTERVALS
	Silt/Clayey Silt			
6 20	Sand			
				DECENTED
				RECEIVED
				MOW O
				NOV 2 9 2004
				40 7,004
			BL	JREAU OF WATER
			BI	40 7,004
7 CONTRACTOR'S OR LANDOW	NED'S CEDTICIOATIONI. This water will	20 (1) popularies d (2)		JREAU OF WATER
	NER'S CERTIFICATION: This water well wa		reconstructed, or (3) plugg	JREAU OF WATER ged under my jurisdiction and w
completed on (mo/day/yr)	10-7-04	and this record	reconstructed, or (3) plugg	JREAU OF WATER ged under my jurisdiction and w
7 CONTRACTOR'S OR LANDOW completed on (mo/day/yr) Water Well Contractor's License No under the business name of	10-7-04	and this record	reconstructed, or (3) plugg	JREAU OF WATER ged under my jurisdiction and water mowiedge and beyler. Kansas on (mo/day/yr) 11-19-04