	WATER WELL RECORD F		212 ID No	
1 LOCATION OF WATER WELL:	Fraction	Section Number		Range Number
County: Reno		E 1/4 16	T 23 S	R 05 W
Distance and direction from nearest too 3300 E Avenue G	wn or city street address of well if located	within city?		
2 WATER WELL OWNER:	Kaneb Pipeline Company			
RR#, St. Address, Box # :	7340 W 21 st St. N. Ste 200		Board of Agriculture, Div	ision of Water Resources
City, State, ZIP Code :	Wichita, Kansas		Application Number:	
3 LOCATE WELL'S LOCATON WITH	4			
AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL			
A F	Depth(s) Groundwater Encountered			
T	WELL'S STATIC WATER LEVEL	ft. below land s	urface measured on mo/day/	/yr
NWNE	Pump test data: Well water	er was ff	. after hours p	oumping gpm
_ ا ا ا ا ا ا	Est. Yield gpm: Well water	er was fi	. after hours p	pumping gpm gpm
E W	Bore Hole Diameter 8.5 in. to WELL WATER TO BE USED AS: 5 I	20	ft. and ir	n. to ft.
	WELL WATER TO BE USED AS: 5 !	Public water supply	8 Air conditioning1	, mjestien net
SWSE	1 Domestic 3 Feed lot 6	Oil field water supply	9 Dewatering 1	2 Other (Specify below)
+	2 Irrigation 4 Industrial 7 I	Lawn and garden (domestic	c) 10 Monitoring well	Air Sparge Weil
S	Was a chemical/bacteriological sample	submitted to Department?	Yes No X If yes	, mo/day/yr sample was
	submitted	Wa	ter Well Disinfected? Yes	No X
5 TYPE OF BLANK CASING USED:	5 Wrought Iron	8 Concrete tile	CASING JOINTS: Glue	d Clamped
1 Steel 3 RMP	(SR) 6 Asbestos-Cemer	nt 9 Other (specify below		
2 PVC 4 ABS	7 Fiberglass			ded Flush
		:- 4a	4 0:-	in to A
Cooling height charge land surface	in. to 18 ft., Dia 12 in., weight	0.703 m. to	π., υια	In. to Sob 40
Lasing height above land surface	in., weight	0.703 lbs./ft.	Wall thickness or gauge No.	3CH 40
TYPE OF SCREEN OR PERFORATIO		7 PVC	10 Asbestos-ceme	ent
1 Steel 3 Stainle	ess steel 5 Fiberglass	8 RMP(SR) 9 ABS	11 Other (specify) 12 None used (op	
2 Brass 4 Galva SCREEN OR PERFORATION OPENIN	inized steel 6 Concrete tile			
			8 Saw cut	ri None (opennole)
		• •	9 Drilled holes	
	Key punched 7 Torc		10 Other (specify)	
SCREEN-PERFORATED INTERVALS:		ft, F	romft. f	to ft.
	From ft. to	ft. F	romft. 1	toft.
GRAVEL PACK INTERVALS:				toft.
T		ft. F		
6 GROUT MATERIAL: 1 Neat		3 Bentonite	4 Other Bentonite Gr	out
Grout Intervals From 2	ft. to 16 ft. From 1	16 ft. to 17	ft. From	ft. to ft.
What is the nearest source of possible	contamination:	10 Livest		andoned water well
1 Septic tank	4 Lateral lines 7 Pit prive	y 11 Fuels	storage 15 Oil	well/ Gas well
2 Sewer lines	5 Cess pool 8 Sewage	e lagoon 12 Fertili	zer storage 16 Ot	her (specify below)
3 Watertight sewer lines	6 Seepage pit 9 Feedya	ard 13 Insect	ticide storage	
Direction from well?		How many		
FROM TO CODE	LITHOLOGIC LOG	FROM TO	PLUGGING II	NTERVALS
	lt/Clayey Silt			
0 20 30	and			
			RF	CEIVED
				
			MOV	9 0 0004
				2 9 2004
			DUDEAL	
			BUREAU	J OF WATER
	R'S CERTIFICATION: This water well wa			
completed on (mo/day/yr)	10-7-04 531	and this record is tr	to the best of mv knowled	ge and belief. Kansas
Water Well Contractor's License No.	531	This Water Well Re	erord was completed on (mo	(day/yr) 11-19-04
	Geotechnical Services, Inc.		Clus H	
INSTRUCTIONS: Please fill in blank	s and circle the correct answers. Send three	copies to Kansas Departmen	t of Health and Environment, B	ureau of Water, 1000 S W
Jackson St., Ste. 420, Topeka, Kansa	as 66612-1367. Telephone: 913-296-5545.	Send one to WATER WELL O	WNER and retain one for your	records