	WATER WELL RECORD	Form WWC-5 KSA 82a-12		MW-7
LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
ounty: Reno	NE ¼ NW ¼	NE ¼ 17	T 23 S	R 5 E
	own or city street address of well if loc	ated within city?		
21 E. 4 th Avenue, Hutchins				
WATER WELL OWNER: T&E				
R#, St. Address, Box # : 911 N			Board of Agriculture,	Division of Water Resources
y, State, ZIP Code : Hutch	hinson, Kansas 67501		Application Number:	
LOCATE WELL'S LOCATON WIT		L 25.0 ft. ELEV		
AN "X" IN SECTION BOX: N				
	Depth(s) Groundwater Encountere			
	WELL'S STATIC WATER LEVEL			
NWNE		water was fi		
	Est. Yield NA gpm: Well	water was fi	. after hou	rs pumping gpm
W	E Bore Hole Diameter 8.5 ir WELL WATER TO BE USED AS: 1 Domestic 3 Feed lot	n. to 25.0	ft. and	in. to ft.
	WELL WATER TO BE USED AS:	5 Public water supply 6 Oil field water supply	8 Air conditioning 9 Dewatering	11 Injection well 12 Other (Specify below)
SWSE	2 Irrigation 4 Industrial	7 Lawn and garden (domestic) 10 Monitoring well	
	Was a chemical/bacteriological sar	nole submitted to Department?	Yes No Ify	ves mo/dav/vr sample was
S	submitted			No X
TYPE OF BLANK CASING USED	_			lued Clamped
		ement 9 Other (specify below		/elded
2 PVC 4 ABS	5			nreaded X
	in. to 10.0 ft., Dia			
ing height above land surface	Flush Mount in., weight	lbs./ft.	Wall thickness or gauge I	No. Schedule 40
E OF SCREEN OR PERFORATI	ION MATERIAL: nless steel 5 Fiberglass vanized steel 6 Concrete tile	(7) PVC	10 Asbestos-ce	ement
1 Steel 3 Stai	nless steel 5 Fiberglass	8 RMP (SR)	11 Other (spec	fy)
EEN OR PERFORATION OPEN		Gauzed wrapped		11 None (open hole)
		Wire wrapped Torch cut	9 Drilled holes	
		100 6 5		± 6
REEN-PERFORATED INTERVAL		10.0 ft. F		
		ft. F		
GRAVEL PACK INTERVALS	From 25.0 ft. to	4.5 ft. F	rom	ft. toft.
	From 25.0 ft. to	4.5 ft. F	rom	ft. toft.
GROUT MATERIAL: 1 Nea	From 25.0 ft. to From ft. to at cement Cement grout	4.5 ft. F ft. F Bentonite	rom rom 4 Other	ft. to ft. ft. to ft.
GROUT MATERIAL: 1 Nea	From 25.0 ft. to	4.5 ft. F ft. F Bentonite	rom rom 4 Other	ft. to ft. ft. to ft.
GROUT MATERIAL: 1 Nea ut intervals From 0.0	From 25.0 ft. to From ft. to ft. to at cement Ocement grout ft. to 1.5 ft. From e contamination: ft. From	4.5 ft. F ft. F Bentonite 1.5 ft. to 4.5	rom rom 4 Other ft. From pock pens 14	ft. to ft. ft. to ft. ft. to ft.
GROUT MATERIAL: 1 Nea ut intervals From 0.0	From 25.0 ft. to From ft. to At cement Ocement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7	4.5 ft. F ft. F 3.9 entonite 1.5 ft. to 4.5 10 Livest privy 11 Fuel s	rom 4 Other ft. From pock pens 14 torage (former) 15	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 at is the nearest source of possible	From 25.0 ft. to From ft. to At cement Ocement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7	4.5 ft. F ft. F Bentonite 1.5 ft. to 4.5	rom 4 Other ft. From pock pens 14 torage (former) 15	ft. to ft. ft. to ft. ft. to ft. Abandoned water well
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 tt is the nearest source of possible 1 Septic tank	From 25.0 ft. to From ft. to at cement Ocement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 5 Cess pool 8 See	4.5 ft. F ft. F ft. F 3.8 entonite ft. F 1.5 ft. to 4.5 10 Livest 11 Fuel s wage lagoon 12 Fertiliti	rom	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 it is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines	From 25.0 ft. to From ft. to at cement Ocement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 5 Cess pool 8 See	4.5 ft. F ft. f ft. F 1.5 ft. to 10 Livest 11 Fuels wage lagoon 12	rom	ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below)
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 it is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight Sewer lines CODE	From 25.0 ft. to From ft. to at cement Ocement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest	4.5 ft. F ft. F ft. F 1.5 ft. to 10 Livest 11) Fuel s wage lagoon 12 edyard 13	rom	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below)
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 it is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines CODE ROM TO CODE 0.0 0.4 C	From 25.0 ft. to From ft. to at cement Ocement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest	4.5 ft. F ft. F ft. F ft. F ft. F ft. co 1.5 ft. to 10 Livest 11 Fuel s wage lagoon 12 Fertiliz edyard 13 Insect How many LITHOLOGIC LOC	rom	ft. to ft. ft. to ft. ft. to ft. Abandoned water well Oil well/ Gas well Other (specify below)
GROUT MATERIAL: 1 Nea at Intervals From 0.0 t is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines CODE CM TO CODE 0.0 0.4 C	From 25.0 ft. to From ft. to at cement Ocement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest Southwest	4.5 ft. F ft. f . f ft. f . f ft. f . f . f . f . f . f . f . f . f .	rom	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below)
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 it is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines code ction from well? CODE 0.0 0.4 C 0.0 0.4 C 0.0 13.0 F	From 25.0 ft. to From ft. to at cement Cement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest	4.5 ft. F ft. f . f ft. f . f ft. f . f ft. f . f . f . f . f . f . f . f . f .	rom	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 it is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines control ction from well? CODE 0.0 0.4 CODE 0.0 0.4 CODE 0.0 13.0 F 3.0 13.0 F	From 25.0 ft. to From ft. to at cement Cement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest	4.5 ft. F ft. f . f ft. f . f ft. f . f ft. f . f . f . f . f . f . f . f . f .	rom	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 it is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines control ction from well? CODE 0.0 0.4 CODE 0.0 0.4 CODE 0.0 13.0 F 3.0 13.0 F	From 25.0 ft. to From ft. to at cement Cement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest	4.5 ft. F ft. f . f ft. f . f ft. f . f ft. f . f . f . f . f . f . f . f . f .	rom	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 it is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines control COM TO CODE 0.0 0.4 CODE 0.0 0.4 CODE 0.0 13.0 F 3.0 13.0 F	From 25.0 ft. to From ft. to at cement Cement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest	4.5 ft. F ft. f . f ft. f . f ft. f . f ft. f . f . f . f . f . f . f . f . f .	rom	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 sand
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 it is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines control COM TO CODE 0.0 0.4 CODE 0.0 0.4 CODE 0.0 13.0 F 3.0 13.0 F	From 25.0 ft. to From ft. to at cement Cement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest	4.5 ft. F ft. f . f ft. f . f ft. f . f ft. f . f . f . f . f . f . f . f . f .	rom	ft. toft ft. toft Abandoned water well Oil well/ Gas well Other (specify below) 170
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 it is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines control ction from well? CODE 0.0 0.4 CODE 0.0 0.4 CODE 0.0 13.0 F 3.0 13.0 F	From 25.0 ft. to From ft. to at cement Cement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest	4.5 ft. F ft. f . f ft. f . f ft. f . f ft. f . f . f . f . f . f . f . f . f .	rom rom 4 Other ft. From ock pens 14 torage (former) 15 ter storage feet? 5 ing coarse grained REC	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 sand CEIVED
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 it is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines control ction from well? CODE 0.0 0.4 CODE 0.0 0.4 CODE 0.0 13.0 F 3.0 13.0 F	From 25.0 ft. to From ft. to at cement Cement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest	4.5 ft. F ft. f . f ft. f . f ft. f . f ft. f . f . f . f . f . f . f . f . f .	rom	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 sand
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 it is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines control COM TO CODE 0.0 0.4 CODE 0.0 0.4 CODE 0.0 13.0 F 3.0 13.0 F	From 25.0 ft. to From ft. to at cement Cement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest	4.5 ft. F ft. f . f ft. f . f ft. f . f ft. f . f . f . f . f . f . f . f . f .	rom rom 4 Other ft. From torage (former) 15 torage (former) 15 ter storage 16 icide storage feet? 5 ing coarse grained REC	ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 Sand CEIVED 1 7 2004
instruction instruction instruction instruction <td>From 25.0 ft. to From ft. to at cement Cement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest</td> <td>4.5 ft. F ft. f . f ft. f . f ft. f . f ft. f . f . f . f . f . f . f . f . f .</td> <td>rom rom 4 Other ft. From torage (former) 15 torage (former) 15 ter storage 16 icide storage feet? 5 ing coarse grained REC</td> <td>ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 sand CEIVED</td>	From 25.0 ft. to From ft. to at cement Cement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest	4.5 ft. F ft. f . f ft. f . f ft. f . f ft. f . f . f . f . f . f . f . f . f .	rom rom 4 Other ft. From torage (former) 15 torage (former) 15 ter storage 16 icide storage feet? 5 ing coarse grained REC	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 sand CEIVED
GROUT MATERIAL: 1 Nea at Intervals From 0.0 t is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines control COM TO CODE 0.0 0.4 CODE 0.0 0.4 CODE 0.0 13.0 F 3.0 25.0 F	From 25.0 ft. to From ft. to at cement Cement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest	4.5 ft. F ft. ft. f ft. ff. ff. f ft. ff. ff. f ft. ff. ff. f ft. ff. ff. ff. ff. ff. ff. ff. ff. ff.	rom rom 4 Other ft. From torage (former) 15 torage (former) 15 ter storage 16 icide storage feet? 5 ing coarse grained REC	ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 sand CEIVED 1 7 2004
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 at is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines ction from well? ROM TO CODE 0.0 0.4 C 0.1 1.0 R 3.0 13.0 R 3.0 25.0 R	From 25.0 ft. to From ft. to at cement Cement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest	4.5 ft. F ft. ft. f ft. ff. ff. f ft. ff. ff. f ft. ff. ff. f ft. ff. ff. ff. ff. ff. ff. ff. ff. ff.	rom rom 4 Other ft. From torage (former) 15 torage (former) 15 ter storage 16 icide storage feet? 5 ing coarse grained REC	ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 Sand CEIVED 1 7 2004
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 at is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines 1 CODE 0.0 0.4 CODE 0.0 0.4 CODE 0.0 0.4 CODE 0.0 13.0 F 3.0 13.0 F	From 25.0 ft. to From ft. to ft. to at cement Ocement grout ft. to ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest Southwest Southwest Concrete Brown-red brown very silty clay, firm Red brown silty, very fine-coar vith depth, sub-rounded, mois	4.5 ft. F ft. ft. f ft. ff. ff. f ft. ff. ff. f ft. ff. ff. f ft. ff. ff. ff. ff. ff. ff. ff. ff. ff.	rom rom 4 Other ft. From ock pens 14 torage (former) 15 ter storage 16 icide storage feet? 5 ing coarse grained REC NOV	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 sand CEIVED 1_7_2004 JOF WATER
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 at is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines Section from well? ROM TO CODE 0.0 0.4 C 0.1 13.0 F 3.0 13.0 F	From 25.0 ft. to From ft. to ft. to at cement Ocement grout ft. to ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest Southwest Southwest Concrete Brown-red brown very silty clay, firm Red brown silty, very fine-coar vith depth, sub-rounded, mois	4.5 ft. F ft. F ft. F ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	rom rom 4 Other ft. From ock pens 14 torage (former) 15 ter storage 16 icide storage feet? 5 ing coarse grained REC NOV	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 sand CEIVED 1_7_2004 JOF WATER
GROUT MATERIAL: 1 Nea out Intervals From 0.0 at is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines 3 Watertight sewer lines action from well? CODE 0.0 0.4 C 0.0 0.4 C 0.4 3.0 E 3.0 13.0 R 13.0 25.0 R 0 0.4 0 0 0.4 0 0 0.4 0 0 0.4 0 0 0.4 0 0 0.4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	From 25.0 ft. to From ft. to at cement Ocement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest Southwest Southwest Concrete Brown-red brown very silty clay, firm Red brown silty, very fine-coar vith depth, sub-rounded, mois Flush-mount we Flush-mount we	4.5 ft. F ft. F ft. F ft. F ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	rom rom 4 Other ft. From ock pens 14 torage (former) 15 ter storage 16 icide storage feet? 5 ing coarse grained REC NOV BUREAL	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 sand CEIVED 1 7 2004 JOF WATER E, BOW.
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 at is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines control ction from well? CODE 0.0 0.4 CODE 0.1 0.0 R 3.0 13.0 R 3.0 13.0 R 0.0 25.0 R 0.0 0.4 0 0.0 0.4 0 0.1 0 R 0.1 0	From 25.0 ft. to From ft. to at cement Ocement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest Southwest Southwest Concrete Brown-red brown very silty clay, firm Red brown very silty, very fine-coar vith depth, sub-rounded, mois Flush-mount we Flush-mount we	4.5 ft. F ft. F ft. F ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	rom rom 4 Other ft. From ock pens 14 torage (former) 15 ter storage 16 icide storage feet? 5 ing coarse grained REC NOV BUREAL structed, or (3) plugged ur	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 Sand CEIVED 1 7 2004 JOF WATER E, BOW.
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 it is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines 3 Watertight sewer lines ction from well? CODE 0.0 0.4 C 0.0 0.4 C 0.4 3.0 E 3.0 13.0 R 3.0 25.0 R 0.0 0.4 0 0.4 3.0 E 3.0 13.0 R 3.0 25.0 R 0.0 0.4 0 0.0 0.4 0 0.13.0 R 0 0.14 <td>From 25.0 ft. to From ft. to at cement Ocement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest Southwest Southwest Concrete Brown-red brown very silty clay, firm Red brown very silty, very fine-coar vith depth, sub-rounded, mois Flush-mount we Flush-mount we ER'S CERTIFICATION: This water we 10/21/04</td> <td>4.5 ft. F ft. F ft. F ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.</td> <td>rom rom 4 Other ft. From ock pens 14 torage (former) 15 ter storage feet? 16 ing coarse grained REC NOV BUREAL structed, or (3) plugged ur ue to the best of my know</td> <td>ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 Sand CEIVED 1 7 2004 JOF WATER E, BOW. der my jurisdiction and was ledge and, belief. Kansas</td>	From 25.0 ft. to From ft. to at cement Ocement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest Southwest Southwest Concrete Brown-red brown very silty clay, firm Red brown very silty, very fine-coar vith depth, sub-rounded, mois Flush-mount we Flush-mount we ER'S CERTIFICATION: This water we 10/21/04	4.5 ft. F ft. F ft. F ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	rom rom 4 Other ft. From ock pens 14 torage (former) 15 ter storage feet? 16 ing coarse grained REC NOV BUREAL structed, or (3) plugged ur ue to the best of my know	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 Sand CEIVED 1 7 2004 JOF WATER E, BOW. der my jurisdiction and was ledge and, belief. Kansas
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 at is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines 3 Watertight sewer lines ction from well? CODE 0.0 0.4 CO 0.4 3.0 E 3.0 13.0 R 3.0 25.0 R	From 25.0 ft. to From ft. to at cement Ocement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest Southwest Southwest Concrete Brown-red brown very silty clay, firm Red brown very silty, very fine-coar vith depth, sub-rounded, mois Flush-mount we Flush-mount we ER'S CERTIFICATION: This water we 10/21/04	4.5 ft. F ft. F ft. F ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	rom 4 Other ft. From bock pens ft. From bock pens ft. From bock pens ft. From bock pens fterstorage ft	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 Sand CEIVED 1 7 2004 JOF WATER E, BOW. der my jurisdiction and was ledge/and, belief. Kansas
GROUT MATERIAL: 1 Nea ut Intervals From 0.0 at is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 3 Watertight sewer lines 3 Watertight sewer lines ction from well? CODE 0.0 0.4 CO 0.4 3.0 E 3.0 13.0 R 13.0 25.0 R 0.0 0.4 0 0.0 0.4 0 0.13.0 R 0 10	From 25.0 ft. to From ft. to at cement Ocement grout ft. to 1.5 ft. From e contamination: 4 Lateral lines 7 4 Lateral lines 7 Pit 5 Cess pool 8 See 6 Seepage pit 9 Fe Southwest Southwest Southwest Concrete Brown-red brown very silty clay, firm Red brown very silty, very fine-coar vith depth, sub-rounded, mois Flush-mount we Flush-mount we ER'S CERTIFICATION: This water we 10/21/04	4.5 ft. F ft. F ft. F ft. ft. ft. ft. ft. ft. ft. ft. ft. ft.	rom rom 4 Other ft. From ock pens 14 torage (former) 15 ter storage feet? 16 ing coarse grained REC NOV BUREAL structed, or (3) plugged ur ue to the best of my know	ft. toft. ft. toft. ft. toft. Abandoned water well Oil well/ Gas well Other (specify below) 170 Sand CEIVED 1 7 2004 JOF WATER E, BOW. der my jurisdiction and was ledge and, belief. Kansas