			WATE	R WELL RECORD	Form WWC-	5 KSA 82a-12	12 ID No	MW-	-8	
	ION OF WATE	ER WELL:	Fraction		5	Section Number	Township Nu	umber	Range Number	
County:	R	leno	NE ½		NE ¼	17	т 23	S	R 5 EW	
			own or city street add	fress of well if loca	ated within city	?				
			on, Kansas							
			Oil Company, Ir							
RR#, St. Address, Box # : 911 N. Halstead Street Board of Agriculture, Division of Water Resources										
City, State,	ZIP Code	: Hutc	hinson, Kansas (67501			Application Nu	imber:		
3 AN "X"	E WELL'S LO	CATON WIT BOX:	TH 4 DEPTH OF C	OMPLETED WEL	L	25.0 ft. ELEVA				
	N	v —	Depth(s) Ground	water Encountered	1 1	16.5 ft.	2	ft. 3	ft.	
▲		^	WELL'S STATIC	WATER LEVEL	14.38	ft. below land sur	face measured of	on mo/day/yr	10/26/04	
		NE	1 .						nping gpm	
	1	- NC							nping gpm	
in se			E Bore Hole Diame	ter 8.5 in	to	25.0 f	and	in t	o ft	
7			WELL WATER TO	D BE USED AS:	5 Public wate	r supply	8 Air condition	ning 11	oft. Injection well Other (Specify below)	
		SE	1 Domestic	3 Feed lot	6 Oil field wat	ter supply	9 Dewatering	12	Other (Specify below)	
			2 Irrigation	4 Industrial	7 Lawn and g	arden (domestic)	(10) Monitoring	well		
t L	<u>i</u>	i	Was a chemical/b	acteriological sam	ple submitted	to Department? Y	es No No	If yes, m	io/day/yr sample was	
	S		submitted						No X	
5 TYPE O	F BLANK CA	SING USED	:	5 Wrought Iron	8 Co	ncrete tile	CASING JOIN	ITS: Glued	Clamped	
1 St			P (SR)			er (specify below)				
		4 ABS		7 Fiberglass					ed X	
				•					. toft.	
Casing boir	nht ahove long	surface	Flush Mount	it., Dia	••••••	lbe /# 14	All thickness of		Schedule 40	
			Flush Mount i	n., weight	······	7 PVC	an trickness or 10 Δebe	stos-cement	Schedule 40	
1 Ste		3 Stai	niess steel	5 Fiberglass		8 RMP (SR)	11 Othe	r (specify)	hole)	
2 Br		4 Gal	vanized steel	6 Concrete tile		9 ABS	12 None	used (open	hole)	
			IINGS ARE:	5 (Gauzed wrappe	ed Abo	8 Saw cut	11 (11000 (1000)	None (open hole)	
	ontinuous slot	\sim	Mill alat	6 V		-				
2 Lo	uvered shutter	r S	Key punched	7 1	orch cut		10 Other (specif	y)		
SCREEN-P	PERFORATED		S: From 2	25.0 ft. to	10.0) ft. Fro	m	ft. to	ft.	
									ft.	
GR	AVEL PACK								ft.	
						IL FIC			^{il.}	
6 ODOUT		4 1	From	Cement grout				11. 10	ft.	
			at cement	Cement grout	3	sentonite 4	Other			
				ft. From	1.5 f				ft. to ft.	
		•	e contamination:				•		doned water well	
	ptic tank		4 Lateral lines		orivy	-	orage (former)		ell/ Gas well	
	wer lines		5 Cess pool			12 Fertilize		16 Other	(specify below)	
ł	atertight sewer	rlines	6 Seepage pit		dyard	13 Insectio	0			
Direction fro		0005	North	nwest	<u>.</u>	How many fe	et?	10	15	
FROM 0.0	0.4		opsoil		LI	THOLOGIC LOG				
0.0	3.0		opson Brown sandy, ver	veilty clay fir	m eliabely	moist				
3.0	12.0		led brown sandy							
12.0	25.0		led brown very fi				aree arained	eand with	denth	
12.0	23.0		lightly moist-dry		ineu sanu,	increasing co	arse grameu	Sanu wiui	depui,	
	+	3	nginiy moist-ury	, wet @10.5						
		+								
							F	RECEI	VED	
							N	OV 1 7	2004	
									2007	
							PIID	EALLOF		
	BUREAU OF WATER									
	Flush-mount well completion approved by Don Taylor, KDHE, BOW.									
					-			/		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was										
completed of	on (mo/day/yr)		10/21	/04	and	this record is true	to the best of m	y knowledge	and velief. Kansas	
Water Well	Contractor's L	icense No.		692		Water Well Reco				
under the be	usiness name	of	Quad	State Services	s, Inc.	by (signature)	1 mm		
INSTR	UCTIONS: Ple	ease fill in bla	nks and circle the corre	ct answers. Send th	ree copies to Ka	ansas Department o	f Health and Envir	onnent, Burea	u of Water, 1000 S W	
	n St Ste 420	Topeka, Kan	sas 66612-1367. Telep	hone: 913-296-554	Send one to	WATER WELL OW	NER and retain or	ne for your reco	ords	