3/3			ATER WELL RE	CORD	Form V	VWC-5		82a-1212	<u> </u>	VV-1				
$\vdash$		ATER WELL:	Fraction				S	ection Numb	ber T	ownship Nu	mber	Range	Number	$\overline{}$
County:				<sup>/4</sup> NW		SW	1/4	16	Т	23	S	R 5	E	w
1			town or city stre					city?						
			n gates (south si	de of entr	rance road	l) in Hutch	ninson							
2 WATER	R WELL OW	NER: City of Hutch	ninson											
RR#, St. A	Address, Bo	x # :125 E. Ave. 1 P.O. Box 150	B 67						В	oard of Agric	culture, Di	vision of W	/ater Res	ources
City, State	, ZIP Code	· Hutchinson,	KS 67504						Α	pplication Nu	umber:			
3 LOCATE	E WELL'S L	OCATION WITH	4 DEPTH OF	COMPL	ETED WE	LL	59	ft. ELE	EVATION:	unknown				
AN "X"	IN SECTIO	N BOX:	D 45 (- ) O											. ft.
ī —	N N		WELL'S STATI	C WATER	R LEVEL	11	ft. be	low land sur	face measu	red on mo/d	ay/yr 2-2	5-04		•
] 🐧 ]	i	i	Pu	mp test o	data: Well	water wa	no	t checked	ft. after		hours pu	ımpina		apm
	-NW	NE	Est. Yieldur											
	!		Bore Hole Dia	meter	18	in to		59	ft and		i i	n to		ff
_ § w		<u>'</u> E					lic water			onditioning		Injection		16.
īx	-		WELL WATER							•				
		SE	1 Domestic	-	eedlot			r supply	_	atering	12	Other (sp	ecify below	v)
	!	!	2 Irrigation	4 In	ndustrial	7 Dom	nestic (la	wn & garden)	(10) Mon	itoring well				
🛂 📙			Was a chemical	l/bacteriol	ogical sam	ple submit	ted to D	epartment?	Yes	No	If yes, mo	/day/yrs s	ample wa	s sub-
			mitted							Disinfected?			No	
5 TYPE C	F BLANK	CASING USED:		5 Wrou	ght iron	8	Concr	ete tile	С	ASING JOIN	ITS: Glued	√ CI	amped	
1 Steel		3 RMP (SR)		6 Asbe	stos-Cemer	nt 9	Other	(specify below	w)			d		
② <sub>PVC</sub>		4 ABS		7 Fiber	rglass						Threa	ded	·	
Blank cas	sing diamete	er 6	in. to 1	7.67	ft., Dia		1	in. to		ft., Dia		in. to		ft
			12	in., weigl	ht	3.	32	1	lbs./ft. Wall	thickness or	gauge No		.255	
l .			TION MATERIA				PVC							
1 Stee		3 Stainless						(CD)			stos-cement			
		•			erglass		RMP	(SK)			(specify)			
2 Bras		4 Galvanize		6 Con	crete tile		ABS		0 -		used (open	•		
		ORATION OPE				ed wrapped	1			aw cut	11 1	lone (open	hole)	
	ntinuous slot		Mill slot		6 Wire v					rilled holes				
I	vered shutter		Key punched		7 Torch				10 O	ther (specify)				ft.
SCF	REEN-PERFOR	ATED INTERVALS:	From	17.67	ft.		58	ft., Fr	rom		ft. to			ft.
			From		ft.			ft., Fr			ft. to			ft.
	GRAVEL	. PACK INTERVAL	LS: From	8	ft.		59	ft., Fr	rom		ft. to			ft.
			From		π.	το		π., Fr	rom		π. το			ft.
6 GRO	UT MATER	IAL: 1 Neat	cement 2 Cer	ment grout	3 Be	entonite			4 Other	Bentonite Hol				
Grout Int	ervals: Fro	om 0	ft to (		# Erom								0	ft.
		***********	ft. to		it., Fiolii		····· '			, From			O	
l .		•			7 Pit pr	d		10 Livestock	•			ndoned wate		
1 Sept			Lateral lines					11 Fuel stor	•			vell/Gas wei		
2 Sew			Cess pool			ige lagoon		12 Fertilizer	-			er (specify b	elow)	
3 Wate	ertight sewer	lines 6	Seepage pit		9 Feed	yard		13 Insecticio	de storage	None k	nown			
Direction f	from well?							How m	any feet?					
FROM	ТО		LITHOLOGIC L	0G		F	ROM	то	1	PLUG	GING INT	ERVALS		
0	3	Topsoil												-
3	3.5	Sand, very fin	10											
			16	·					+					
3.5	8	Clay, sandy							<del>                                     </del>					
8	12	Sand, very fin												
12	35		vel, fine, mediur			.		-						
35	58		vel, fine, mediur	n, coarse	, clay strea	ак								
		at 40'												
58	59	Clay												
7														
			CERTIFICATION:			(1) constr	ucted			(3) plugged		er my jurisdi		
	on (mo/day			12-3-04						to the best	of my knov		belief. K	ansas
		's License No	185		inis Wate	er Well Re	ecord w	as complete		1	, 	12-8-04		
			/ell & Equipment						by (signature	<u> </u>	el W	Close		
INSTRUCT	IONS: Use type		n. <u>PLEASE PRESS FIF</u>							vers. Send top thr rds. Fee of \$5.00			nent of Health	h and