			WATE	R WELL RECORD	Form WWC-5	KSA 82a-1	212 ID No.	
1 LOCATIO	ON OF WATE	R WELL:	Fraction			on Number		Range Number
County:	Re	no	NE 1/4	NW 1/4 N	W 1/4	6	T 23 S	R 5 EÆ
Distance and	d direction from	n nearest tow	n or city street add	lress of well if locate	d within city?			
			myres Dale	's Northgate				
RR#, St. Address, Box # : 629 E. 30th City, State, ZIP Code : Hutchinson, KS 67502 AS-8 Application Number:								
City, State, Z	ZIP Code	: Hutch	nson, KS 67	502	AS-8		Application Number:	
3 LOCATE	WELL'S LOC	ATON WITH	4 DEPTH OF C	OMPLETED WELL	28	# FIF	/ATION:	
	N	OX.	Donth(s) Cround	unter Engagnitered		الا للك	9 4	
								t. 3 ft. S
î l	WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr							irs pumping gpm r
 - -	Pump test data: Well water wasft. afterhours pumping							
<u>.</u>	Est. Yield gpm: Well water was ft. after hours pumping							
₹ w —	W E Bore Hole Diameter 8 in. to 28 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
i l	i I		1	O BE USED AS: 5	Public water su	ippiy	6 Air conditioning	in. to ft. 11 Injection well 2 Other (Specify below)
	sw	· SE		3 Feed lot 6	Oil field water s	supply	9 Dewatering	Air Sparge
1	 						c) 10 Monitoring well	
, I	s		1	pacteriological samp	ie submitted to D			yes, mo/day/yr sample was
			submitted				ater Well Disinfected? Ye	
5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped								
Ste		3 RMP	(SR)	6 Asbestos-Cem	ent 9 Other (specify belo	ow) V	Velded
(2) PV	С	4 ABS		7 Fiberglass			тт	hreaded X
Blank casing	g diameter	2	in. to 26	ft., Dia	in. to			
Blank casing diameter 2 in. to 26 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface in., weight Ibs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement								
TYPE OF S	CREEN OR P	ERFORATIO			w w	PVC	10 Asbestos-c	ement
1 Ste	el	3 Staini	ess st ee l	5 Fiberglass	8	RMP (SR)	11 Other (spec	cify)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)								
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREEN-PI	ERFORATED	INTERVALS	: From	26 ft. to	28	ft.	From	ft. to ft.
								ft. toft.
GRA	AVEL PACK I	NTERVALS:	From	24 ft. to	28	ft	From	ft. toft.
			From	ft. to			From	ft. to ft.
6 GROUT	MATERIAL:	1 Neat		Cement arout	3 Rent			
		0	ft to 3	ff From	3 # 1	24	# From	ft. toft.
			contamination:	11. F10111		10 Live		Abandoned water well
	ptic tank	e oi possible	4 Lateral lines	7 Pit pr	thay.	11 Fuel		Oil well/ Gas well
1	wer lines		5 Cess pool		ige lagoon		- / /	Other (specify below)
	itertight sewer	lines	6 Seepage pit	9 Feed			•	Contaminated Site
Direction fro	•	mioo	o occepage pit	0 1000	yara	How many		
FROM	TO	CODE	LITHOL	OGIC LOG	FROM	TO		G INTERVALS
0	.5		ement	00.0 200		1.0	1200011	S ITTERWALES
.5	4		ose Wet, mix	ed Sand		1	7	
4	8			to Clayey Sai	nd			
8	18			e grained Sand				
18	28			d Sand & Grav				
							1000000	
						-		
31001-	LOTODIĆ Č	LANDO	DIO OFFICE	ON THE		1		-4
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was								
1 .	on (mo/day/yr)		2-11				•	wledge and belief. Kansas
Water Well	Contractor's L	icense No.		554			ecord was completed on (
	usiness name			er Pump & We		t	oy (signature)	con Woffee
INSTR	UCTIONS: PK	sase fill in blan	s and circle the corr	ect answers. Send thr	ee copies to Kans	as Departme	nt of Health and Environmen	nt, Bureau of Water, 1000 S W
Jackso	11 OL, STO. 420,	Opeka, Kans	88 000 12-136/. 10ld	рнопе. 913-296-5545	. Send one to WA	VIEK WELL	OWNER and retain one for y	rour records.

SEC