		WA	TER WELL REC	ORD Forr	n WWC-5	KSA 82a-	1212 ID N	o					
1 LOCATION OF WATER WELL: Fraction						I	ction Number	Tov	nship Num	Range Number			
	Reno			NW1/4			6	Т	23	S	R	5	E <b>Ø</b>
Distance ar	nd direction	from nearest tov	vn or city street a	ddress of wel	I if located v	vithin city?	. ده یا						
601 E 30 = in Hutchinson  2 WATER WELLOWNER: Gill Chiroproctic													
RR#, St. Address, Box # : 601 E 30 Board of Agriculture, Division of Water Resources													
City, State,	,	" : £	lutch x	5 67	502				plication No	-	17101011 01	· · · · · · · · · · · · · · · · · · ·	50001000
3 LOCATE	WELL'S LC		4 DEPTH OF C	OMPLETED \	WELL	-							
AN "X" IN	N SECTION N	BOX:	Depth(s) Groun	dwater Encou	intered 1		ft	. 2		ft. 3	Z-7		ft.
	X	ı	WELL'S STATION	np test data:	<b>کار</b> Kell water	π. bel	ow land surfac . <b></b>	e measure after	on mo/a	ay/yr . hours pu	mpina	75	gpm
Est. Yield gpm: Well water was ft. after hours pumping													
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6_Oil field water supply 9 Dewatering 12 Other (Spec											w)		
W										•	,		
SW SE Was a chemical/bacteriological sample submitted to Departme											o/day/yrs		was sub-
i i mitted							Wa	ater Well D	Disinfected?	(es)		No	
	S										<u> </u>		
5 TYPE 0		CASING USED: 3 RMP (SI	<b>=</b> \	ron Cement	8 Concr	ete tile (specify below		SING JOIN					
ØPVC		4 ABS	יר				(specify below)			Welded Threaded			
		5	in. to	30	. ft., Dia		in. to		ft., Dia		iņ	. to	ft.
Casing hei	ght above la	and surface	12	in., weigh	nt2.	<i>?</i>		lbs./ft. Wa	II thickness	s or guag	e No	<i>6</i> 0	
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 Other (Specify)													
1 Steel 3 Stainless Steel 5 Fiberglass 2 Brass 4 Galvanized Steel 6 Concrete tile						` ,				used (op			•••••
						d wranned		(R)Saw		(	,	e (onen h	ole)
SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped (8)Saw cut 11 None ( 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes												•	
	vered shutte		ey punched		7 Torch	cut		10 Othe	r (specify)				ft.
SCREEN-PERFORATED INTERVALS: From													
,	SDAVEL DA	CK INTERVALS	From	<u></u>	ft. to	47	ft., From ft., From		••••••	ft. to			ft.
,	JHAVELTA	OK INTERVALS					ft., From						
0.000				2.0		200	4 14 -	4.015					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 30 Bentonite 4 Other													
Grout Intervals: From								tock pens	OIII		bandone		
	tic tank	4 Late		7 Pit privy			11 Fuel storage			15 Oil well/Gas well			
	ver lines	5 Cess		8 Sewage lagoon			12 Fertilizer storage			16 Other (specify below)			
Watertight sewer lines 6 Seepage pit				9 Feedyard			13 Insecticide storage						
Direction fr	om well?	N					How mar						
FROM	то		LITHOLOGIC	LOG		FROM	ТО		PLUG	GING IN	TERVALS	<u> </u>	
	11	Br C	lay										
	43	Sand	+ Grac	/e/									
				****									
7 CONTR	ACTOR'S C	OR LANDOWNE	R'S CERTIFICAT	TION: This wa	ater well wa	s (1) constr	ucted, (2) reco	onstructed	or (3) plu	gged und	ler my jur	isdiction	and was
completed of	on (mo/day/y	/ear)	6-7-0	5			and this re	cord is true	to the bes	t of my kn	owledge a	and belief	f. Kansas
			447			Well Record					6-0		
	usiness nan		iller D			en (- b.)		(signature)	-	nu	es		f l la alut
			n. <i>PLEASE PRESS Fl</i> ction, 1000 SW Jackso										

records. Fee of \$5.00 for each constructed well.