	WATER WELL RECORD	Form WWC-	5 KSA 82	a-1212 ID No. FNE AS-	
1 LOCATION OF WATER WELL:	Fraction		ction Number		Range Number
County: Reno	SW 1/4 NE 1/4 S		9	T 23 S	R 5 /RW)
Distance and direction from nearest town	-	•		816 North Halstead	
1580' North & 1810' East of		tion; ADM	erminal J	Hutchinson, KS 67	7501
-	Hutchinson fice Box 1567			Board of Actions	District -4 W-4 D
	son, KS 67504			•	Division of Water Resource
		<i>h</i> 5		Application Number:	
LOCATE WELL'S LOCATION WITH 4 AN "X" IN SECTION BOX:					
	epth(s) Groundwater Encountered				
f i i i i	ELL'S STATIC WATER LEVEL				
NW NE				after hours pu	
	st. Yield gpm: Well water bole Diameter				
:- W	ELL WATER TO BE USED AS:		er supply		
÷ i _{nc} i "	1 Domestic 3 Feedlot			9 Dewatering (12)	•
SWF SE	2 Irrigation 4 Industrial			10 Monitoring wellAir	
1	as a chemical/bacteriological sample				
I -	itted		•	ater Well Disinfected? Yes	No X
5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Conc		CASING JOINTS: Glue	
1 Steel 3 RMP (SR)	6 Asbestos-Cement		(specify belo		led
PVC 4 ABS	7 Fiberglass			•	aded X
Blank casing diameter in.	•				in. to ft.
Casing height above land surface 6 .b.	l.sin., weight		Ibs.	/ft. Wall thickness or gauge N	lo. Schedule .40
TYPE OF SCREEN OR PERFORATION N		(7)P		10 Asbestos-ceme	
1 Steel 3 Stainless st	eel 5 Fiberglass	8 RI	MP (SR)	11 Other (specify)) [.]
2 Brass 4 Galvanized	steel 6 Concrete tile	9 AI		12 None used (or	pen hole)
SCREEN OR PERFORATION OPENINGS	ARE: 5 Gau	zed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot 3Mill s	slot 0.010 Slot 6 Wire	wrapped		9 Drilled holes	
2 Louvered shutter 4 Key	•			10 Other (specify)	
SCREEN-PERFORATED INTERVALS:	From 4.0 ft. to .	45	ft., Fro	m ft. t	toft.,
	From ft. to .				
GRAVEL PACK INTERVALS:	From 37.•9 ft. to .	45	ft., Fro	m ft. 1	toft.
					
	nent 2 Cement grout				
Grout Intervals: From		ft.			
What is the nearest source of possible cor					bandoned water well
1 Septic tank 4 Lateral li	,			3 -	Dil well/Gas well
2 Sewer lines 5 Cess po		goon			Other (specify below)
3 Watertight sewer lines 6 Seepage	e pit 9 Feedyard			•	· · · · · · · · · · · · · · · · · · ·
FROM TO	LITHOLOGIC LOG	FROM	How ma	ny feet? PLUGGING 1	NTERVALS
	andy clay with gravel &	33.8	37.9		
pebbles	alluy Clay With gravel &	5	33.8	Coated bentonite pell Neat cement with 3% b	
2 4 Dark gray clay	vov seilt	3	5	Pure Gold bentonite c	
	lay with trace of gravel	2	3	Compacted soil	προ 5/0
9 11 Brown sandy c	lav	0	2	Flush mount well prote	ector set in a
· · · · · · · · · · · · · · · · · · ·	th trace of clay		 	concrete pad 2 x 2 x	
14 45 Sand tan mediu				concrete pag 2 x 2 x	
	300,00		1		
			1		
7 CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION: This water well w	vas (1) constr	icted (2) reco	onstructed or (3) plugged upo	der my jurisdiction and was
completed on (mo/day/year) 9-22-05	CELTIFICATION. This water well v	vas Un constri	and this room	ord is true to the heet of my bo	owledge and helief Kansas
Water Well Contractor's License No 6	This Water V	Vell Record w	and this 1900	on (mo/day/yr)	Omeuge and Delief. Natisas
under the business name of Philip Env	vironmental Services Comment	ation	by (signa		1/2/
	·				La so vom Daniel
INSTRUCTIONS: Use typewriter or ball point pen.	FLEAGE FRESS FIRMLT and PHINI Clearly. P	sease IIII in Dianks,	underline or circle	e the correct answers. Send top three	corres to Nansas Department