1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Num County: Reno NE ½ NE ½ NE ½ 30 T 23 S R 05 Distance and direction from nearest town or city street address of well if located within city? 2001 S. Lorraine, Hutchinson - SE corner of property 2 WATER WELL OWNER: Big M Truck Stop R##, St. Address, Box # Rt 2, Box 98 Board of Agriculture, Division of Water Reference	
Distance and direction from nearest town or city street address of well if located within city? 2001 S. Lorraine, Hutchinson - SE corner of property 2 WATER WELL OWNER: Big M Truck Stop	nber
2 WATER WELL OWNER: Big M Truck Stop	w
2 WATER WELL OWNER: Big M Truck Stop	
NOT ST ADDRESS BOY TO ST ADDRESS BOY TO STATE OF WATER AND ADDRESS BOY TO STATE OF WATER ADDRESS BOY TO STATE	esources
City, State, ZIP Code : St. John, KS 67502 Application Number:	
LOCATE WELL'S LOCATON WITH	
AN "X" IN SECTION BOX: DEPTH OF COMPLETED WELL IS ft. ELEVATION:	
X Depth(s) Groundwater Encountered 1 6.5 ft. 2 ft. 3	
WELL'S STATIC WATER LEVEL 5.26 ft. below land surface measured on mo/day/yr 8-31-	
Pump test data: Well water was ft. after hours pumping	
	gpm
Bore Hole Diameter 8.5 in. to 13 ft. and in. to	ft.
	v below)
2 Inigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well	
S Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sam submitted Water Well Disinfected? Yes No X	
5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clam	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	h
2 PVC 4 ABS 7 Fiberglass Threaded Flu	
Blank casing diameter 2 in. to 3 ft., Dia in. to ft., Dia in. to	ft.
Casing height above land surface Flushmount in., weight 0.703 lbs./ft. Wall thickness or gauge No. Sch. TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement	40
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	•••••
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)	n hole)
1 Continuous stot 3 Mill slot 6 Wire wrapped 9 Drilled holes	,
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 3 ft. to 13 ft. From ft. to	ft.
Fromft. toft. to	
GRAVEL PACK INTERVALS: From 2 ft. to 13 ft. From ft. to	ft.
From ft. to ft. From ft. to	ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete	
Grout Intervals From 0 ft. to 0.5 ft. From 0.5 ft. to 2 ft. From ft. to	ft.
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water	well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify belo	ow)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
Direction from well? How many feet?	
FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
0 0.5 Asphalt	
0.5 4 CL Sandy-Silty Clay, very fine grain	
0.5 4 CL Sandy-Silty Clay, very fine grain	
0.5 4 CL Sandy-Silty Clay, very fine grain	
0.5 4 CL Sandy-Silty Clay, very fine grain	
0.5 4 CL Sandy-Silty Clay, very fine grain	
0.5 4 CL Sandy-Silty Clay, very fine grain	
0.5 4 CL Sandy-Silty Clay, very fine grain	
0.5 4 CL Sandy-Silty Clay, very fine grain	
0.5 4 CL Sandy-Silty Clay, very fine grain	
0.5 4 CL Sandy-Silty Clay, very fine grain 4 13 SW Sand, very fine to fine	on and was
0.5 4 CL Sandy-Silty Clay, very fine grain 4 13 SW Sand, very fine to fine 4 13 SW Sand, very fine to fine 5 4 13 SW 6 5 5 5 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurjsdiction	
0.5 4 CL Sandy-Silty Clay, very fine grain 4 13 SW Sand, very fine to fine 5 4 13 SW 6 5 5 5 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdictio completed on (mo/day/yr) 8-31-05 and this record is true to the best of my kfiowledge and belief.	
0.5 4 CL Sandy-Silty Clay, very fine grain 4 13 SW Sand, very fine to fine 5 4 13 SW 6 5 5 Sand, very fine to fine 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, or (3) plugged under my jurisdiction completed on (mo/day/yr) 8-31-05 and this record is true to the best of my knowledge and belief.	Kansas

GSIJob No. 057239

MW-10

ñ