

MW 3

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>RENO</u>		<u>SW 1/4 SW 1/4 SW 1/4</u>	<u>9</u>	T <u>23</u> S	R <u>5</u> EW
Distance and direction from nearest town or city street address of well if located within city? <u>2700 E 4TH Hutchinson, KS.</u>					
2 WATER WELL OWNER: <u>Dillon Distribution Center</u>					
RR#, St. Address, Box #: <u>2700 E 4TH AVE</u>				Board of Agriculture, Division of Water Resources	
City, State, ZIP Code: <u>Hutchinson KS 67501</u>				Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>20</u> ft. ELEVATION: <u>—</u>			
		Depth(s) Groundwater Encountered 1. <u>14.5</u> ft. 2. <u>—</u> ft. 3. <u>—</u> ft.			
		WELL'S STATIC WATER LEVEL <u>14.29</u> ft. below land surface measured on mo/day/yr <u>5/20/98</u>			
		Pump test data: Well water was <u>—</u> ft. after <u>—</u> hours pumping <u>—</u> gpm			
		Est. Yield <u>—</u> gpm: Well water was <u>—</u> ft. after <u>—</u> hours pumping <u>—</u> gpm			
		Bore Hole Diameter <u>8.575</u> in. to <u>20</u> ft., and <u>—</u> in. to <u>—</u> ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply    8 Air conditioning    11 Injection well 1 Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below) 2 Irrigation    4 Industrial    7 Lawn and garden only    10 Monitoring well <u>MW-3</u>			
		Was a chemical/bacteriological sample submitted to Department? Yes <u>—</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes <u>—</u> No <u>X</u>			
5 TYPE OF BLANK CASING USED:					
1 Steel    3 RMP (SR)    5 Wrought iron    8 Concrete tile    CASING JOINTS: Glued <u>—</u> Clamped <u>—</u> 2 PVC    4 ABS    6 Asbestos-Cement    9 Other (specify below)    Welded <u>—</u> 7 Fiberglass    Threaded <u>X</u>					
Blank casing diameter <u>2</u> in. to <u>10</u> ft., Dia <u>—</u> in. to <u>—</u> ft., Dia <u>—</u> in. to <u>—</u> ft.					
Casing height above land surface <u>0</u> in., weight <u>5.440</u> lbs./ft. Wall thickness or gauge No. <u>—</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel    3 Stainless steel    5 Fiberglass    8 RMP (SR)    10 Asbestos-cement 2 Brass    4 Galvanized steel    6 Concrete tile    9 ABS    11 Other (specify) <u>—</u> 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot    3 Mill slot    5 Gauzed wrapped    8 Saw cut    11 None (open hole) 2 Louvered shutter    4 Key punched    6 Wire wrapped    9 Drilled holes 7 Torch cut    10 Other (specify) <u>—</u>					
SCREEN-PERFORATED INTERVALS: From <u>10</u> ft. to <u>20</u> ft., From <u>—</u> ft. to <u>—</u> ft.					
GRAVEL PACK INTERVALS: From <u>9</u> ft. to <u>20</u> ft., From <u>—</u> ft. to <u>—</u> ft.					
6 GROUT MATERIAL: 1 Neat cement    2 Cement grout    3 Bentonite    4 Other <u>—</u>					
Grout Intervals: ② From <u>0</u> ft. to <u>7</u> ft. ③ From <u>7</u> ft. to <u>9</u> ft. From <u>—</u> ft. to <u>—</u> ft.					
What is the nearest source of possible contamination:					
1 Septic tank    4 Lateral lines    7 Pit privy    10 Livestock pens    14 Abandoned water well 2 Sewer lines    5 Cess pool    8 Sewage lagoon    11 Fuel storage    15 Oil well/Gas well 3 Watertight sewer lines    6 Seepage pit    9 Feedyard    12 Fertilizer storage    16 Other (specify below) <u>poss. contaminated site</u> 13 Insecticide storage					
Direction from well? How many feet? <u>—</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1.5	Asphalt & gravel fill			
1.5	12.5	Silty clay			
12.5	20	Sand			
20	TD	End of Borehole			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>3/19/98</u> and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. <u>5805</u> This Water Well Record was completed on (mo/day/yr) <u>5/28/98</u>					
under the business name of <u>AEI</u> by (signature) <u>Adrian J. Bracht</u>					