

1 LOCATION OF WATER WELL:		Fraction NW 1/4 NW 1/4 SW 1/4		Section Number 17		Township Number T 23 S		Range Number R 5 E(W)	
County: Reno									
Distance and direction from nearest town or city street address of well if located within city? 328' E and 515' N of Lorraine St. & Carey Blvd, Hutchinson KS									
2 WATER WELL OWNER: Kansas Dept. of Health & Environment - DER									
RR#, St. Address, Box #: Forbes Field, Bldg. 740									
City, State, ZIP Code: Topeka Kansas 66620-0001									
Board of Agriculture, Division of Water Resources									
Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:					4 DEPTH OF COMPLETED WELL: 52 ft. ELEVATION: 1526.63				
					Depth(s) Groundwater Encountered 1. 21 ft. 2. ft. 3. ft.				
					WELL'S STATIC WATER LEVEL 23.35 ft. below land surface measured on mo/day/yr 10/10/96				
					Pump test data: Well water was ft. after hours pumping gpm				
					Est. Yield gpm: Well water was ft. after hours pumping gpm				
					Bore Hole Diameter 8 1/4 in. to 52 ft. and in. to ft.				
					WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
					1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
					2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well MP-25				
					Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted				
					Water Well Disinfected? Yes No				
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
Blank casing diameter 2 in. to 47 ft. Dia. in. to ft. Dia. in. to ft.									
Casing height above land surface 24 in. weight lbs./ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)									
12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 2 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes									
7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 52 ft. to 47 ft. From ft. to ft.									
From ft. to ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 52 ft. to 46 ft. From ft. to ft.									
From ft. to ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 46 ft. to 21 ft. From 21 ft. to 8 ft. From 8 ft. to 1 ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? Northeast How many feet? 430' E & 360' N									
FROM TO LITHOLOGIC LOG					FROM TO PLUGGING INTERVALS				
0 9 Brn Clay									
9 52 Brn Sand & Gravel									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-10-96 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 568 This Water Well Record was completed on (mo/day/yr) 10-10-96									
under the business name of Max's by (signature) David H. H. H.									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									