## CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: Location <del>changed to:</del>	KENO
Section-Township-Range:	Location changed to	17-23-5W
Fraction ( 1/4 1/4 1/4):		NW NW SW
Other changes: Initial statements:		
Changed to:	0000	
comments: Well Constructed (Not plugged)		
Completion Pate 10/9/97		
verification method:		
	initials:	\$ date: 2/6/06

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

			WELL RECORD	Form WWC-5	1000	2a-1212		•	
I LOCATION OF WAT	ER WELL:	Fraction			ction Number		mber	Range No	
County: Keno			NU 145 K		_/フ	т 23	<u>S</u>	R 5	E(W)
Distance and direction	_	-		,			,	W-4M	
278-	Eand 49	15 N OF	Lorraine &	Cavey B	lud p	lutchinson, K	5		
WATER WELL OW	NER: KDHE			,		·			
RR#, St. Address, Box						Board of A	griculture, [	Division of Wate	r Resources
ity, State, ZIP Code	: Topeka	KS 6662	0-0001			Application	Number:		
LOCATE WELL'S LO	DCATION WITH 4 1	DEPTH OF CO	MPLETED WELL.	35.	ft. ELEV	ATION: 1525.	85-		
AN "X" IN SECTION	I BOX.					2			
						urface measured on			
	""					after			
NW	NE   Est					after			
	l Est	. Held	Spin. vveli wat	er was	۱۱.	and	riours pui	35°	gpm
w \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \									
			BE USED AS:	5 Public wate		•		•	
SW	SE	1 Domestic	3 Feedlot	6 Oil field wa					
t	1	2 Irrigation	4 Industrial			Monitoring well			2 5 41 "
			cteriological sample	submitted to D		Yes	-		ple was sub
	mitt	red				ater Well Disinfected		<b>₩</b>	
TYPE OF BLANK C	ASING USED:	5	Wrought iron	8 Concr	ete tile	CASING JOI	NTS: Glued	t Clamp	ed
1 Steel	3 RMP (SR)	$\epsilon$	Asbestos-Cement	9 Other	(specify bel	ow)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ed	
€PVC	4 ABS		7 Fiberglass					ided 🤄	
ank casing diameter		to <del>3</del> .5	ft., Dia	in. to		ft., Dia	i	in. to	ft.
asing height above lar									
PE OF SCREEN OF	R PERFORATION M	ATERIAL:		ØPV	'C	10 Asb	estos-ceme	nt	
1 Steel	3 Stainless ste	el 5	5 Fiberglass	8 RN	MP (SR)	11 Othe	er (specify)		
2 Brass	4 Galvanized s		6 Concrete tile	9 AE	, ,		e used (op		
REEN OR PERFOR	ATION OPENINGS			zed wrapped		8 Saw cut	(- <b>F</b>	11 None (ope	n hole)
1 Continuous slot				wrapped		9 Drilled holes			,
			0 11110	··· appea					
	ar 4 Kovin	unched	7 Toro	h cut		10 Other (checify	١		
2 Louvered shutte	- , F	unched	7 Torc	h cut 35	<b>4</b> F	10 Other (specify			
	D INTERVALS:	From	5 ft. to .	.3 <i>5</i>	ft., Fr	om	ft. to	<b>o</b>	ft.
2 Louvered shutte CREEN-PERFORATE	D INTERVALS:	From	5 ft. to .	35	ft., Fr	om	ft. to ft. to	o	ft.
2 Louvered shutte CREEN-PERFORATE	D INTERVALS:	From	ft. to . 	35 35	ft., Fr	om	ft. to	o	
2 Louvered shutte CREEN-PERFORATE GRAVEL PAC	D INTERVALS:	From. 2.3. From. 2.3. From. 2.3.	ft. to	3 <i>5</i>	ft., Fr ft., Fr ft., Fr	om	ft. to	o	
2 Louvered shutte CREEN-PERFORATE GRAVEL PAC GROUT MATERIAL:	CK INTERVALS:  : :: :: :: :: :: :: :: :: :: :: :: ::	From. 2.27 From. 2.27 From ent 2	ft. to	3 5 3 5 3 S Bento	ft., Fr ft., Fr ft., Fr	om	ft. to	o	
2 Louvered shutte CREEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: rout Intervals: From	ED INTERVALS:  CK INTERVALS:  : ±2Neat ceme	From. 2.27 From. 2.27 From ent 2.27	ft. to	3 5 3 5 3 S Bento	ft., Fr	omomomomomomom	ft. to	o	
2 Louvered shutte CREEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: rout Intervals: From hat is the nearest sou	ED INTERVALS:  EX INTERVALS:  12 Neat ceme  13 5 ft. t  urce of possible conf	From. 2.2.5 From. 2.2.7 From ent 2 to	ft. to	3 5 3 5 3 S Bento	ft., Fr	om	ft. to ft. to ft. to	ooooooooo	
2 Louvered shutte CREEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: rout Intervals: From	ED INTERVALS:  CK INTERVALS:  : ±2Neat ceme	From. 2.2.5 From. 2.2.7 From ent 2 to	ft. to	3.5 3.5 3.7Bento	ft., Fr. ft., Fr. ft., Fr. pnite to O	omomomomomomom	ft. to ft. to ft. to	o	
2 Louvered shutte CREEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: rout Intervals: From hat is the nearest sou 1 Septic tank 2 Sewer lines	ED INTERVALS:  EX INTERVALS:  Experiment 12 Neat ceme  Experiment 12 Ne	From	ft. to	3.5 3.5 3.7Bento	to	omomomom	ft. to ft	ooooooooo	ftftftft.
2 Louvered shutte CREEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From hat is the nearest sou 1 Septic tank 2 Sewer lines	ED INTERVALS:  EX INTERVALS:  Explored the second s	From	ft. to	3.5 3.5 3.7Bento	tt., Fr. ft., Fr. ft.	omomomomom	ft. to ft	ooooooooo	ftftftft.
2 Louvered shutte CREEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From hat is the nearest sou 1 Septic tank 2 Sewer lines	ED INTERVALS:  EX INTERVALS:  Experiment 12 Neat ceme  Experiment 12 Ne	From	ft. to	3.5 3.5 3.7Bento	tt., Fr. tt., Fr. ft., Fr. to	om	ft. to ft	of the to the pandoned water if well/Gas well ther (specify be	ftftftft.
2 Louvered shutted CREEN-PERFORATE  GRAVEL PACE  GROUT MATERIAL: out Intervals: From the nearest south 1 Septic tank 2 Sewer lines 3 Watertight sewer	ED INTERVALS:  EX INT	From	ft. to	3.5 3.5 3.7Bento	tt., Fr. tt., Fr. ft., Fr. to	om	ft. to ft	ooooooooo	ftftft. well
2 Louvered shutte CREEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From nat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?  ROM TO	ED INTERVALS:  EX INT	From	ft. to	3.5 3.5 2/Bento 	tt., Fr.  tt., Fr.  ft., Fr.  to O  10 Live  11 Fue  12 Fer  13 Inse	om	ft. to ft	of the to the pandoned water if well/Gas well ther (specify be	ftftft. well
2 Louvered shutted REEN-PERFORATE GRAVEL PACE GROUT MATERIAL: out Intervals: From the part of the part	ED INTERVALS:  EXPORT CENTER CONTROL OF THE PROPERTY OF THE PR	From	ft. to	3.5 3.5 2/Bento 	tt., Fr.  tt., Fr.  tt., Fr.  to O  10 Live  11 Fue  12 Fer  13 Inse  How m	om	ft. to ft	of the to the pandoned water if well/Gas well ther (specify be	
2 Louvered shutte REEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From at is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe ection from well?  ROM TO	ED INTERVALS:  EXPORT CENTER CONTROL OF THE PROPERTY OF THE PR	From. 2.27 From. 2.27 From ent 2 to	ft. to	3.5 3.2Bento ft.	tt., Fr. tt., Fr. tt., Fr. to	om	14 At 15 Oi	of the to the pandoned water if well/Gas well ther (specify be	
2 Louvered shutted REEN-PERFORATE GRAVEL PACE GROUT MATERIAL: Out Intervals: From the part of the part	ED INTERVALS:  EXPORT CENTER CONTROL OF THE PROPERTY OF THE PR	From. 2.27 From. 2.27 From ent 2 to	ft. to	3.5 3.2Bento ft.	tt., Fr. tt., Fr. tt., Fr. to	om	14 At 15 Oi	of the to the pandoned water if well/Gas well ther (specify be	ft. ft. ft. ft.
2 Louvered shutte REEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From at is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe ection from well?  ROM TO	ED INTERVALS:  EXPORT CENTER CONTROL OF THE PROPERTY OF THE PR	From. 2.27 From. 2.27 From ent 2 to	ft. to	3.5 3.2Bento ft.	tt., Fr. tt., Fr. tt., Fr. to	om	14 At 15 Oi	of the to the pandoned water if well/Gas well ther (specify be	
2 Louvered shutte REEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From nat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe ection from well?  ROM TO	ED INTERVALS:  EXPORT CENTER CONTROL OF THE PROPERTY OF THE PR	From. 2.27 From. 2.27 From ent 2 to	ft. to	3.5 3.2Bento ft.	tt., Fr. tt., Fr. tt., Fr. to	om	14 At 15 Oi	of the to the pandoned water if well/Gas well ther (specify be	
2 Louvered shutte REEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From nat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe ection from well?  ROM TO	ED INTERVALS:  EXPORT CENTER CONTROL OF THE PROPERTY OF THE PR	From. 2.27 From. 2.27 From ent 2 to	ft. to	3.5 3.2Bento ft.	tt., Fr. tt., Fr. tt., Fr. to	om	14 At 15 Oi	of the to the pandoned water if well/Gas well ther (specify be	
2 Louvered shutte REEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From at is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe ection from well?  ROM TO	ED INTERVALS:  EXPORT CENTER CONTROL OF THE PROPERTY OF THE PR	From. 2.27 From. 2.27 From ent 2 to	ft. to	3.5 3.2Bento ft.	tt., Fr. tt., Fr. tt., Fr. to	om	14 At 15 Oi	of the to the pandoned water if well/Gas well ther (specify be	
2 Louvered shutte REEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From nat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe ection from well?  ROM TO	ED INTERVALS:  EXPORT CENTER CONTROL OF THE PROPERTY OF THE PR	From. 2.27 From. 2.27 From ent 2 to	ft. to	3.5 3.2Bento ft.	tt., Fr. tt., Fr. tt., Fr. to	om	14 At 15 Oi	of the to the pandoned water if well/Gas well ther (specify be	
2 Louvered shutte REEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From nat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe ection from well?  ROM TO	ED INTERVALS:  EXPORT CENTER CONTROL OF THE PROPERTY OF THE PR	From. 2.27 From. 2.27 From ent 2 to	ft. to	3.5 3.2Bento ft.	tt., Fr. tt., Fr. tt., Fr. to	om	14 At 15 Oi	of the to the pandoned water if well/Gas well ther (specify be	
2 Louvered shutte REEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From at is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe ection from well?  ROM TO	ED INTERVALS:  EXPORT CENTER CONTROL OF THE PROPERTY OF THE PR	From. 2.27 From. 2.27 From ent 2 to	ft. to	3.5 3.2Bento ft.	tt., Fr. tt., Fr. tt., Fr. to	om	14 At 15 Oi	of the to the pandoned water if well/Gas well ther (specify be	
2 Louvered shutte REEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From nat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe ection from well?  ROM TO	ED INTERVALS:  EXPORT CENTER CONTROL OF THE PROPERTY OF THE PR	From. 2.27 From. 2.27 From ent 2 to	ft. to	3.5 3.2Bento ft.	tt., Fr. tt., Fr. tt., Fr. to	om	14 At 15 Oi	of the to the pandoned water if well/Gas well ther (specify be	
2 Louvered shutte REEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From nat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe ection from well?  ROM TO	ED INTERVALS:  EXPORT CENTER CONTROL OF THE PROPERTY OF THE PR	From. 2.27 From. 2.27 From ent 2 to	ft. to	3.5 3.2Bento ft.	tt., Fr. tt., Fr. tt., Fr. to	om	14 At 15 Oi	of the to the pandoned water if well/Gas well ther (specify be	
2 Louvered shutte REEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From nat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewe ection from well?  ROM TO	ED INTERVALS:  EXPORT CEMPORALS:  EXPORT COMPONENT COMPO	From. 2.27 From. 2.27 From ent 2 to	ft. to	3.5 3.2Bento ft.	tt., Fr. tt., Fr. tt., Fr. to	om	14 At 15 Oi	of the to the pandoned water if well/Gas well ther (specify be	
2 Louvered shutted REEN-PERFORATE GRAVEL PACE GROUT MATERIAL: Out Intervals: From the part of the part	ED INTERVALS:  EXPORT CEMPORALS:  EXPORT COMPONENT COMPO	From. 2.27 From. 2.27 From ent 2 to	ft. to	35  32Bento ft.  goon  FROM / (2)	tt., Fr. tt., Fr. tt., Fr. to	om	14 At 15 Oi	of the to the pandoned water if well/Gas well ther (specify be	
2 Louvered shutte CREEN-PERFORATE  GRAVEL PAC  GROUT MATERIAL: out Intervals: From nat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?  ROM TO	ED INTERVALS:  EXPORT CEMPORALS:  EXPORT COMPONENT COMPO	From. 2.27 From. 2.27 From ent 2 to	ft. to	35  32Bento ft.  goon  FROM / (2)	tt., Fr. tt., Fr. tt., Fr. to	om	14 At 15 Oi	of the to the pandoned water if well/Gas well ther (specify be	
2 Louvered shutte CREEN-PERFORATE  GRAVEL PACE  GROUT MATERIAL: Out Intervals: From that is the nearest sound in the series of t	ED INTERVALS:  EXPORT COMPANY	From. 2.27 From. 2.27 From ent 2 to	ft. to	35  32Bento ft.  goon  FROM /  2	10 Live 11 Fue 12 Fer 13 Inse How m	om	14 At 15 Oi	of the first of th	ft
2 Louvered shutte CREEN-PERFORATE  GRAVEL PACE  GROUT MATERIAL: Out Intervals: From the part of the second is the nearest sound in the second	ED INTERVALS:  EXPORT CEMPORATE COMMENTS OF LANDOWNER'S COMMENTS OF COMMENTS O	From. 2.5 From. 2.7 From. 2.7 From ent 2 to	ft. to	3 5  3 5  3 FROM  I  C  Vas (1) constru	tt., Fr.  ift., Fr.  inite to	om	tt. tc.  ft.	of the first of th	ft. ft. ft. ft. ft. on and was
2 Louvered shutted REEN-PERFORATE GRAVEL PACE GROUT MATERIAL: Out Intervals: From the part of the second is the nearest sound in the second in	ED INTERVALS:  EXPORT COMPANY	From. 2.27 From. 2.27 From ent 2 to	ft. to	3 5  3 5  3 FROM  I  C  Vas (1) constru	tt., Fr.  ft., F	om	ugged und	of the first of th	ft. ft. ft. ft. ft. on and was
2 Louvered shutter REEN-PERFORATE  GRAVEL PACE  GROUT MATERIAL: Dut Intervals: From the particular state is the nearest sound a section from well?  ROM TO 9 3 5  CONTRACTOR'S O Inpleted on (mo/day/y) ter Well Contractor's	DINTERVALS:  Laveat ceme  Lateral lin  Certains 6 Seepage  Brace  Corporations  Corpor	From. 2.2 From. 2.2 From ent 2 to tamination: nes ol pit LITHOLOGIC LO	ft. to	3 5  3 5  3 FROM  I  C  Vas (1) constru	tt., Fr. ft., Fr. ft.	om	ugged und	of the first of th	ft. ft. ft. ft. ft. on and was
2 Louvered shutted REEN-PERFORATE GRAVEL PACE GROUT MATERIAL: out Intervals: From the part of the part	DINTERVALS:  Laveat ceme  Lateral lin  Certains 6 Seepage  Dr. C.  Laveatlar  Br. C.  Laveatlar  DR. LANDOWNER'S (Lavear)  Laveatlar  La	From. 2.2 From. 2.2 From ent 2 to tamination: nes ol pit LITHOLOGIC LO	ft. to	3 5  3 5  3 FROM  I  C  Vas (1) constru	tt., Fr. ft., Fr. ft.	om	ugged und	of the first of th	ft. ft. ft. ft. ft. ft. on and was