			VV/NII	ER WELL RECORD	Form WV	NC-5 KSA 82	3-1212			
		TER WELL:	Fraction			Section Number			Range Nu	umber
County:			SE ½		W 1/4	18	T 23	S	R 5	E(W)
			wn or city street	address of well if locat	ted within	city?				<u> </u>
		, Hutchinson								
		VNER: Reno Co		Works Dept.						
		×# : 600 Sco					•		ion of Water R	esources
City, State,			chinson, Kan				Application N			
3 LOCATE WITH A	E WELL'S I N "X" IN SE	ECTION BOX: 1		OMPLETED WELL dwater Encountered						
T r		<u> </u>		C WATER LEVEL						
T	900	1		np test data: Well wate						
-	~ NW	NE		A gpm: Well wate						
<u>o</u>	****	1		neter8in. to						
Wije W		E		TO BE USED AS: 5			8 Air condition			
~								•	njection well	below) OFFICE
	~ sw	- SE	1 Domestic			water supply	9 Dewatering		Other (Specify	pelow) E
	V	1	2 Irrigation	4 Industrial 7 al/bacteriological samp			10 Monitoring w			onle was
<u> </u>	Χ!		submitted	avbacteriological samp	ic submitte		ater Well Disinfe	-	No s	/ 10
al Type C	SE DI ANIZ (CASING USED:	0001111100	E Wrought iron	0.0	oncrete tile			Clam	\ \ \
5] 1172 C		3 RMP (SF	3 \	5 Wrought iron 6 Asbestos-Cement		ther (specify bel			ed	· I
(2)PV		4 ABS	y				,		ided. ✓	
			in to	7 Fiberglass 10ft., Dia		in to				,
				in., weight						
	-			. in., weight		PVC				. 40
		R PERFORATION		F F35 1	•			sbestos-ceme		-
1 Ste		3 Stainless		5 Fiberglass		RMP (SR)				
2 Br		4 Galvaniz		6 Concrete tile	_	ABS		one used (op	•	1
		RATION OPENIN			ed wrapp		8 Saw cut		11 None (ope	en noie)
	ontinuous s	• •	lill slot		wrapped		9 Drilled holes			1
	ouvered shu		ey punched	7 Torch		0 4 5	10 Other (spec			
SCREEN-F	PERFORAT	ED INTERVALS:	From	10 ft. to	2		r∩m	π.	το	TLI
				£					40	ا . ا
_	PANEL DA	CK INITEDIVALS:		ft. to		ft., F	rom	ft.		ft.
G	RAVEL PA	CK INTERVALS:	From	8 ft. to .	20		rom	ft. ft.	to	ft.
			From	8 ft. to .		ft., Fi 0ft., Fi ft., F	rom	ft. ft. ft.	to	ft. ft. ft.
6 GROUT	MATERIAI	.: 1 Neat	From	8 ft. to	(3)E		rom	ft ft ft	to	ft.
6 GROUT	MATERIAL	.: 1 Neat	From		(3)E	ft., F ft., F ft., F ft., F gentonite ft., F	romromrom	ft ft ft ft	to	ft. 7. ft. ft. ft. ft. ft. ft. ft.
6 GROUT Grout Inter What is the	MATERIAI vals: From e nearest s	.: 1 Neat	From From cement		(3)E	ft., F ft., F ft., F ft., F entonite ft. to	rom		to	ft. 7. ft. ft. ft. ft. ft. ft. ft.
6 GROUT Grout Inter What is the 1 Sept	MATERIAI vals: From e nearest so ic tank	.: 1 Neat on 0	From From cement . ft. to contamination: ral lines		20 1	ft., F. ft., F. ft., F. ft., F. ft., F. ft. to8. 10 Live 11 Fue	romrom	ft.	to	ftftftft.
6 GROUT Grout Inter What is the 1 Sept 2 Sewe	MATERIAI vals: From e nearest so ic tank er lines	.: 1 Neat m 0 ource of possible 4 Later 5 Cess	From From cement . ft. to e contamination: ral lines s pool	2 Cement grout The first to	20 1	ft., F. ft., F. ft., F. entonite ft. to	rom	ft.	to	ftftftft
6 GROUT Grout Inter What is the 1 Sept 2 Sews 3 Wate	MATERIAI vals: From e nearest so ic tank er lines ertight sewe	.: 1 Neat m 0 ource of possible 4 Later 5 Cess	From From cement . ft. to e contamination: ral lines s pool		20 1	ft, F. ft, F. ft, F. entonite ft to	rom	ft.	to	ftftftft.
6 GROUT Grout Inter What is the 1 Sept 2 Sew 3 Wate Direction f	MATERIAL vals: From e nearest so ic tank er lines ertight sewer	.: 1 Neat m 0 ource of possible 4 Later 5 Cess	From From cement . ft. to e contamination: ral lines s pool page pit	2 Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard	20 1	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 O	to	ftftftft.
6 GROUT Grout Inter What is the 1 Sept 2 Sewe 3 Wate Direction f	MATERIAL vals: From e nearest so ic tank er lines ertight sewer from well?	i 1 Neat m 0 ource of possible 4 Later 5 Cess or lines 6 Seep	From	2 Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard	20 1	ft., F. ft., F. ft., F. Sentonite ft. to	rom	ft.	to	ft
6 GROUT Grout Inter What is the 1 Sept 2 Sew 3 Wate Direction f FROM 0	MATERIAI vals: From e nearest so ic tank er lines ertight sewer from well? TO 0.5	.: 1 Neat m 0 ource of possible 4 Later 5 Cesser lines 6 Seep	From From cement	2 Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard	20 1	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 O	to	ft
6 GROUT Grout Inter What is the 1 Sept 2 Sewe 3 Wate Direction f FROM 0 0.5	MATERIAI rvals: Froi e nearest si ic tank er lines ertight sewe from well? TO 0.5 3	.: 1 Neat m0 ource of possible 4 Later 5 Cess er lines 6 Seep Gravel (c) - fit Sand (vf-f), c	From From cement	2 Cement grout The first to	20 1	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 O	to	ftftftft.
6 GROUT Grout Inter What is the 1 Sept 2 Sew 3 Wate Direction f FROM 0 0.5 3	MATERIAI rvals: From e nearest so ic tank er lines ertight sewer from well? TO 0.5 3 5.5	.: 1 Neat m 0 ource of possible 4 Later 5 Cess er lines 6 Seep Gravel (c) - fi Sand (vf-f), cl	From From cement t. to contamination: ral lines s pool page pit LITHOLOGIC ill, layey, no odo oist, no odor,	2 Cement grout The first to	Joon FRO	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 O	to	ft
GROUT Grout Inter What is the Sept Sew Wate Direction f FROM O 0.5 3 5.5	MATERIAI vals: From e nearest so ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5	unit of the state	From From cement ft. to contamination: ral lines s pool bage pit LITHOLOGIC ill, layey, no odo oist, no odor, /tr. f gravel,	2 Cement grout The first to first fi	Joon FRO	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 O	to	ft
GROUT Grout Inter What is the Sept Sewe What is the Sept Sewe Sirection f FROM O O.5 S 5.5 S 10.5	rMATERIAI rvals: From e nearest so ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5	i.: 1 Neat m 0 ource of possible 4 Later 5 Cess or lines 6 Seep Gravel (c) - fi Sand (vf-f), c Clay, silty, m Sand (vf-c) w/sand (f-c) w	From From cement ft. to contamination: ral lines s pool bage pit LITHOLOGIC ill, layey, no odo oist, no odor, /tr. f gravel, sl.	2 Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard CLOG r, Red Brown Brown sl. moist, no odor, 3 moist, no odor, 8	Joon FRO	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 O	to	ft
GROUT Grout Inter What is the Sept Sew Wate Direction f FROM O 0.5 3 5.5	MATERIAI vals: From e nearest so ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5	i.: 1 Neat m 0 ource of possible 4 Later 5 Cess or lines 6 Seep Gravel (c) - fi Sand (vf-f), c Clay, silty, m Sand (vf-c) w/sand (f-c) w	From From cement ft. to contamination: ral lines s pool bage pit LITHOLOGIC ill, layey, no odo oist, no odor, /tr. f gravel, sl.	2 Cement grout The first to first fi	Joon FRO	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 O	to	ft
GROUT Grout Inter What is the Sept Sewe What is the Sept Sewe Sirection f FROM O O.5 S 5.5 S 10.5	rMATERIAI rvals: From e nearest so ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5	i.: 1 Neat m 0 ource of possible 4 Later 5 Cess or lines 6 Seep Gravel (c) - fi Sand (vf-f), c Clay, silty, m Sand (vf-c) w/sand (f-c) w	From From cement ft. to contamination: ral lines s pool bage pit LITHOLOGIC ill, layey, no odo oist, no odor, /tr. f gravel, sl.	2 Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard CLOG r, Red Brown Brown sl. moist, no odor, 3 moist, no odor, 8	Joon FRO	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 O	to	ft
GROUT Grout Inter What is the Sept Sewe What is the Sept Sewe Sirection f FROM O O.5 S 5.5 S 10.5	rMATERIAI rvals: From e nearest so ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5	i.: 1 Neat m 0 ource of possible 4 Later 5 Cess or lines 6 Seep Gravel (c) - fi Sand (vf-f), c Clay, silty, m Sand (vf-c) w/sand (f-c) w	From From cement ft. to contamination: ral lines s pool bage pit LITHOLOGIC ill, layey, no odo oist, no odor, /tr. f gravel, sl.	2 Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard C LOG r, Red Brown Brown sl. moist, no odor, 3 moist, no odor, 8	Joon FRO	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 O	to	ft
GROUT Grout Inter What is the Sept Sewe What is the Sept Sewe Sirection f FROM O O.5 S 5.5 S 10.5	rMATERIAI rvals: From e nearest so ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5	i.: 1 Neat m 0 ource of possible 4 Later 5 Cess or lines 6 Seep Gravel (c) - fi Sand (vf-f), c Clay, silty, m Sand (vf-c) w/sand (f-c) w	From From cement ft. to contamination: ral lines s pool bage pit LITHOLOGIC ill, layey, no odo oist, no odor, /tr. f gravel, sl.	2 Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard C LOG r, Red Brown Brown sl. moist, no odor, 3 moist, no odor, 8	Joon FRO	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 O	to	ft
GROUT Grout Inter What is the Sept Sewe What is the Sept Sewe Sirection f FROM O O.5 S 5.5 S 10.5	rMATERIAI rvals: From e nearest so ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5	i.: 1 Neat m 0 ource of possible 4 Later 5 Cess or lines 6 Seep Gravel (c) - fi Sand (vf-f), c Clay, silty, m Sand (vf-c) w/sand (f-c) w	From From cement ft. to contamination: ral lines s pool bage pit LITHOLOGIC ill, layey, no odo oist, no odor, /tr. f gravel, sl.	2 Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard CLOG r, Red Brown Brown sl. moist, no odor, 3 moist, no odor, 8	Joon FRO	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 O	to	ft ft ft
GROUT Grout Inter What is the Sept Sewe What is the Sept Sewe Sirection f FROM O O.5 S 5.5 S 10.5	rMATERIAI rvals: From e nearest so ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5	i.: 1 Neat m 0 ource of possible 4 Later 5 Cess or lines 6 Seep Gravel (c) - fi Sand (vf-f), c Clay, silty, m Sand (vf-c) w/sand (f-c) w	From From cement ft. to contamination: ral lines s pool bage pit LITHOLOGIC ill, layey, no odo oist, no odor, /tr. f gravel, sl.	2 Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard CLOG r, Red Brown Brown sl. moist, no odor, 3 moist, no odor, 8	Joon FRO	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 O	to	ft
GROUT Grout Inter What is the Sept Sewe What is the Sept Sewe Sirection f FROM O O.5 S 5.5 S 10.5	rMATERIAI rvals: From e nearest so ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5	i.: 1 Neat m 0 ource of possible 4 Later 5 Cess or lines 6 Seep Gravel (c) - fi Sand (vf-f), c Clay, silty, m Sand (vf-c) w/sand (f-c) w	From From cement ft. to contamination: ral lines s pool bage pit LITHOLOGIC ill, layey, no odo oist, no odor, /tr. f gravel, sl.	2 Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard CLOG r, Red Brown Brown sl. moist, no odor, 3 moist, no odor, 8	Joon FRO	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 C 16 C	to	ft ft ft
GROUT Grout Inter What is the Sept Sewe What is the Sept Sewe Sirection f FROM O O.5 S 5.5 S 10.5	rMATERIAI rvals: From e nearest so ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5	i.: 1 Neat m 0 ource of possible 4 Later 5 Cess or lines 6 Seep Gravel (c) - fi Sand (vf-f), c Clay, silty, m Sand (vf-c) w/sand (f-c) w	From From cement ft. to contamination: ral lines s pool bage pit LITHOLOGIC ill, layey, no odo oist, no odor, /tr. f gravel, sl.	2 Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard CLOG r, Red Brown Brown sl. moist, no odor, 3 moist, no odor, 8	Joon FRO	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 C 16 C 16 C 17 C 17 C 18 C 18 C 18 C 18 C 18 C 18	to	ft ft ft
GROUT Grout Inter What is the Sept Sewe What is the Sept Sewe Sirection f FROM O O.5 S 5.5 S 10.5	rMATERIAI rvals: From e nearest so ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5	i.: 1 Neat m 0 ource of possible 4 Later 5 Cess or lines 6 Seep Gravel (c) - fi Sand (vf-f), c Clay, silty, m Sand (vf-c) w/sand (f-c) w	From From cement ft. to contamination: ral lines s pool bage pit LITHOLOGIC ill, layey, no odo oist, no odor, /tr. f gravel, sl.	2 Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard CLOG r, Red Brown Brown sl. moist, no odor, 3 moist, no odor, 8	Joon FRO	ft., F. ft., F. ft., F. Sentonite ft. to	rom	14 A 15 C 16 C 16 C 17 C 17 C 18 C 18 C 18 C 18 C 18 C 18	to	ft
GROUT Grout Inter What is the Sept Sewe What is the Sept Sewe Sirection f FROM O O.5 S 5.5 S 10.5	rMATERIAI rvals: From e nearest so ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5	i.: 1 Neat m 0 ource of possible 4 Later 5 Cess or lines 6 Seep Gravel (c) - fi Sand (vf-f), c Clay, silty, m Sand (vf-c) w/sand (f-c) w	From From cement ft. to contamination: ral lines s pool bage pit LITHOLOGIC ill, layey, no odo oist, no odor, /tr. f gravel, sl.	2 Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard CLOG r, Red Brown Brown sl. moist, no odor, 3 moist, no odor, 8	Joon FRO	ft., F. ft., F. ft., F. Sentonite ft. to	rom	# 00370129 eno Co. Publi	to	ft ft ft
6 GROUT Grout Inter What is the 1 Sept 2 Sewe 3 Wate Direction f FROM 0 0.5 3 5.5 10.5 14	MATERIAI rvals: From e nearest sict tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5 14 20	.: 1 Neat m0 ource of possible 4 Later 5 Cess er lines 6 Seep Gravel (c) - fi Sand (vf-f), cl Clay, silty, m Sand (vf-c) w/f Sand (f-c) w/f	From From From Cement It to It contamination: ral lines S pool bage pit LITHOLOGIC Ill, layey, no odo oist, no odor, /tr. f gravel, sl. f-m gravel, sa	2 Cement grout 7 Pit privy 8 Sewage lag 9 Feedyard CLOG r, Red Brown Brown sl. moist, no odor, 3 moist, no odor, 8	goon FRO Lt ro Br	ft., F. ft., F. ft., F. Sentonite ft. to	rom	g # 00370129 eno Co. Publi , KDHE # A2	to	ft ft.
6 GROUT Grout Inter What is the 1 Sept 2 Sews 3 Wats Direction of FROM 0 0.5 3 5.5 10.5 14	MATERIAI rvals: From e nearest si ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5 14 20 ACTOR'S Completed o	Gravel (c) - fi Sand (vf-f), cl Clay, silty, m Sand (vf-c) w/f Sand (f-c) w/f Sand (f-c) m/f Sand (f-c) m/f	From From From From From From From From	2 Cement grout	Joon FRO Br	ft., F. ft., F. ft., F. Sentonite ft. to	MW6/SB10, Ta Project Name: R GeoCore # 1357 econstructed, or record is true to	g # 00370129 eno Co. Publi , KDHE # A2 3) plugged uithe best of m	to	ft.
6 GROUT Grout Inter What is the 1 Sept 2 Sews 3 Wats Direction of FROM 0 0.5 3 5.5 10.5 14	MATERIAI rvals: From e nearest si ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5 14 20 ACTOR'S Completed o	Gravel (c) - fi Sand (vf-f), cl Clay, silty, m Sand (vf-c) w/f Sand (f-c) w/f Sand (f-c) m/f Sand (f-c) m/f	From From From From From From From From	2 Cement grout	Joon FRO Br	ft., F. ft., F. ft., F. Sentonite ft. to	MW6/SB10, Ta Project Name: R GeoCore # 1357 econstructed, or record is true to	g # 00370129 eno Co. Publi , KDHE # A2 3) plugged uithe best of m	to	ft.
6 GROUT Grout Inter What is the 1 Sept 2 Sew 3 Wate Direction f FROM 0 0.5 3 5.5 10.5 14	MATERIAI rvals: From e nearest si ic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5 14 20 ACTOR'S Completed o	.: 1 Neat m 0 ource of possible 4 Later 5 Cess er lines 6 Seep Gravel (c) - fit Sand (vf-f), cl Clay, silty, m Sand (vf-c) w/f Sand (f-c) w/f Sand (f-c) w/f CR LANDOWNER In (mo/day/year) Contractor's Licer	From From From Cement It to It contamination: ral lines s pool page pit LITHOLOGIC III, layey, no odo oist, no odor, //tr. f gravel, st f-m gravel, st f-m gravel, sa R'S CERTIFICA inse No	2 Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard C LOG r, Red Brown Brown sl. moist, no odor, l. moist, no odor, l. turated, no odor, l. 110N: This water well v. 3/27/2007 527	Joon FRO Br	ft., F. ft., F. ft., F. Sentonite ft. to	MW6/SB10 , Ta Project Name: R GeoCore # 1357 econstructed, or record is true to s completed on (g # 00370129 eno Co. Publi , KDHE # A2 3) plugged uithe best of m	to	ft.
6 GROUT Grout Inter What is the 1 Sept 2 Sews 3 Wats Direction f FROM 0 0.5 3 5.5 10.5 14	MATERIAI vals: From e nearest sic tank er lines ertight sewer from well? TO 0.5 3 5.5 10.5 14 20 CACTOR'S Completed of fater Well Completed of fater Well Completed of	Gravel (c) - fi Sand (vf-f), cl Clay, silty, m Sand (vf-c) w/f Sand (f-c) w/f Sand (f-c) to Sand (f-	From From From Cement In to Contamination: It to Contamination: It to Contamination: It to Contamination: It to It to It to Contamination: It to It to	2 Cement grout	Joon FRO Br was 1 consist Water clearly. Ple	onstructed, (2) re	MW6/SB10 , Ta Project Name: R GeoCore # 1357 econstructed, or record is true to s completed on (nature)	g # 00370129 eno Co. Publi , KDHE # A2 3) plugged unthe best of mmo/day/yr	to	ft.