WATEF	R WELL	RECORD	Form	n WWC	-5 Div	ision of Wa	iter Resc	urces: App. No.			
		WATER WELL: Reno	Fraction	NW 1/	SW/ 1/	Section Nu	ımber	Township Nur T 23	mber	Range Number R 5W E/W	
Distance a	nd direction	from nearest town	or city stre	et address	of well if G	lobal Posi	itioning	System (decim	al degr	rees min of 4 digits)	
Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits) located within city? 400 South Halstead Latitude: N38.04858 °											
Hutchinson, KS Longitude: W 97.88445°											
2 WATER WELL OWNER: Hutchinson Correctional Facility Elevation: 1517.97 ft RR#, St. Address, Box # : 400 South Halstead Datum: above mean sea level											
RR#, S	t. Address,	Box # : 400 Sou	th Halstea	d		Datum:	abov	e mean sea leve			
City, State, ZIP Code : Hutchinson, KS 67501 Data Collection Method: legal survey											
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 19.20 ft. LOCATON MW8											
						MW8			~ ~		
	AN "X" I	N Depth(s) Groun	dwater End	countered 1			_ft. 2_		ft. 3	ft.	
SECT	WITH AN "X" IN SECTION BOX:Depth(s) Groundwater Encountered 1ft. 2ft. 3ft. 3WELL'S STATIC WATER LEVEL7.61ft. below land surface measured on mo/day/yr8/27/07										
·	N Pump test data: Well water was ft. after hours pumping gpm										
N Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm											
w x = E I Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (0) Monitoring well											
W X	x										
- swse											
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs											
	S	Sample was sub	mitted			V	Vater W	ell Disinfected	? Yes	No X	
S Sample was submitted Water Well Disinfected? Yes No X 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped											
J IIIE		3 RMP(SR) = 6	A shestos(^T ement	9 Other (cnecify hel			Welde	d	
	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded (2) PVC 4 APS 7 Eiberschass 7 Triberschass										
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 9.20 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.20 ft., Weight lbs./ft. Wall thickness or gauge No. Ibs./ft.											
Drains casing unamous 4 in 0 7.40 in, Dia in 0 in, Dia in 0 in 10 in											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ARS 11 Other (specify)											
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
ISCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)											
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 9.20 ft. to 19.20 ft. From ft. to											
SCREEN-	PERFORA	TED INTERVALS:	From	9.20	ft. to	19.20	_ft. Fr	om	ft: t	oft.	
			From		ft. to		_ft.Fr	om	ft. t	0ft.	
GR	AVEL PA	CK INTERVALS:	From	6	ft. to	20	ft. Fr	om	ft. t	oft.	
			From		ft. to		_ft. Fr	om	_ ft. t	oft.	
6 GROL	T MATE	RIAL: 1 Neat cem	ent 2 Ce	ement grou	t (3 Bento	onite (4	1)Other	Concrete, 0-2			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete, 0-2 Grout Intervals From 2 ft. to 6 ft. From ft. to ft. From ft. to											
What is th	e nearest so	ource of possible con	amination								
1 Sept	tic tank	4 Lateral lin	es 7 Pit p	rivv	10 Livesto	ck pens	13 Ins	ecticide Storage		16 Other (specify	
	er lines							andoned water v		below)	
2 Sewer lines5 Cess pool8 Sewage lagoon (1) Fuel storage14 Abandoned water wellbelow)3 Watertight sewer lines6 Seepage pit9 Feedyard12 Fertilizer storage15 Oil well/ gas well											
		Southwest			How many			U			
FROM	TO		OGIC LO	6	FROM	ТО		PLUGGING	INTI	COVATO	
	0.5'	Concrete		0	TROM			FLOODINC	11111		
0.5'	3'	Clay, fill, brown, m	nist	······		+					
3'	11'	Clay, fat, yellow-bi									
		saturated at 10.5'								<u></u>	
11'	13'	Sand w/ clay, fine						· · ·			
13'	20'	Coarse sand w/ gra	vel								
							-				
							Flush	nount waiver f	rom E	<u>sow</u>	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged											
Under my	RACIUK'	nd was completed on (r	AK SULK		10N: This v //31/07					cnowledge and belief.	
Kansas Wa	ter Well Cor	itractor's License No.	10/uay/year 757	1/ Thie V	Vater Well D.	and uns	omniete	d on (maldav/vea	r) Q	10 wreuge and benet.	
		e of Larsen &				ure)			.,	<u>, , , , , , , , , , , , , , , , , , , </u>	
									ronmen	t Bureau of Water	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one & WATER WELL OWNER and retain one for											
vour records. Fee of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell.											