WATE	R WELI	RECORD	Form WWC-	5	Division of Wate	er Resources; App. No.		
_			Fraction		Section Number	Township Number		
Coun	ty:	eno	5W/4 NW 1/4 N	11:5	3/	T 23 S	R 5 E/W	
Locate	Distance and direction from nearest town or city street address of well if located within city? 39/6 S McNew Rd					Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude:		
y mi 5 of So Hutch					Lantide: Longitude:			
2 WATER WELL OWNER: Gary Pope					Elevation:			
RR#, St. Address, Box # : 3916 5 McNew					Datum:			
City, State, ZIP Code : Hutch, KS 67501					Data Collection Method:			
3 LOC	ATE WE	LL'S 4 DEPTH OF COM	PLETED WELL		ft.			
	ATION							
WIT	WITH AN "X" IN Depth(s) Groundwater Encountered (1)							
SEC'	SECTION BOX: WELL'S STATIC WATER LEVEL							
	Pump test data: Well water was/.7ft. after//							
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \								
W - NV	WELL WATER TO BE USED AS: 5 Public water supply WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
SV	SW SE W							
Sample was submitted								
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued								
		ING USED: 5 Wrought	Iron 8 Concr	rete tile	CASIN	G JOINTS: Glued		
		3 RMP (SR) 6 Asbestos 4 ABS 7 Fiberglass			below)		 1	
PVC 4 ABS 7 Fiberglass Threaded								
Casing height above land surface. 12 in., Weight 2.35 lbs./ft. Wall thickness or guage No. 160								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass								
	Brass) 10 A	sbestos-Cement	12 None used (open	hole)	
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 aw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
		From.	ft. to		ft., From	ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
Beptic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well?								
FROM	TO	LITHOLOGIC		FROM	TO TO	PLUGGING INT	EDVAI C	
O	1/	Br Clay	LOG	TROM	10	T LOGGING INT	EKVALS	
1/	25	F Sand						
25	29	F-c Sand						
29	43	Sand + Sm Gra	ve/					
						4		
7 CONTRACTOR'S OR LANDOWNED'S CERTIFICATION. This water well was (1) constructed (2) reconstructed or (2) plugged								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3								
Kansas Water Well Contractor's License No								
under the business name of Miller Drilling by (signature) by								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blacks, underline or circle the correct answers. Send top								
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								